

City of Delta

DRINKING WATER QUALITY REPORT

2024



A Message from the Manager:

June 2025

At the City of Delta, we are committed to providing sustainable and high-quality drinking water to our residents and businesses. We recognize that a safe, clean, and reliable drinking water supply is essential for the health and prosperity of our community. In 2024, the City successfully supplied over 23 million cubic metres of high-quality drinking water to our community.

This Annual Water Quality Report reflects the City's commitment to protect public health, ensure regulatory compliance, and community education. It presents key water quality results, and highlights how we renew and maintain water infrastructure to ensure system integrity. The City consistently replaces aging and undersized water mains to minimize the risk of service interruptions and improve water quality for users.

We hope this report provides valuable insights into how the City's water system works, and demonstrate the City's commitment to ensuring safe and reliable water delivery to the community.

A handwritten signature in blue ink, appearing to read "Queenie Wong", with a stylized flourish underneath.

Queenie Wong, P.Eng.
Manager of Utilities

ACKNOWLEDGEMENTS

Field testing was conducted by Scott Bradshaw, Water Quality Technician, Engineering Operations Division.

Lab testing was conducted by Metro Vancouver, Quality Control Division – Microbiology.

Delta source water tests were conducted by Element Labs.

DRINKING WATER QUALITY REPORT 2024

Table of Contents

EXECUTIVE SUMMARY	ii
1.0 SYSTEM OVERVIEW	1
2.0 MONITORING PROGRAM	2
3.0 TESTING PROGRAM	3
4.0 TESTING PARAMETERS & RESULTS	4
5.0 WATER DISTRIBUTION SYSTEM DETAILS	12
6.0 SYSTEM MAINTENANCE	19
7.0 WATERMAIN BREAKS	23
8.0 NOTIFICATION PROTOCOL	26
9.0 UNIQUE CHARACTERISTICS OF THE SYSTEM	26
10.0 PUBLIC INQUIRIES	29
11.0 WATER SYSTEM EMERGENCY RESPONSE PLAN	30
12.0 CONCLUSION	30
13.0 REFERENCES	31

DRINKING WATER QUALITY REPORT 2024

List of Figures

Figure 1: Water Source Distribution	2
Figure 2: Water Quality Technician sampling water at a Water Sampling Station.	3
Figure 3: Water Quality Standards for Potable Water	6
Figure 4: Observed HPC at Sampling Stations	7
Figure 5: Summary of High Turbidity Events	8
Figure 6: Average Turbidity at Sampling Stations	9
Figure 7: Turbidity of Metro Vancouver Source Water	9
Figure 8: Average pH of Sampling Sites	10
Figure 9: Watermain Inventory	13
Figure 10: Pump Station on 4 Avenue at Pebble Hill Reservoir	15
Figure 11: Water reservoir and pump station on 64 Avenue	16
Figure 12: Norum Road PRV Station	17
Figure 13: Infrastructure Replacement Value, 2024 dollars	19
Figure 14: Delta Water Maintenance Program	20
Figure 15: Fire Hydrant Undergoing Regular Annual Maintenance	22
Figure 16: Hellings Reservoir in North Delta	22
Figure 17: Well #1, Watershed Park Wells	23
Figure 18: Watermain Breaks By Pipe Material	24
Figure 19: Original Well Pump House at Watershed Park, Constructed 1906	27
Figure 20: Watershed Park Drinking Water Station, constructed 2012	28
Figure 21: 2024 Public Inquiries	29

DRINKING WATER QUALITY REPORT 2024

Appendices

Appendix 1	Metro Vancouver Water Distribution Map
Appendix 2	Tie-in Points to Metro Vancouver Water Transmission Mains
Appendix 3	Sampling Site Index & Location Maps
Appendix 4	Metro Vancouver Source Water and Distribution Test Parameters
Appendix 5	Metro Vancouver Physical and Chemical Analysis of Source Water
Appendix 6	Delta Source Water (Wells #1, #3 and #5) Test Parameters
Appendix 7	Delta Source Water (Wells #1, #3, and #5) Test Results
Appendix 8	Delta Water Distribution System Microbiological Test Results
Appendix 9	Delta Water Distribution System Free Chlorine Residual Test Results and Map
Appendix 10	Emergency Notification Protocol
Appendix 11	Delta Water Quality Organizational Chart
Appendix 12	Disinfection By-Product Results
Appendix 13	Metals Test Results
Appendix 14	Vinyl Chloride Test Results
Appendix 15	Fraser Health Bulletin

DRINKING WATER QUALITY REPORT 2024

Acronyms/Abbreviations

AO	Aesthetic Objective
DBP	Disinfection By-product
DCDA	Double Check Detector Assembly
DCVA	Double Check Valve Assembly
E.coli	Escherichia coli
EOCP	Environmental Operators Certification Program
GCDWQ	Guidelines for Canadian Drinking Water Quality
HDPE	High Density Polyethylene
HPC	Heterotrophic Plate Count
MAC	Maximum Acceptable Concentration
MV	Metro Vancouver
mg/L	Milligram per litre (0.001 g/L)
µg/L	Microgram per litre (0.000001 g/L)
mL	Millilitre
NTU	Nephelometric Turbidity Unit
PVBA	Pressure Vacuum Breaker Assembly
PRV	Pressure Regulating Valve
PVC	Polyvinyl Chloride
RPBA	Reduced Pressure Backflow Assembly
RPDA	Reduced Pressure Detector Assembly
THAAs	Total Haloacetic Acids
TTHMs	Total Trihalomethanes

DRINKING WATER QUALITY REPORT 2024

EXECUTIVE SUMMARY

Delta has produced an annual report regarding the health of the water distribution and supply system since 2000. The 2024 Drinking Water Quality Report fulfills the requirements of the British Columbia *Drinking Water Protection Act*¹ by providing an overview of the water system, discussing individual component maintenance, describing the unique features of our system, and summarizing the results of the water quality testing program. Specifically, this report is produced to satisfy a requirement of the *Drinking Water Protection Regulation*, May 2003 (Amended 2018), Section 11.

In summary, Delta undertook the following works in 2024:

- Exercised over 6,000 flow control valves;
- Maintained approximately 3,300 fire hydrants;
- Flushed the entire water distribution system;
- Maintained 45 pressure reducing stations;
- Maintained three pump stations;
- Maintained 416 air valves;
- Conducted 121 water quality investigations, initiated by residents, for water-related questions/concerns;
- Replaced approximately 3.0 kilometres of watermain with new mains of superior quality material and upgraded pipe diameters, if required, to provide required fire flows;
- Collected and processed approximately 1,265 water quality samples from 33 test locations throughout Delta's water distribution system;
- Conducted quarterly detailed physical and chemical analysis on Delta's well water;
- Repaired 7 watermain breaks without compromising our water system;
- Saved approximately \$320,000 by introducing water from the wells located near Watershed Park into our distribution system; and
- Cleaned and Inspected Watershed Park Reservoir;

We take our responsibility as a water purveyor seriously and proudly. We maintain a system that consistently meets the provincial drinking water quality requirements set out in the *Drinking Water Protection Regulation*. This provides Delta residents and businesses with a consistent supply of high-quality drinking water.

We trust you will find the information provided in this report to be of interest, and that it demonstrates our commitment to delivering this precious resource.

DRINKING WATER QUALITY REPORT 2024

Based on current consumption rates the average household would spend approximately \$500,000 on water annually if purchased from a supermarket.



1.0 SYSTEM OVERVIEW

Approximately 99% of the water distributed in Delta is purchased from Metro Vancouver (MV). MV sources the water from the Capilano, Seymour, and Coquitlam Reservoirs. The water from these surface water sources can be directed to different areas within the municipality by a series of valves, pressure reducing stations, and pump stations.

In 2024, Delta received most of its drinking water from the Seymour and Capilano watersheds, but can also receive water from the Coquitlam watershed under certain conditions. **Figure 1** shows the breakdown of water sources for the City of Delta.

The MV supplied water enters Delta from four submarine crossings:

- 1) the Lulu Island/Delta Main entering Ladner;
- 2) the Tilbury Main entering Tilbury;
- 3) the Annacis No. 2 Main entering Annacis Island and continuing on to Surrey;
- 4) the Annacis No. 4 Main entering Annacis Island.

Appendix 1 shows MV's distribution network while **Appendix 2** lists the tie-in locations where the MV supplied water enters Delta's system. **Appendix 3** lists Delta's sampling stations and maps their location in Delta's water distribution network.

The other 1% of the water we distribute comes from Delta's artesian wells near the Watershed Park. This water is pumped from deep wells in Sunshine Hills into the 64 Avenue Reservoir and then distributed to the lowland area south of 64 Avenue. This system is relatively inexpensive to operate as it relies on gravity to supply the area south of 64 Avenue from the reservoir.

Since 2011, MV has updated their water use restrictions on several occasions to reduce water consumption during the summer months when water use can increase up to 50%. Delta's water usage has gradually decreased since 2011 and has remained relatively consistent in recent years despite its population increase.

DRINKING WATER QUALITY REPORT 2024

97% of the world's water is saline. Another 2% is ice (glaciers). That leaves 1% of the water available for drinking, community needs, agriculture, and industry.



Water Source Distribution

■ Seymour ■ Capilano ■ Coquitlam ■ Delta Wells




Figure 1: Water Source Distribution

2.0 MONITORING PROGRAM

Drinking water quality is a function of source water quality, water treatment, and water quality changes after treatment. As a result, monitoring of drinking water quality involves source water monitoring, monitoring after treatment, and monitoring in the distribution system. As previously stated, approximately 99% of the water used within Delta is purchased directly from MV, which carries out source water testing and testing after treatment. The parameters and frequency for testing MV water is shown in **Appendix 4** and the test results are presented in **Appendix 5**. The City of Delta then tests the MV water at various locations within the local distribution system. In addition, Delta is in a unique position in that water is supplemented into the distribution system from the City's artesian wells. The test parameters for this water, which originates from a confined aquifer at a depth of approximately 70 metres, are much more detailed. The well water testing parameters are attached in **Appendix 6**.

DRINKING WATER QUALITY REPORT 2024

Less than 1% of water treated for potable use is consumed. The rest is discharged into the sewerage system for treatment, which requires costly infrastructure.



3.0 TESTING PROGRAM

Delta's Water Quality Technician samples and tests water from 33 sampling sites each week. Samples are tested on-site for temperature, pH, turbidity, and chlorine residual. In accordance with the 24th Edition of Standard Methods for the Examination of Water and Wastewater, an additional sample is taken and placed in a sterile bottle. The sample is marked with the location and time of day before being placed into a cooler. At the end of each day, samples are sent to the MV laboratory where the water is tested for turbidity, chlorine residual, total coliform, E.coli, and heterotrophic plate counts. The MV laboratory is a member of the Standards Council of Canada and is an accredited laboratory with the Canadian Association of Environmental Analytical Laboratories. **Figure 2** shows the technician taking a sample at Clarence Taylor Crescent Water Sampling Station. Results are reported to Delta's Water Quality Technician within seven days of submitting the samples. However, preliminary E.coli tests are reviewed within 24 hours and are reported immediately should a positive result occur. **Appendix 10** details the reporting procedure for positive E.coli tests.


Supplementary to weekly testing of the MV water within Delta's distribution system, quarterly tests are conducted on the water from the Watershed Park wells that contribute to the City's water supply. The test parameters are shown in **Appendix 6**. Element Labs, a laboratory accredited by the Canadian Association of Environmental Analytical Laboratories and by the Standards Council of Canada, conducts the tests, for which the results are shown in **Appendix 7**.



Figure 2: Water Quality Technician sampling water at a Water Sampling Station.

DRINKING WATER QUALITY REPORT 2024

Turning off the tap while brushing teeth for two minutes twice a day can save up to 700 litres of water per month.



The City of Delta staff works closely with Fraser Health to ensure that the testing program in place meets and exceeds the conditions set out in the Water Monitoring Protocol. As such, we sample and test more sites than required, conduct thorough and frequent tests of our well water source, and install sampling stations to provide an accurate overview of the health of our drinking water system. In following these measures, the City ensures that the necessary steps are taken to provide residents with safe and healthy drinking water.

4.0 TESTING PARAMETERS & RESULTS

Based on 2024 BC Stats data, the City of Delta is a purveyor of drinking water to a population of approximately 113,000; the City is required to test a minimum of 92 samples per month, as outlined in the *Drinking Water Protection Regulation*². Delta's water distribution network is comprised of approximately 610 kilometres of watermain and supplies water to five distinct geographical areas: North Delta, Ladner, Tsawwassen, Tilbury, and Annacis Island. To adequately represent all areas within our network, a minimum average of 99 bacterial samples are tested per month - 7 more than the guideline suggests. The 33 sites shown in **Appendix 3** are sampled on a weekly basis and tested for microbiological characteristics; specifically, total coliforms, E.coli, heterotrophic plate counts, and turbidity. Samples are also tested for aesthetic objectives, temperature, and pH level. As it is not feasible to test directly for all pathogens in the drinking water, microbiological guidelines are based on indicator organisms outlined in the test parameters.

A Maximum Acceptable Concentration (MAC) level for each specific test parameter has been established by Health Canada's Guidelines for Canadian Drinking Water Quality (GCDWQ)³. Each MAC has been designed to safeguard health, assuming a lifelong consumption of drinking water containing the substances at the maximum concentration level.

Aesthetic Objectives (AOs) apply to characteristics of drinking water that can affect its acceptance by consumers. These include items such as taste, odour, and appearance. Some AOs, such as turbidity, could pose a health risk to some at risk consumers if the MAC levels are exceeded.

Delta conducts its own well-water analysis to ensure the quality of the source water being introduced into its distribution system. Sampling sites DmDel 305 (Watershed Park Well #1) and DmDel 306 (Watershed Park Well #5), were sampled by Delta Water Technicians and tested by Element Labs. DmDel 307 (Watershed Park Well #3) was not sampled since the well has been inoperable since December 2023. The extensive test parameters for this well-water analysis are outlined in **Appendix 6**. Sampling stations DmDel 220, 225, 308, and 329 (Watershed Park Reservoir), which are directly downstream of the wells, were also analyzed against the same parameters. Complete

DRINKING WATER QUALITY REPORT 2024

Reducing a shower by two minutes can save up to 460 litres of water per month.



records of all four quarterly tests can be found in **Appendix 7**. All well-water samples collected comply with the Guidelines for Canadian Drinking Water Quality.

In 2024, testing location 306 (Well #5) was not in operation in Q2 and Q3 due to a motor failure, which was repaired in fall 2024; therefore, no test results are available for those quarters in **Appendix 7** and **Appendix 8**. In addition, during Q3, Operations conducted maintenance work that prevented sites 220, 225, and 308 from being able to be tested by Elements; as such, only sites 305 and 329 have testing data available in **Appendix 7**.

Approximately 1,265 samples, collected weekly or bi-weekly from 33 sites, were used to test for microbiological presence in Delta's local distribution system. The microbiological parameters tested are discussed below and complete test results are provided in **Appendix 8**.

Quarterly and bi-annual testing of disinfection by-products, trace metals, and vinyl chloride from select sampling sites are also discussed in the subsequent section. Full test results are attached in **Appendices 12, 13, and 14** respectively.

Total Coliforms

The presence of total coliforms in the water system is an indicator that the system is experiencing microbial re-growth, that infiltration has occurred, or that water has been poorly treated at the source. The *Drinking Water Protection Regulation* states that at least 90% of samples should have no detectable total coliform bacteria per 100 ml and no more than 10 total coliform bacteria per 100 ml. The units for measurement are *colony forming units (CFU)* or *most probable number (MPN)*.

If a sample tests positive for total coliform bacteria, it is re-sampled to confirm the original result before the affected main is flushed, monitored, and tested again should the second test be positive as well. The response to another unacceptable test result is to take the main out of service, chlorinate, flush, retest, and keep it out of service until acceptable results are obtained.

Parameter Guideline: At least 90% of samples have no detectable total coliform bacteria per 100 ml and no sample has more than 10 total coliform bacteria per 100 ml

In 2024, total coliforms were detected in one sample:

- Station DMDEL 313 where 1 CFU per 100mL of total coliform was detected in a sample in December.

No total coliforms were detected in subsequent samples taken from each station.

DRINKING WATER QUALITY REPORT 2024

When you go to a restaurant and they give you that complimentary glass of water, remember, it takes another 2 glasses to wash it. Decline it if you do not plan on drinking it.



E.coli

Escherichia coli is one species in the fecal coliform group and best known because of its link to the death of seven people and illness of over 2,000 others in Walkerton, Ontario. This bacterial species is a definite indicator of the presence of feces in the distribution system. The MAC for E.coli is 0 CFU per 100 ml. A confirmed unacceptable MAC test for E.coli can trigger an immediate boil water order by the Water Operator (City of Delta) in consultation with Fraser Health's Environmental Health Officer which remains in effect until the problem is isolated, identified, resolved, and acceptable test results are obtained.

The *Drinking Water Protection Regulation* of British Columbia *Schedule A*, shown below in **Figure 3**, has established the following microbiological criteria:

Parameter:	Standard:
Fecal coliform bacteria	No detectable fecal coliform bacteria per 100 ml
Escherichia coli (E.coli)	No detectable Escherichia coli per 100 ml
Total coliform bacteria:	
(a) 1 sample in a 30 day period	No detectable total coliform bacteria per 100 ml
(b) More than 1 sample in a 30 day period	At least 90% of samples have no detectable total coliform bacteria per 100 ml and no sample has more than 10 total coliform bacteria per 100 ml

Figure 3: Water Quality Standards for Potable Water

Parameter MAC: 0 MF/100 ml

Of the approximately 1,265 samples tested, there were no incidences of E.coli bacteria.


Heterotrophic Plate Count

The general bacterial population is estimated by means of a background colony count referred to as a heterotrophic plate count (HPC). Although not a significant health concern on its own, the presence of a background bacterial growth indicates that pathogenic bacteria could thrive in the system should they be able to enter it. Also, excessively high HPCs can hinder the detection of coliforms.

No MAC is specified for HPC bacteria in water supplied by public drinking water systems. Instead, increases in HPC concentrations above baseline levels are considered undesirable. Delta's baseline level for HPCs is 500 colonies per millilitre (mL). If a test result indicates more than 500, the water is resampled and tested. Further test results

DRINKING WATER QUALITY REPORT 2024

Don't leave the water running when you shave. A tap can run at approximately 10 litres per minute. If it takes 10 minutes to shave, that's about 100 litres of water used.



indicating HPCs above 500 require the watermains to be flushed and monitored until a decreasing trend is observed to below the baseline.

Parameter Guideline: < Delta's baseline level of 500 colonies/mL

The test results for HPC are shown in **Appendix 8. Figure 4** shows the average and maximum HPC at each sampling station in 2024. There were several events of HPC exceeding the baseline level of 500 colonies/mL this year. Throughout July to October in 2024, 8 sampling stations indicated greater than 500 colonies/ mL of HPC. These 8 sampling stations include five sampling stations directly downstream of the reservoir (220, 225, 308, 329), as well as Well #1 (305), one station near the airport (391), and one in Ladner (221). Additional tests were undertaken and there were no E. coli or total coliforms detected in the samples. Also, the measured chlorine levels were constant during the time that the HPC spikes were observed, providing confirmation that the drinking water met all regulatory requirements and was safe for consumption.

Subsequent sample results in October show HPC levels below the baseline, indicating that temperature could have been a significant factor in the rising HPC counts. Most of the high HPC detection observed was near the reservoir; as such, the City planned for a reservoir cleaning in the following winter to remove sediment and organic matter build up in the reservoir.





Figure 4: Observed HPC at Sampling Stations

DRINKING WATER QUALITY REPORT 2024

Check for leaks in your garden hose. Hoses can outflow water up to 2,700 litres per hour. If there is a leak, that can add up to a lot of wasted water.



Turbidity

Turbidity measurements relate to the optical properties of water. Suspended matter such as clay, silt, finely divided organic and inorganic matter, soluble coloured organic compounds, plankton, and other microscopic organisms all contribute to poor turbidity levels. Excessive turbidity not only detracts from the appearance and taste of water, it also can serve as a source of nutrients for waterborne bacteria and a surrogate for pathogens. The City regularly flushes their watermains to improve long term water quality in existing water systems, particularly at unlooped or less utilized watermain sections, which may temporarily increase the turbidity in the water. Other causes of turbidity may be at the Metro Vancouver source water, which, on rare occasions, can experience slightly higher than normal turbidity after large storms. Prolonged cases of excessively high turbidity can have a negative effect on disinfection techniques.

Turbidity tests measure the scattering and absorbing effect of suspended particles on light and are measured in nephelometric turbidity units (NTU). The GCDWQ states that the turbidity levels for filtration systems should be as low as reasonably possible with a target of less than 0.1 NTU. However, Delta tests only within the local distribution system and the GCDWQ recommends an objective of <1 NTU at the point of consumption. The system is monitored and flushed, if necessary, when unacceptably high turbidity test results are recorded.

Parameter Guideline: < 1 NTU

Test results for turbidity and temperature are shown in **Appendix 8**. There were 4 instances of high turbidity reported at various sampling stations. **Figure 5** below summarizes the high turbidity events observed throughout the year. All events are minor turbidity exceedances.

Sampling Station ID	Sampled Date	Turbidity (NTU)
DEL-229	October 18, 2024	1.5
DEL-229	November 6, 2024	1.8
DEL-303	October 18, 2024	1.4
DEL-303	November 6, 2024	1.7

Figure 5: Summary of High Turbidity Events

The average turbidity of all sampling stations remained under the guideline value of 1 NTU, as seen in **Figure 6**. The turbidity at Metro Vancouver's source waters before treatment is shown in **Figure 7**.

DRINKING WATER QUALITY REPORT 2024

To see if your toilet is leaking, put a few drops of food colouring in the tank. Wait a few minutes, if the water in the bowl colours, you know you have a leak.





Figure 6: Average Turbidity at Sampling Stations

Average Turbidity of MV Source Water (Source: Metro Vancouver 2024 Water Quality Control Annual Report⁵)





Figure 7: Turbidity of Metro Vancouver Source Water

DRINKING WATER QUALITY REPORT 2024

Garden hoses can deliver water at 45 litres per minute. Having a shut-off nozzle can save a lot of water as water runs only when you use it.



pH

The pH of water can influence the formation of disinfection by-products and the effectiveness of treatment. An acceptable pH range for drinking water is 7 to 10.5.

To protect copper pipes and hot water tanks from the region's naturally acidic mountain-fed streams, MV has increased the pH and alkalinity of the region's drinking water using natural minerals. The target range for pH adopted in 2021 is 8.3 – 8.5 and 20.0 mg/L of calcium carbonate (CaCO_3) for alkalinity. The changes have no impact on the water's taste or smell and comply with the GCDWQ.

Parameter Guideline: 7 - 10.5

The average pH of selected sampling sites in Delta serviced primarily by Metro Vancouver source water was 8.0. The average pH of station DmDel 305 (Well #1) was 7.82 and Dmdel 306 (Well #5) was 7.71 before mixing with MV water at the reservoir. DmDel 307 (Well #3) was not in operation in 2024. Delta also completed quarterly testing of selected sampling sites serviced primarily by well water and the pH was within the acceptable range. **Figure 8** shows the average along with the maximum and minimum accepted pH values of all sampling sites.




Figure 8: Average pH of Sampling Sites

Chlorine Residual

Chlorine is used as a disinfectant by MV. The purpose of maintaining a disinfectant residual, also known as free chlorine, in both MV's and Delta's distribution system is to control the re-growth of bacteria. Observing a chlorine residual of approximately 0.4 to 0.7 milligrams per litre (mg/L) in Delta's system is normal. However, the target

DRINKING WATER QUALITY REPORT 2024

Water consumption can increase up to 50% in summer, largely due to lawn sprinkling and other outdoor uses.



minimum concentration is 0.2 mg/L, apart from Delta's well water service area which is a non-chlorinated supply that ties into MV's chlorinated supply. Delta's well water supply is monitored closely with a backup chlorination injection system if required.

Parameter Guideline: >0.2 mg/L

Test results for free chlorine residual are shown in **Appendix 8**, while **Appendix 9** provides average free chlorine residual results, including a map indicating sites where samples consistently tested less than 0.2 mg/L. This typically includes stations that are downstream of the well water sources where there is dilution caused by some mixing with Metro Vancouver water or at dead end mains. As such, low chlorine residual results are expected.

Stations DmDel 305, 306, 307 generally have zero chlorine residual as this water originates from Delta's artesian wells and are not chlorinated.

Disinfection By-products

Reactions between chlorine used for disinfection, temperature, water pH, and dissolved natural organic matter in the water can form two major families of potentially carcinogenic by-products: Total Trihalomethanes (TTHMs) and Total Haloacetic Acids (THAAs). The GCDWQ states that the MAC for TTHMs and THAAs in drinking water is 0.100 mg/L (100 parts per billion) and 0.080 mg/L (80 parts per billion), respectively, based on a running annual average of a minimum of quarterly samples.

Parameter MAC: 100 ppb for Total Trihalomethanes; 80 ppb for Total Haloacetic Acid

Results of tests performed for disinfection by-products are summarized in **Appendix 12**. The levels of THAAs have reduced since the construction of the Seymour-Capilano Filtration Plant and subsequent reduction of chlorine required for disinfection. All results in 2024 were below the maximum allowable limit.

Metals

The guideline limits for tested metals are listed in **Appendix 5** (Physical and Chemical Analysis of Source Supply). Lead testing is completed semi-annually for MV's source water prior to and after treatment. Lead is also tested at select Delta sampling stations.

Parameter MAC: see Appendix 13

DRINKING WATER QUALITY REPORT 2024

A tap that drips 2 tablespoons per minute equates to 2,600 litres of wasted water in one year. The wasted water costs taxpayers to treat before it reaches the tap, and again after it leaves the house to be treated at sewage treatment plants. So make sure to catch those leaky taps!



A total of eight samples were collected from four locations and tested biannually by MV for the presence of metals. The results of these samples are summarized in **Appendix 13**; all metal concentrations were below the relevant guidelines for 2024.

Vinyl Chloride

Vinyl chloride, a synthetic chemical, can enter drinking water through leaching from polyvinyl chloride (PVC) pipes due to the biodegradation of synthetic solvents. The MAC for vinyl chloride is 0.002 mg/L.

Parameter MAC: 0.002 mg/L

Over 50% of Delta's watermain inventory consists of PVC pipe; six sampling locations with predominantly PVC pipe were selected to test for vinyl chloride. Each location was tested twice: once in June and again in November. Of the 12 samples taken, all vinyl chloride results were less than 0.001 mg/L, well below the GCDWQ maximum acceptable concentration of 0.002 mg/L. The test results are summarized in **Appendix 14**.

5.0 WATER DISTRIBUTION SYSTEM DETAILS

Delta's water system services an area of approximately 18,100 hectares including North Delta, Tsawwassen, Ladner, Tilbury, Annacis Island, Delta Port, Boundary Bay Airport, and the BC Ferries Terminal. The City of Delta distributes water in pipes made of a variety of materials. The very first watermains installed in 1909 were made of wood. These wooden mains have since been replaced with cast iron, ductile iron, polyvinyl chloride (PVC), steel, or asbestos cement. The majority of watermains have now been replaced with PVC pipe.

Figure 9 shows the breakdown of pipe materials that comprise Delta's distribution system.

Even energy efficient washing machines use up to 50 litres of water per load. To save water, you can wait until a full laundry load.




Figure 9: Watermain Inventory

5.1 Watermain Materials

Cast Iron (CI) Watermains

Approximately 15%, or 93 kilometres, of Delta's watermain inventory consists of cast iron pipe which was majorly installed prior to 1978. The life expectancy of cast iron pipes is between 50 and 70 years, depending on the corrosiveness of the soil.

Ductile Iron (DI) Watermains


Approximately 10%, or 60 kilometres, of Delta's watermain inventory consists of ductile iron pipes. While most ductile iron pipe was installed between 1969 and 1988, it is still used for some applications where additional strength is required. Delta's design guidelines require cathodic protection on new ductile iron pipe installations in the lowlands, increasing the service life expectancy to 100 years.

Poly Vinyl Chloride (PVC) Watermains

Approximately 60%, or 375 kilometres, of Delta's watermain inventory consists of PVC pipe. Much of this pipe has been installed since 1979. Although the service life of PVC pipe has not yet been demonstrated, 75 years is estimated. Most new watermain installed in Delta are PVC or PVCO.

DRINKING WATER QUALITY REPORT 2024

Roughly 60% of a typical family household water footprint is from lawn and garden maintenance. Rain barrels, drought-tolerant gardens, and lawn watering restrictions can greatly reduce this consumption.



Steel (ST) Watermains

Approximately 1%, or 7 kilometres, of Delta's watermain inventory consists of steel. These mains have a large diameter and are primarily used as transmission mains. However, the life expectancy of steel watermains is immensely impacted by corrosive soils. These mains serve large areas of Delta, so disruption in one of the mains can leave entire areas without water. As such, cathodic protection is utilized to protect the pipe. Most of these mains were constructed in the 1970s and are beginning to reach the end of their service life.

Asbestos Cement (AC) Watermains

Approximately 11%, or 70 kilometres, of Delta's watermain inventory consists of asbestos cement pipe which was installed prior to 1978. The life expectancy of asbestos cement pipe is between 50 and 60 years, depending on soil type and ground conditions. Workers repairing or replacing asbestos pipe are required to take special safety precautions. Watermain break records indicate that two watermain breaks occurred in the asbestos cement inventory in 2024: one was caused by a hole in the pipe, while the other was caused by damage to the blow off.

High Density Polyethylene (HDPE) Watermains

Approximately 1.6%, or 10 kilometres, of Delta's watermain inventory consists of high density polyethylene pipe (HDPE). This pipe material has only been in use in Delta since 2000 and is mainly used for transmission mains or in specific applications. The unique construction method of fusion welding polyethylene pipe sections together provides leak tight joints and greater seismic resistance. Although the service life of polyethylene pipe is not yet confirmed, 75 years is estimated. There were no HDPE watermain breaks in 2024.

5.2 Other Components

Water Pumping Stations

The Delta water system includes three water storage and pump station facilities: Pebble Hill, Hellings, and 64 Avenue. Each pump station has a service life of approximately 40 to 50 years and are equipped with backup generators. The Watershed Park pump station is the only pump station that is owned and operated by Delta and acts as an emergency backup water supply. The other two pump stations are operated in conjunction with Metro Vancouver.

DRINKING WATER QUALITY REPORT 2024

Another water saving tip is to cool a jug or pitcher of water in the fridge instead of running the tap awaiting cooler water.



Figure 10: Pump Station on 4 Avenue at Pebble Hill Reservoir

Water Services

Delta has approximately 31,800 water service connections supplying water from our distribution network to individual property lines. As with Delta watermains, these pipes age and require replacement. Whenever possible, service connections older than 25 years are replaced by the developers as part of their Building Permit, as required in Delta's Subdivision & Development Standards Bylaw. Service connections are also replaced when old watermains are upgraded or replaced as a part of Delta's Capital Program.

Of the approximate 31,800 service connections, approximately 80% are copper with some installed as early as 1940. Due to corrosive soil conditions, the average life for a service connection is approximately 25 years old.

The remaining roughly 20% of service connections are comprised of cast iron, asbestos cement, ductile iron, PVC, or polyethylene pipe. The older industrial service pipes are made of asbestos cement and cast iron, while the newer industrial service pipes are made of ductile iron, PVC, or polyethylene.

Water Storage Facilities

Two of the three water storage facilities in Delta are owned and operated by MV: Pebble Hill Reservoir in Tsawwassen and Hellings Reservoir in North Delta. The 64 Avenue Reservoir, with a capacity of 7,500,000 litres, is owned and operated by Delta and is primarily filled with water from Metro Vancouver and Delta's artesian wells. The current reservoir structure was built in 1959 and is nearing the end of its service life.

DRINKING WATER QUALITY REPORT 2024

Water used to rinse fruits or vegetables can be captured and re-used to water house or garden plants.



The reservoir is a key facility for water supply to East Ladner and plays a vital role as an emergency water supply.



Figure 11: Water reservoir and pump station on 64 Avenue

Fire Hydrants

Delta has approximately 3,300 fire hydrants, some installed as early as the 1950s. The older style slide-gate hydrants, which are less efficient at providing water for fire protection, are being replaced with new compression-style hydrants that provide greater flow at a higher pressure. When a slide-gate hydrant has reached the end of its service life or a watermain is being upgraded as part of the Capital Program, slide-gate hydrants are replaced with compression hydrants.

Pressure Reducing Valve Stations

Pressure reducing valves are used to step-down pressure in Delta's water distribution system to an acceptable supply pressure. Delta has 45 pressure reducing valve (PRV) stations containing approximately 83 pressure regulating valves. There are 25 stations connected to the MV water supply system. The remaining 20 are internal to Delta's water system. **Figure 12** shows the recently upgraded Norum Road PRV Station.

DRINKING WATER QUALITY REPORT 2024

Dishwashers use much less water than handwashing. If you have a dishwasher, consider using it as your primary choice.



Figure 12: Norum Road PRV Station

Fluctuating pressures can place excessive stress on plumbing systems and watermains. Delta currently overhauls the PRV stations every five years to extend their service life to 50 years and replaces others that are near the end of their service life.

Flow Control Valves

Delta has approximately 6,000 flow control valves in the water distribution system, which includes zone valves, check valves, butterfly valves, and gate valves. The valves are primarily used to isolate areas of the network for inspection or repair. If a valve were to fail, water flow to the affected main would be disrupted until repaired. The expected service life of a flow control valve is 40 to 50 years without cathodic protection, and 100 years with cathodic protection.

Air Valves

Delta has 423 air valves, installed in below-ground chambers, which “bleed” air from the pressurized system through piping that discharges above grade. Entrapped air in the distribution system could impact pipe flow capacity. Air valves receive maintenance as required and are replaced at the end of their service life, which is approximately 20 years.

Backflow Prevention Assemblies

Delta uses a proactive approach in protecting the water distribution system from harmful cross connections. The Engineering and Plumbing Departments have a municipal wide Backflow Prevention Program, which has been in place for several years.

Section 15 of the British Columbia *Drinking Water Protection Regulation* outlines that “an assessment response plan must include provisions to identify, eliminate, and

DRINKING WATER QUALITY REPORT 2024

If you are looking to replace your toilet, consider a dual-flush toilet as it provides the options of a water saving dual-flush.



prevent cross connections with non-potable water sources”. In addition, Part 5 of the Delta Water Service Bylaw No. 7441, 2016 (last updated December 2024)⁴ also contains regulations that prevent contamination.

For instance, the Bylaw states that:

40) No person shall, except as authorized by the Director under section 43, connect or cause or allow to be connected to the water supply facilities on any premises any piping, fixture, fitting, or other appurtenance that would in any circumstances permit water, wastewater, or any other liquid substances to enter any part of the Waterworks System, including that Person’s Water Service.

Within the municipality, there are 5,045 backflow prevention assemblies currently in service. All testable backflow assemblies must be tested annually. Inventory can be broken down as follows:

- Double Check Valve Assemblies (DCVA’s) – 3,054
- Reduced Pressure Backflow Assemblies (RPBA’s) – 1,794
- Pressure Vacuum Breaker Assemblies (PVBA’s) – 69
- Double Check Detector Assemblies (DCDA’s) – 121
- Reduced Pressure Detector Assemblies (RPDA’s) – 7
- Other - 0

Most of these assemblies are privately owned and are all required to be tested annually. They can be installed at the point of hazard, or in premise isolation. In either case, a properly maintained backflow assembly prevents non-potable water, or “spent” water, from entering the potable water system by means of back-siphonage or back pressure.

Delta has partnered with BSI Online for tracking and recording backflow assembly tests. Testing companies and external owners can easily access and upload data through the BSI Online platform, while Delta can monitor compliance.


Water Meters

All new construction, secondary suites, industrial properties and agricultural properties require a water meter. Single family home owners may also apply for a voluntary water meter. In 2024, Delta installed 88 secondary suite and 142 voluntary water meters. The meters were installed at no charge to the homeowner. In total, there were 574 water meters activated in 2024 including new builds.

Delta currently meters over 10,000 water services. Approximately 33% of all services are metered. All Industrial, Commercial, Institutional, and Agricultural lots are metered. The service life of a water meter is approximately 20 years.

DRINKING WATER QUALITY REPORT 2024

In Metro Vancouver approximately 270 litres of water per person is used each day. The major use of indoor residential water consumption is flushing the toilet.



Auto Watermain Flushers

Delta has installed auto flushing units at eleven locations that have experienced higher than normal heterotrophic plate counts (HPCs) in the past. These units automatically flush the watermains at regular intervals to ensure water quality is maintained.

5.3 Water System Value

The total value of our water distribution system, as detailed in Figure 13, is approximately \$1.3 billion. In 2024 Capital Plan, the City of Delta allocated \$6.1 million for water infrastructure replacement and upgrades. The Capital Plan is designed to identify, prioritize, and address deficiencies in the water system to maintain a reliable level of service to residents, businesses, and other stakeholders.

System Components	Quantity in Use in Delta	Estimated Replacement Cost (\$ M)
Watermains	610 km	\$874
Service Connections	31,800	\$163
Control Valves & Fittings & Chambers	6,000	\$78
Hydrants	3,291	\$39
Back-Flow Assemblies	5,967	\$5
Water Meters	9,100	\$30
Pumping Stations	3	\$9
Pressure Reducing Stations	45	\$60
Reservoirs/Tanks*	1 Delta/2 GVRD	\$12
Wells	3	\$1
TOTAL		\$1.3 Billion

*Cost is for Delta Reservoir only

Figure 13: Infrastructure Replacement Value, 2024 dollars

6.0 SYSTEM MAINTENANCE

Delta is a Class III Water Distribution System operator under the Environmental Operators Certification Program (EOCP). To operate the water system, Delta must have EOCP certified staff at or above the corresponding class level. Currently, Delta has one Level 3 Water System Operator, two Level 2 Water System Operators, and three Level 1 Water System Operators in water utility operations team.

The City's thorough and comprehensive maintenance program was developed to extend the life expectancy of water assets. Maintenance of the Delta water system involves five key programs: valve exercising, watermain flushing, hydrant maintenance, well maintenance, and reservoir maintenance. The general maintenance schedule for

DRINKING WATER QUALITY REPORT 2024

Each day, residents of the Metro Vancouver region use on average 1 billion litres of water per day – enough to fill BC Place.

most programs is outlined in **Figure 14**. Well maintenance is conducted when the well yield is reduced, on an as-needed basis, and the wellheads are cleaned annually. Since replacing the entire distribution network is not feasible, system maintenance is critical to maintaining and extending the life of existing water infrastructure. Delta spent approximately \$5.6 million in 2024 on water system operations and maintenance.

6.1 Annual Maintenance Program

Program	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Valve Exercising												
Watermain Flushing												
Hydrant Maintenance												
Reservoir Maintenance*											*	

*as required

Figure 14: Delta Water Maintenance Program

Valve Maintenance

Valves are interspersed along watermains and can be closed or opened to alter the flow of water. Valves that are buried or left closed cause maintenance challenges by restricting water flow through the main. In response to this issue, Delta staff commenced a valve exercising program in 1985. Each valve is inspected annually, exposing buried valves, making repairs, and exercising every valve by turning it first to a closed position and then back to open. This process begins in January and lasts for approximately six weeks.

Watermain Maintenance

Watermain maintenance involves repairing damaged or leaking watermains and ensuring that watermains are operating effectively.

Watermain Upgrading

In addition to repairing watermains, Delta replaces aging watermains as a preventive measure. An ongoing annual replacement program targets areas with older piping materials in susceptible conditions, areas of inadequate fire flow, and neighbourhood rehabilitation sites.

DRINKING WATER QUALITY REPORT 2024

Instead of washing your driveway, deck, or patio, consider sweeping to conserve water.



Watermain Flushing

Delta is at the southern extreme of long transmission mains coming from the Seymour, Capilano, and Coquitlam Reservoirs. As water is transported through the transmission system, sediment can get introduced into Delta's water distribution system. In addition to accumulated sediment, some areas of the water system are susceptible to water stagnation where water usage is low or watermains terminate at street ends. Sediment and stagnation can create an undesirable level of turbidity in the water. As discussed, turbidity impacts aesthetic quality and promotes bacterial growth. In response to these concerns, Delta initiated a watermain flushing program in 1985. Each main is flushed annually, during daytime hours. Note that the watermain flushing schedule is impacted by seasonal water sprinkling restrictions. When flushing, a hydrant is opened causing the increase in water velocity within the main which initiates the removal of sediment. Large distribution mains, such as those found on Ladner Trunk Road, 56 Street, Scott Road, and River Road, are not flushed because velocities through these mains are routinely high enough to move sediment and prevent water stagnation. There are a number of locations throughout Delta referred to as "trouble spots" where water demand is low or where watermains terminate in a dead end. These areas are flushed as required, sometimes as often as every two months. When opportunities arise, either through new development or capital upgrades, the water system is looped. Delta also flushes mains within 24 hours of receiving test results from the MV Laboratory that indicate bacteria levels outside the acceptable provincial water quality guidelines.

Hydrant Maintenance

Historically, fire hydrants were only serviced when requested by the Fire Department. To ensure proper fire protection, Delta implemented a fire hydrant maintenance program in 1985. The program checks the pressure on each hydrant before it is serviced and dismantled, renewing worn parts as necessary. The hydrant is then lubricated and reassembled. This program takes approximately four months to complete.

DRINKING WATER QUALITY REPORT 2024

Per capita water consumption in Delta has been decreasing steadily since 1990.




Figure 15: Fire Hydrant Undergoing Regular Annual Maintenance

Reservoir Maintenance

Debris can accumulate in reservoirs requiring occasional cleaning. Fortunately, the water fed into the 64 Avenue Reservoir from the three wells contains almost no sediment, and therefore cleaning is scheduled only when required. Cleaning is performed with a team of divers “vacuuming” silt from the bottom of the reservoir, which eliminates the need for draining the reservoir and reduces maintenance costs. The reservoir at the Watershed Park was cleaned in the winter of 2024.

The Pebble Hill and Hellings reservoirs are owned and maintained by MV.



Figure 16: Hellings Reservoir in North Delta

DRINKING WATER QUALITY REPORT 2024

Water Well Maintenance

Well maintenance is a critical component of our water infrastructure maintenance program. As water from the wells is introduced into our distribution network untreated, we conduct daily maintenance and monitoring. The water levels are measured and recorded daily to ensure the aquifer is not over utilized and the system checked for malfunctions.

Position sprinklers to water plants and lawns, not pavement.



Figure 17: Well #1, Watershed Park Wells

The wells are redeveloped every three to five years which involves surging, jetting, and treating the wells with biodegradable product applications. This helps maintain production rates and avoids the costly alternative of replacing a well. All activities in the well compound area are closely monitored and regulated. Staff who maintain this facility are certified by the EOCP of B.C.

Well #3 is at the end of its service life and has been inoperable since December 2023. A replacement well is planned for 2026. Well #5 encountered a motor failure in Q2 and was subsequently repaired at the end of Q3.

7.0 WATERMAIN BREAKS

Most water utilities frequently experience minor disruptions. Pipes break, valves stick, hydrants leak, and power outages occur. Although these are not highly anticipated, they can usually be corrected with minimal disruption, and regular service can be quickly restored. This section summarizes typical actions taken by the City in the event of a service disruption.

In 2024, our staff responded to and repaired seven watermain breaks (**Figure 18**).

DRINKING WATER QUALITY REPORT 2024

Current dishwasher models use as little as 23 litres of water, even for partial loads. Full loads will save a lot more water.




Figure 18: Watermain Breaks By Pipe Material

Procedures for Watermain Repairs or Tie-ins

Watermains are disinfected whenever they are exposed to the atmosphere. To prevent a possible introduction of contamination, our crews maintain positive pressure in the system. This practice makes the repair more difficult, but it is a necessary safeguard to protect the integrity of our system.

Repairs or Tie-ins with No Groundwater Entry

These repairs are typically the result of electrolysis holes, cracks, and splits and are repaired using repair clamps. Provided the watermain maintains positive pressure until our crews have excavated below the invert of the pipe, it is assumed that no contaminant can enter the system. The repair clamps and other materials required to complete the repairs are cleaned with a 6% chlorine solution. Upon completion of the repairs, the main is flushed and put back into service.

Repairs or Tie-ins with Groundwater Entry

On occasion, breaks have occurred where it is infeasible to maintain positive pressure or to pump the groundwater below the invert of the watermain before throttling the main down or shutting it off. In this case, disinfection, flushing, and residual testing procedures are followed prior to re-commissioning the watermain.

DRINKING WATER QUALITY REPORT 2024

Using a refillable water bottle or re-using a single glass to drink water for the day will reduce the number of glasses to wash per day, conserving water.



Our staff adhere to the procedures set out in the American Water Works Association Standard C651-14 regarding watermain chlorination, which requires that mains are completely isolated and disinfected with a chlorine concentration of 25 to 300mg/L for a retention time between 15 minutes and 24 hours. A minimum chlorine residual must always be maintained or after the disinfection. If the residual requirement is not met, the main must be re-chlorinated using the same standard. After a successful result, the watermain is flushed continuously until the chlorine residual is less than one milligram per litre. When the desired residual level is achieved, the main is put back into service.

E.coli Detection

If E.coli is detected in a sample, then response protocol is followed as per Delta's Drinking Water Response Plan. The testing laboratory sends an immediate notification of the positive test sample. The City of Delta immediately notifies the Fraser Health Authority and the Municipal Health Officer of any positive E.coli test. Residual chlorine levels are immediately checked in vicinity of the sampling station. Engineering Operations team is deployed to the area and the watermain is flushed. Repeat samples are taken immediately upstream and downstream of the sampling station, within the same pressure zone to determine if there is any contamination in the distribution system. If there are no other E.coli positive samples, service continues for the area. As per protocol, three days of consecutive sampling and tests are required and all must test negative for E.coli, for the response to conclude. Should any further samples detect E.coli, the watermain is isolated and a 'Boil Water' advisory is issued while the watermain is disinfected, until three consecutive sampling days prove negative for E.coli.

Waste Water Contamination

Where a watermain break is accompanied by a sanitary sewer break, the watermain is throttled to maintain positive system pressure while the sanitary main is repaired. Once the sanitary main is repaired, the watermain is taken out of service, disinfected, flushed, and tested. The Fraser Health Environmental Health Officer is notified and the main is put back into service once acceptable test results are achieved.

Only 1 hour a week of sprinkling is needed during dry weather for a healthy lawn.



8.0 NOTIFICATION PROTOCOL

Normally, breaks or disruption to water service are caused by conditions that can be repaired and reinstated directly by Delta crews without risk to the public health. However, sometimes situations arise that require extra care to guarantee the infrastructure integrity.

To address these abnormal occurrences, the notification protocol, as detailed in **Appendix 10**, is followed. It describes the proper procedure to activate emergency water supply, repair watermain and water service breaks, and provide backup power to pumping stations during a power outage. It also includes a list of personnel to be notified, and flow charts of response procedures in case of emergency events. Fraser Health is also notified of watermain breaks via email. This procedure has been implemented for mains larger than 100 mm in diameter.

9.0 UNIQUE CHARACTERISTICS OF THE SYSTEM

Water Source

The artesian wells in Watershed Park have provided Delta with an emergency drinking water source. By introducing this water into the distribution system, Delta offsets the rising cost of purchasing water from MV. This year, pumping from these wells resulted in savings of approximately \$320,000. The replacement of Well #1 pump in 2018 resulted in a significant increase in Well #1 production. Well #5 was redeveloped in early 2022 which increased the production of well water. However, this well was out of operation from early May to early November 2024 due to the motor failure. Well #3 has been out of operation all throughout 2024.

Delta has been receiving filtered Seymour source water from MV's Seymour-Capilano Filtration Plant since 2010. This has significantly reduced the turbidity results in our water system, and improved our chlorine residual results. In addition, the Capilano source water has been treated at the filtration plant since 2015, further improving Delta's drinking water quality. Delta also receives a small portion of Coquitlam source water.

Delta Water Source History

In the spring of 1997, MV's transmission main broke beneath the Port Mann Bridge leaving only two alternate supply sources to Surrey and Delta. This event left Delta with greatly reduced system redundancy. To compensate for the reduced supply, a ban on sprinkling was mandated and other conservation measures implemented.

DRINKING WATER QUALITY REPORT 2024

Adding mulch, organic matter to soil, thicker topsoil layers, or even leaving lawn mowing clippings can improve the soil's ability to retain water from rainfall or watering, needing less drinking water.



Figure 19: Original Well Pump House at Watershed Park, Constructed 1906

Recognizing Delta's vulnerability, Council directed the Engineering Department to develop an alternative water source to be available in the event of a natural catastrophe. Four water wells in Watershed Park, which supplied the lower Sunshine Hills area, were abandoned some 25 years prior, but the buildings and infrastructure, although overgrown and in need of repair, were intact. After a thorough evaluation had been conducted, it was recommended that only two of the original wells (#1 & #3) should be refurbished and that a new well (#5) should be constructed.

As work to refurbish the wells was underway, it became apparent that the water from the aquifer was of very high quality. Tests showed that it surpassed all conditions set out in the GCDWQ. As a result, it was decided to introduce this water into our distribution system via the 64 Avenue Reservoir. A water tanker load out facility was also constructed to facilitate the distribution of well water to various locations in the case of a major emergency which would restrict water from MV sources to Delta. In 2012, a drinking water station utilizing well water was constructed for use of park patrons.

DRINKING WATER QUALITY REPORT 2024

Check out
www.welovewater.ca for
more water saving tips!



Figure 20: Watershed Park Drinking Water Station, constructed 2012

Water Consumption

Delta is the highest per capita water user of all the MV member municipalities according to Metro Vancouver's 2023 Water Consumption Statistics⁶. Delta consumes an average of 566 litres per capita per day (including ICI), which is higher than the regional average of 379L/c/day. This higher per capita consumption is likely attributed to large water-intensive industrial and agricultural operations.

In 2000, Delta implemented a leak detection program to determine the extent to which our distribution network could be contributing to the high consumption. Initial results indicate that although some leakage is occurring in areas where the service pipes are older, it does not appear to contribute in a significant way to the high average.

To better understand water use in the agricultural areas and the equity of water usage, Delta metered all agricultural properties in 2009. In addition, water meters are currently being installed on all legalized secondary suite properties, and water meters are required on all new construction. Overall, approximately 59% of Delta's total water consumption is currently metered.

Water demands in the summer can almost double that of the winter while MV reservoirs are being depleted from the additional water demands and lack of rainfall. To reduce water consumption during summer high water demands, Metro Vancouver implemented the Drinking Water Conservation Plan (DWCP), which is a regional policy used to manage the use of drinking water during periods of high demand and low

DRINKING WATER QUALITY REPORT 2024

supply. The DWCP is managed through four levels of water restriction stages, with each level successively increasing water use restrictions

10.0 PUBLIC INQUIRIES

The City of Delta staff responded to 121 requests in 2024 to investigate water related issues. When we receive calls concerning water potability, the City of Delta's Water Quality Technician would take a sample of the water in question and submit it to the MV Lab for testing.

Issues	Count
Water – Quality	9
Water – Pressure	97
Water - Other	15
Total	121

Figure 21: 2024 Public Inquiries

Water users are advised by Fraser Health to partake in water flushing of taps and faucets for drinking and cooking. The following message from Fraser Health details this:

"Anytime the water in a particular faucet has not been used for six hours or longer, "flush" your cold-water pipes by running the water until you notice a change in temperature. (This could take as little as five to thirty seconds if there has been recent heavy water use such as showering or toilet flushing. Otherwise, it could take two minutes or longer.) The more time water has been sitting in your home's pipes, the more lead it may contain.

Use only water from the cold-tap for drinking, cooking, and especially making baby formula. Hot water is likely to contain higher levels of lead.

The two actions recommended above are very important to the health of your family. They will probably be effective in reducing lead levels because most of the lead in household water usually comes from the plumbing in your house, not from the local water supply.

Conserving water is still important. Rather than just running the water down the drain you could use the water for things such as watering your plants."

For additional public health information from Fraser Health, please refer to **Appendix 15**.

DRINKING WATER QUALITY REPORT 2024

11.0 WATER SYSTEM EMERGENCY RESPONSE PLAN

The City also maintains a Water System Emergency Response Plan that outlines key staff and their contacts, which are also outlined in **Appendix 11** of this report, as well as actionable procedures for each emergency scenario that may negatively affect the system's ability to safely and adequately distribute water to users. The Emergency Plan is distributed internally and is also submitted to Fraser Health for review.

12.0 CONCLUSION

The majority of all water consumed in Delta is purchased from Metro Vancouver with a small fraction from Delta's artesian wells. Delta distributes this water to the City's various users, including residents, businesses, and institutions.

The City's maintenance and monitoring programs are designed to maintain the integrity of its water system and the quality of the water within it. In 2024, approximately 1,265 water samples were collected to confirm a safe drinking water supply. No major exceedance incidences warranting Fraser Health notification have occurred in 2024.


For any questions related to this report or requests for more specific information about the City of Delta's drinking water, please contact the Engineering Department at 604-946-3260.

13.0 REFERENCES

1. Drinking Water Protection Act [SBC 2001] Chapter 9. Queen's Printer, Victoria, British Columbia
2. Drinking Water Protection Regulation, BC Reg.200/2003 [includes amendments up to B.C.Reg.237/2018, November 15, 2018]. Drinking Water Protection Act. Queen's Printer, Victoria, British Columbia
3. Health Canada: Guidelines for Canadian Drinking Water Quality, June 2019
4. Delta Water Service Bylaw No.7441, 2024
5. Metro Vancouver 2024 Water Quality Control Annual Report
6. Metro Vancouver 2023 Water Consumption Statistics

Appendix 1

Metro Vancouver Water Distribution Map



Appendix 2

Tie-in Points To Metro Vancouver Water Transmission Mains

Appendix 2: Supply Points from Metro Vancouver to City of Delta

Location	Metro Van Main	Area Supplied	Type of Connection	PRV Name
52 Street at 12 Avenue	South Delta No.1	South Delta	Check Valve	
747 Chester Rd	Annacis Main No. 4	Annacis Island	Direct	
120 St & 64 Ave	64 Ave	North Delta	Direct	
116 St & 86 Ave	Annacis No. 2	North Delta	Hellings PS	
5870 Vasey Road	River Road West	Ladner	PRV	L-222
5236 Commodore Drive	South Delta No.1	Ladner & South Delta	PRV	L-230
Ferry Rd & Admiral Way	South Delta No.1	Ladner & South Delta	PRV	L-229
4930 Elliott Street	South Delta No.1	Ladner	PRV	L-224
4775 - 54A Street	South Delta No.2	Ladner	PRV	L-225
Mcneelys Way & River Rd	South Delta No.1	Ladner	PRV	L-228
7100 - 62B Street	River Road West	Ladner	PRV	L-221
8589 - 112 Street	Annacis Main No.2	North Delta	PRV	N-205
9550 Alaska Way	Annacis No.2	North Delta	PRV	N-200
9360 Alaska Way	Annacis No.2	North Delta	PRV	N-202
9088 Norum Road	Annacis Main No.2	North Delta	PRV	N-203
10459 Dunlop Road	River road East	North Delta	PRV	N-206
28 Avenue & 57B Street	South Delta No.2	Rural South Delta	PRV	L-231
Arthur Drive & 44 Avenue	South Delta No.1	Rural Ladner	PRV	L-223
52 St at Springs Boulevard	South Delta No.1	South Delta	PRV	S-233
5400 - 18 Avenue	South Delta No.2	South Delta	PRV	S-230
5400 - 12 Avenue	South Delta No.2	South Delta	PRV	S-231
52 Street & Imperial Gate	South Delta No.1	South Delta	PRV	S-232
52 Street & Hwy 17	South Delta No.1	South Delta	PRV	S-242
Huston Rd & 80 Street	River Road East	Tilbury & North Delta	PRV	L-220
7515 Hopcott Road	River Road West	Tilbury	PRV	L-226
Nordel Way & Swenson Way	River Road East	Tilbury	PRV	L-233
7205 McDonald Road	River Road West	Tilbury	PRV	L-234
11060 86 Avenue	Annacis No.2	North Delta	PRV	N-204
500 Derwent Way	Annacis No.2	Annacis Island	PRV	A-201
5200 - 4 Avenue	South Delta No.1	South Delta	PRV / PS	
6 Avenue at 52 Street*	South Delta No.2	South Delta	Valve Closed	
120 St & 96 Ave*	Whalley-Kennedy Link	North Delta	Direct	

(*) This connection is not currently in use.

Appendix 3

Sampling Site Index and Location Maps




CITY OF DELTA DRINKING WATER SAMPLING SITES

SAMPLE NUMBER	CIVIC ADDRESS	LOCATION	PIPE SIZE	MATERIAL	AGE	C.I. MAIN UPSTREAM	FLOW CATEGORY	FREQUENCY
DmDel 220	5860 112th Street	East Ladner	350mm	PE	1989	No	Source	* Weekly/Annually
DmDel 221	4802 42A Avenue	Ladner	100mm	PVC	2005	Yes	Dead End	Weekly
DmDel 222	4734 51st Street	Ladner	250mm	PVC	1995	Yes	Medium	Weekly
DmDel 223	# 10 Centennial Parkway	Tsawwassen	150mm	PVC	2004	No	Dead End	Weekly
DmDel 224	5575 9th Avenue	Tsawwassen	150mm	PVC	1998	Yes	Low	Weekly
DmDel 225	3706 88th Street	Rural	150mm	PVC	1986	Yes	Dead End	* Weekly/Annually
DmDel 227	6487 Sunshine Drive	North Delta	150mm	Cast Iron	1968	Yes	Low	Weekly
DmDel 228	6603 Cabeldu Crescent	North Delta	200mm	PVC	1985	Yes	Low	Weekly
DmDel 229	726 Chester Road	Annacis Island	300mm	A/C	1988	No	High	Weekly
DmDel 301	11043 86th Avenue	North Delta	150mm	A/C	1961	Yes	Source	Weekly
DmDel 302	610 Derwent Way	Annacis Island	300mm	A/C	1959	No	Source	Weekly
DmDel 303	718 Eaton Way	Annacis Island	450mm	PVC	1985	No	Medium	Weekly
DmDel 304	11920 70th Avenue	North Delta	300mm	PVC	2002	Yes	Low	Weekly
DmDel 305	11600 64th Avenue	North Delta	Well # 1	Well Head	1999	N/A	Source	* Weekly/Annually
DmDel 306	11600 64th Avenue	North Delta	Well # 5	Well Head	1999	N/A	Source	* Weekly/Annually
DmDel 307	11600 64th Avenue	North Delta	Well # 3	Well Head	1999	N/A	Source	* Weekly/Annually
DmDel 308	9341 Burns Drive	Rural	300mm	Cast Iron	1930	Yes	Low	Weekly
DmDel 309	7979 Vantage Way	Tilbury	300mm	A/C	1978	No	Medium	Weekly
DmDel 310	4905 Galbraith Street	Ladner	150mm	PVC	1983	Yes	Low	Weekly
DmDel 312	5289 Commodore Drive	Ladner	200mm	PVC	1991	No	Source	Weekly
DmDel 313	5191 Robertson Road	Westham Island	150mm	PVC	1984	Yes	Dead End	Weekly
DmDel 314	4455 Clarence Taylor Crescent	Ladner	300mm	PVC	1992	No	Medium	Weekly
DmDel 316	5408 Candlewyck Wynd	Tsawwassen	150mm	A/C	1976	No	Source	Weekly
DmDel 317	1720 56th Street	Tsawwassen	200mm	PVC	1983	No	Medium	Weekly
DmDel 318	4933 Cliff Drive	Tsawwassen	150mm	PVC	2010	Yes	Low	Weekly
DmDel 319	5169 Kilkenny Drive	Tsawwassen	300mm	Ductile Iron	1977	No	Medium	Weekly
DmDel 320	11321 80th Avenue	North Delta	200mm	Cast Iron	1966	Yes	Medium	Weekly
DmDel 321	9434 117A Street	North Delta	150mm	PVC	2005	Yes	Medium	Weekly
DmDel 322	11970 Clark Drive	North Delta	150mm	PVC	2007	No	Low	Weekly
DmDel 323	7348 Priory Place	North Delta	100mm	Cast Iron	1971	Yes	Dead End	Weekly
DmDel 327	11418 84th Avenue	North Delta	300mm	PVC	2002	Yes	Medium	Weekly
DmDel 329	11600 64th Avenue	North Delta	Reservoir	Outlet	1975	N/A	Source	* Weekly/Annually
DmDel 391	Ladner Trunk Rd - east of 80 St	Rural	350mm	PVC	2002	Yes	High	Weekly
DmDel 392	3044 41B Street	Rural	300 mm	PVC	2011	No	Source	Weekly

Water samples are tested for the following: Coliforms, Turbidity, Chlorine Residual and Temperature.

Sample sites 220, 225, 305, 306, 307 & 329 are also tested annually for Metals, Chemicals and Methyl tert-butyl ethers.





LUU/DELTA MAIN
650mm

900ø (W9161)

DMDEL-312
5289 COMMODORE DR

DMDEL-222
4734 51 STREET

DMDEL-310
4805 GALBRAITH STREET

DMDEL-313
5191 ROBERTSON RD

DMDEL-221
4802 42A AVENUE

DMDEL-314
4455 CLARENCE
TAYLOR CR

**LADNER
ZONE #6 & 7**
HGL = 52m
PRES. RANGE = 43-70 psi

DMDEL-392
3304 41B STREET

DMDEL-316
5408 CANDELOWYCK
WYND

DMDEL-318
4933 CLIFF DRIVE

DMDEL-317
1720 58 STREET

DMDEL-224
5575 9 AVENUE



**SOUTH DELTA - LOW
ZONE #8**
HGL = 58m
PRES. RANGE = 35-78 psi

**SOUTH DELTA -
TIMBER VALLEY
ZONE #10**
HGL = 72m
PRES. RANGE = 37-98 psi










DMDEL-223
10 CENTENNIAL PARKWAY

CITY OF DELTA WATER SAMPLING SITES - South

LEGEND

-  M.V. SUPPLY MAIN
-  DELTA TRUNK
SUPPLY MAIN

DELTA OR G.V.R.D. WATER SAMPLING SITE

-  **SITE #** SOURCE SUPPLY
-  **SITE #** MEDIUM FLOW POINT
-  **SITE #** LOW FLOW POINT
-  **SITE #** END POINT
-  MV RESERVOIR
-  DELTA RESERVOIR
-  PUMPSTATION
-  SYSTEM WELL
-  M.V. SUPPLY POINT

**SOUTH DELTA - HIGH
ZONE #9**
HGL = 97m
PRES. RANGE = 47-134 psi

Appendix 4

Metro Vancouver Source Water and Distribution System Test Parameters

Water Type	Parameter	Minimum Frequency
Untreated, Source Water	Total coliform and <i>E. coli</i>	Daily
	HPC	Daily
	pH	Daily
	Turbidity	Daily
	<i>Giardia</i> and <i>Cryptosporidium</i>	Monthly
	Alkalinity, Ammonia, colour, iron, organic carbon	Weekly
	Calcium, chloride, fluoride, hardness, magnesium, manganese, nitrate, nitrite, phosphorus, sulphate	Monthly
	Aluminum, residue, silica, sodium	Bi-monthly
	TTHMs, THAAs	Quarterly
	Antimony, arsenic, barium, boron, cadmium, chromium, copper, cyanide, lead, mercury, nickel, phenols, potassium, selenium, silver, uranium, zinc	Semi-annually
	Pesticides and herbicides	Annually
	PAHs, BTEX	Annually
	PFOS, PFOA, PFAS (sum of 25 compounds)	Annually
	VOCs	Annually
	Radionuclides	Annually
Treated Water before Transmission	Total coliform and <i>E. coli</i>	Daily
	Free chlorine, pH, temperature	Daily
	Turbidity	Daily
	Alkalinity, Ammonia, colour, conductivity, iron, organic carbon, aluminum at SCFP only	Weekly
	Aluminum, sodium, total and suspended solids (residue)	Bi-Monthly
	TTHMs, THAAs	Quarterly at selected sites
	Antimony, arsenic, barium, boron, cadmium, chromium, copper, cyanide, lead, mercury, nickel, phenols, selenium, silver, zinc	Semi-annually
GVWD Water Mains	Total coliform and <i>E. coli</i> , HPC	Weekly
	Free chlorine, pH, temperature	Weekly
	TTHMs, THAAs	Quarterly at selected sites
	PAHs, BTEX, vinyl chloride	Semi-annually at selected sites
GVWD Reservoirs	Total coliform and <i>E. coli</i> , HPC	Weekly
	Turbidity	Weekly
GVWD Supplied Distribution Systems	Total coliform and <i>E. coli</i> , HPC	Weekly
	Free chlorine, temperature	Weekly
	Turbidity	Weekly
	TTHMs, THAAs, pH	Quarterly at selected sites
	Aluminum, antimony, arsenic, barium, boron, cadmium, calcium, chromium, copper, iron, lead, magnesium, manganese, mercury, selenium, silver, sodium, zinc, vinyl chloride	Semi-annually at selected sites

Appendix 5

Metro Vancouver Physical and Chemical Analysis Of Source Water

Physical and Chemical Analysis of Water Supply

2024 – Capilano Water System

Parameter	Untreated ¹	Treated ²		Canadian Guideline		
	Average	Average	Range	Days Exceeded	Limit ³	Reason Established
Alkalinity as CaCO ₃ (mg/L)	3.2	21	18-23	N/A	None	N/A
Aluminum Dissolved (µg/L)	57	27	15-53	N/A	None	N/A
Aluminum Total (µg/L)	145	29	15-58	0	2,900	Health
Antimony Total (µg/L)	<0.5	<0.5	<0.5	0	6	Health
Arsenic Total (µg/L)	<0.5	<0.5	<0.5	0	10 (ALARA)	Health
Barium Total (µg/L)	3.0	2.9	1.9-3.7	0	2,000	Health
Boron Total (µg/L)	<10	<10	<10	0	5,000	Health
Bromate (µg/L)	<10	<10	<10	0	10	Health
Bromide (µg/L)	<10	<10	<10	N/A	None	N/A
Cadmium Total (µg/L)	<0.2	<0.2	<0.2	0	7	Health
Calcium Total (µg/L)	1240	8390	7,690-9,410	N/A	None	N/A
Carbon Organic - Dissolved (mg/L)	1.7	0.7	0.5-0.9	N/A	None	N/A
Carbon Organic - Total (mg/L)	1.7	0.7	0.5-1.1	N/A	None	N/A
Chlorate (µg/L)	<10	95	21-250	0	1,000	Health
Chloride (mg/L)	<0.5	2.9	2.2-3.6	0	≤250	Aesthetic
Chromium Total (µg/L)	0.07	<0.09	<0.05-0.39	0	50	Health
Cobalt Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Colour - Apparent (ACU)	15	<2	<2-3	N/A	None	N/A
Colour - True (TCU)	10	<1	<1-2	0	≤15	Aesthetic
Conductivity (µmhos/cm)	11	54	48-62	N/A	None	N/A
Copper Total (µg/L)	4.3	<0.5	<0.5	0	2,000/1,000	Aesthetic
Cyanide Total (mg/L)	<0.02	<0.02	<0.02	0	0.2	Health
Cyanobacterial Toxins – Microcystin – LR (µg/L)	<0.20	N/A	N/A	0	1.5	Health
Fluoride (mg/L)	<0.05	<0.05	<0.05	0	1.5	Health
Haloacetic Acids Total (µg/L)	<1	13	10-16	0	80 (ALARA)	Health
Hardness as CaCO ₃ (mg/L)	3.8	22.4	21.1-24.4	N/A	None	N/A
Iron Dissolved (µg/L)	43	<5	<5	N/A	None	N/A
Iron Total (µg/L)	158	<7	<5-13	0	≤300	Aesthetic
Lead Total (µg/L)	<0.5	<0.5	<0.5	0	5 (ALARA)	Health
Magnesium Total (µg/L)	181	228	194-306	N/A	None	N/A
Manganese Dissolved (µg/L)	5.9	2.2	1.3-3.4	N/A	None	N/A
Manganese Total (µg/L)	8.3	5.5	3.0-11.5	0	120/20	Aesthetic
Mercury Total (µg/L)	<0.05	<0.05	<0.05	0	1	Health
Molybdenum Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nickel Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nitrogen - Ammonia as N (mg/L)	<0.02	<0.02	<0.02	N/A	None	N/A
Nitrogen - Nitrate as N (mg/L)	0.06	0.05	0.03-0.09	0	10	Health
Nitrogen - Nitrite as N (mg/L)	<0.01	<0.01	<0.01	0	1	Health
pH (pH units)	6.5	8.1	7.8-8.3	0	7.0-10.5	Aesthetic
Phenol (mg/L)	<0.005	<0.005	<0.005	N/A	None	N/A
Potassium Total (µg/L)	206	182	137-249	N/A	None	N/A
Residue Total (mg/L)	16	35	32-40	N/A	None	N/A
Residue Total Dissolved (TDS) (mg/L)	10	30	30-40	0	≤500	Aesthetic
Residue Total Fixed (mg/L)	9	28	24-32	N/A	None	N/A
Residue Total Volatile (mg/L)	7	8	6-10	N/A	None	N/A
Selenium Total (µg/L)	<0.5	<0.5	<0.5	0	50	Health
Silica as SiO ₂ (mg/L)	3.5	3.5	2.6-4.3	N/A	None	N/A
Silver Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Sodium Total (µg/L)	618	1,820	1,540-2,430	0	≤200,000	Aesthetic
Trihalomethanes Total (µg/L)	<4	22	17-24	0	100	Health
Turbidity (NTU)	1.5	0.17	0.10-0.42	N/A	None ⁴	N/A
Uranium Total (µg/L)	<0.5	<0.5	<0.5	0	20	Health
UV Absorbance 254 nm (Abs/cm)	0.069	0.011	0.009-0.016	N/A	None	N/A
Zinc Total (µg/L)	<3	<3	<3	0	≤5,000	Aesthetic

¹Untreated water is sampled from the source intake.

²Treated water is sampled prior to entering the Capilano transmission system.

³Limits are from the *Guidelines for Canadian Drinking Water Quality*.

⁴*Guidelines for Canadian Drinking Water Quality* recommends that water entering the distribution system does not have turbidity levels exceeding 1.0 NTU.

Physical and Chemical Analysis of Water Supply

2024 – Seymour Water System

Parameter	Untreated ¹	Treated ²		Canadian Guideline		
	Average	Average	Range	Days Exceeded	Limit ³	Reason Established
Alkalinity as CaCO ₃ (mg/L)	4.0	21	18-24	N/A	None	N/A
Aluminum Dissolved (µg/L)	48	26	15-53	N/A	None	N/A
Aluminum Total (µg/L)	88	29	15-60	0	2,900	Health
Antimony Total (µg/L)	<0.5	<0.5	<0.5	0	6	Health
Arsenic Total (µg/L)	<0.5	<0.5	<0.5	0	10 (ALARA)	Health
Barium Total (µg/L)	3.4	3.2	2.9-3.7	0	2,000	Health
Boron Total (µg/L)	<10	<10	<10	0	5,000	Health
Bromate (µg/L)	<10	<10	<10	0	10	Health
Bromide (µg/L)	<10	<10	<10	N/A	None	N/A
Cadmium Total (µg/L)	<0.2	<0.2	<0.2	0	7	Health
Calcium Total (µg/L)	1,690	8,520	7,750-9,380	N/A	None	N/A
Carbon Organic - Dissolved (mg/L)	1.5	0.7	0.5-0.9	N/A	None	N/A
Carbon Organic - Total (mg/L)	1.6	0.7	0.6-1.0	N/A	None	N/A
Chlorate (µg/L)	<10	95	21-250	0	1,000	Health
Chloride (mg/L)	<0.5	2.8	2.2-3.7	0	≤250	Aesthetic
Chromium Total (µg/L)	<0.05	<0.05	<0.05	0	50	Health
Cobalt Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Colour - Apparent (ACU)	15	<2	<2-3	N/A	None	N/A
Colour - True (TCU)	10	<1	<1-2	0	≤15	Aesthetic
Conductivity (µmhos/cm)	13	54	47-60	N/A	None	N/A
Copper Total (µg/L)	18.6	<0.5	<0.5	0	2,000/1,000	Aesthetic
Cyanide Total (mg/L)	<0.02	<0.02	<0.02	0	0.2	Health
Cyanobacterial Toxins – Microcystin – LR (µg/L)	<0.20	N/A	N/A	0	1.5	Health
Fluoride (mg/L)	<0.05	<0.05	<0.05	0	1.5	Health
Haloacetic Acids Total (µg/L)	<1	11	10-13	0	80 (ALARA)	Health
Hardness as CaCO ₃ (mg/L)	4.8	22.3	20.7-24.3	N/A	None	N/A
Iron Dissolved (µg/L)	60	<5	<5	N/A	None	N/A
Iron Total (µg/L)	151	9	5-14	0	≤300	Aesthetic
Lead Total (µg/L)	<0.5	<0.5	<0.5	0	5 (ALARA)	Health
Magnesium Total (µg/L)	153	238	212-308	N/A	None	N/A
Manganese Dissolved (µg/L)	4.4	3.0	2.1-4.6	N/A	None	N/A
Manganese Total (µg/L)	7.2	5.7	3.5-9.7	0	120/20	Aesthetic
Mercury Total (µg/L)	<0.05	<0.05	<0.05	0	1	Health
Molybdenum Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nickel Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nitrogen - Ammonia as N (mg/L)	<0.02	<0.02	<0.02	N/A	None	N/A
Nitrogen - Nitrate as N (mg/L)	0.05	0.05	0.03-0.09	0	10	Health
Nitrogen - Nitrite as N (mg/L)	<0.01	<0.01	<0.01	0	1	Health
pH (pH units)	6.6	8.0	7.7-8.2	0	7.0-10.5	Aesthetic
Phenol (mg/L)	<0.005	<0.005	<0.005	N/A	None	N/A
Potassium Total (µg/L)	188	201	156-250	N/A	None	N/A
Residue Total (mg/L)	17	36	31-40	N/A	None	N/A
Residue Total Dissolved (TDS) (mg/L)	10	30	30-40	0	≤500	Aesthetic
Residue Total Fixed (mg/L)	10	29	23-33	N/A	None	N/A
Residue Total Volatile (mg/L)	6	7	5-11	N/A	None	N/A
Selenium Total (µg/L)	<0.5	<0.5	<0.5	0	50	Health
Silica as SiO ₂ (mg/L)	3.4	3.5	2.6-4.3	N/A	None	N/A
Silver Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Sodium Total (µg/L)	560	1840	1,540-2,430	0	≤200,000	Aesthetic
Trihalomethanes Total (µg/L)	<4	20	15-22	0	100	Health
Turbidity (NTU)	0.60	0.19	0.09-0.48	N/A	None ⁴	N/A
Uranium Total (µg/L)	<0.5	<0.5	<0.5	0	20	Health
UV Absorbance 254 nm (Abs/cm)	0.063	0.011	0.009-0.017	N/A	None	N/A
Zinc Total (µg/L)	<3	<3	<3	0	≤5,000	Aesthetic

¹Untreated water is sampled prior to the Seymour Capilano Filtration Plant.

²Treated water is sampled prior to entering the Seymour transmission system.

³Limits are taken from the *Guidelines for Canadian Drinking Water Quality*.

⁴*Guidelines for Canadian Drinking Water Quality* recommends that water entering the distribution system have turbidity levels of 1.0 NTU or less.

Physical and Chemical Analysis of Water Supply

2024 – Coquitlam Water System

Parameter	Untreated ¹	Treated ²		Canadian Guideline		
	Average	Average	Range	Days Exceeded	Limit ³	Reason Established
Alkalinity as CaCO ₃ (mg/L)	2.0	21	19-23	N/A	None	N/A
Aluminum Dissolved (µg/L)	57	61	43-73	N/A	None	N/A
Aluminum Total (µg/L)	77	77	51-105	0	2,900	Health
Antimony Total (µg/L)	<0.5	<0.5	<0.5	0	6	Health
Arsenic Total (µg/L)	<0.5	<0.5	<0.5	0	10 (ALARA)	Health
Barium Total (µg/L)	2.2	2.2	2.0-2.5	0	2,000	Health
Boron Total (µg/L)	<10	<10	<10	0	5,000	Health
Bromate (µg/L)	<10	<10	<10	0	10	Health
Bromide (µg/L)	<10	<10	<10	N/A	None	N/A
Cadmium Total (µg/L)	<0.2	<0.2	<0.2	0	7	Health
Calcium Total (µg/L)	844	835	798-919	N/A	None	N/A
Carbon Organic - Dissolved (mg/L)	1.6	1.6	1.3-2.1	N/A	None	N/A
Carbon Organic - Total (mg/L)	1.8	1.6	1.3-2.3	N/A	None	N/A
Chlorate (µg/L)	<10	150	19-370	0	1,000	Health
Chloride (mg/L)	<0.5	2.5	1.9-3.3	0	≤250	Aesthetic
Chromium Total (µg/L)	<0.05	<0.05	<0.05	0	50	Health
Cobalt Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Colour - Apparent (ACU)	12	<2	<2-7	N/A	None	N/A
Colour - True (TCU)	9	<1	<1-4	0	≤15	Aesthetic
Conductivity (µmhos/cm)	8	51	46-55	N/A	None	N/A
Copper Total (µg/L)	<0.5	<0.5	<0.5	0	2,000/1,000	Aesthetic
Cyanide Total (mg/L)	<0.02	<0.02	<0.02	0	0.2	Health
Cyanobacterial Toxins – Microcystin – LR (µg/L)	<0.20	N/A	N/A	0	1.5	Health
Fluoride (mg/L)	<0.05	<0.05	<0.05	0	1.5	Health
Haloacetic Acids Total (µg/L)	<1	8	5-16	0	80 (ALARA)	Health
Hardness as CaCO ₃ (mg/L)	2.5	2.5	2.3-2.7	N/A	None	N/A
Iron Dissolved (µg/L)	14	15	9-26	N/A	None	N/A
Iron Total (µg/L)	48	46	26-276	0	≤300	Aesthetic
Lead Total (µg/L)	<0.5	<0.5	<0.5	0	5 (ALARA)	Health
Magnesium Total (µg/L)	95	95	82-103	N/A	None	N/A
Manganese Dissolved (µg/L)	3.5	2.5	1.7-3.5	N/A	None	N/A
Manganese Total (µg/L)	4.1	3.2	2.3-4.3	0	120/20	Aesthetic
Mercury Total (µg/L)	<0.05	<0.05	<0.05	0	1	Health
Molybdenum Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nickel Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nitrogen - Ammonia as N (mg/L)	<0.02	<0.02	<0.02	N/A	None	N/A
Nitrogen - Nitrate as N (mg/L)	0.07	0.07	0.05-0.09	0	10	Health
Nitrogen - Nitrite as N (mg/L)	<0.01	<0.01	<0.01	0	1	Health
pH (pH units)	6.3	8.3	7.7-8.7	0	7.0-10.5	Aesthetic
Phenol (mg/L)	<0.005	<0.005	<0.005	N/A	None	N/A
Potassium Total (µg/L)	120	121	114-132	N/A	None	N/A
Residue Total (mg/L)	13	37	33-44	N/A	None	N/A
Residue Total Dissolved (TDS) (mg/L)	10	40	30-40	0	≤500	Aesthetic
Residue Total Fixed (mg/L)	7	25	21-27	N/A	None	N/A
Residue Total Volatile (mg/L)	6	12	10-17	N/A	None	N/A
Selenium Total (µg/L)	<0.5	<0.5	<0.5	0	50	Health
Silica as SiO ₂ (mg/L)	2.6	2.6	2.4-2.8	N/A	None	N/A
Silver Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Sodium Total (µg/L)	461	10,500	9,500-11,300	0	≤200,000	Aesthetic
Trihalomethanes Total (µg/L)	<4	7.4	4-14	0	100	Health
Turbidity (NTU)	0.57	0.51	0.13-10	N/A	None ⁴	N/A
Uranium Total (µg/L)	<0.5	<0.5	<0.5	0	20	Health
UV Absorbance 254 nm (Abs/cm)	0.063	0.019	0.015-0.048	N/A	None	N/A
Zinc Total (µg/L)	<3	<3	<3	0	≤5,000	Aesthetic

¹Untreated water is sampled from the source intake.

²Treated water is sampled prior to entering the Coquitlam transmission system.

³Limits are taken from the *Guidelines for Canadian Drinking Water Quality*.

⁴*Guidelines for Canadian Drinking Water Quality* recommends that water entering the distribution system have turbidity levels of 1.0 NTU or less.

Appendix 6

Delta Source Water Test Parameters

Delta Source Water Monitoring Frequency (2024)

Weekly	Quarterly		Annually				
Chlorine	Aluminum	Turbidity	1,4-Dioxane	Chlorfenson	Endosulfan sulfate	Nitrite	Sulfotep
Escherichia Coli	Alkalinity	Uranium	2-Methyl-4-chlorophenoxyacetic acid (MCPA)	Chlorfenvinphos	Endrin	N-nitrosodimethylamine (NDMA)	Tecnazene
HPC	Ammonia	Vanadium	3-Hydroxycarbofuran	Chlormephos	Eptam	Norflurazon	Terbacil
Temperature	Antimony	Zinc	4-Bromofluorobenzene	Chlorothalonil	Ethalfuralin	Organochlorine	Terbufos
Total Coliforms	Arsenic		4-Bromofluorobenzene	Chlorpropham	Ethion	Organophosphate	Terbutylazine
Turbidity	Barium		Alachlor	Chlorpyrifos	Ethylbenzene	Oxamyl	Terbutryn
pH	Boron		Aldicarb	Chlorpyrifos-methyl	Fenamiphos	P-Alkalinity	Tetrachloroethylene
	Cadmium		Aldicarb sulfone	Chlorthal-dimethyl	Fenchlorphos	Parathion	Tolyfluamid
	Calcium		Aldicarb sulfoxide	Chlorthiophos	Fenitrothion	Pebulate	Tetradifon
	Chloride		Aldrin	Cobalt	Fenoxaprop-ethyl	Pentachlorophenol	Toluene
	Chromium		Aspon	Cyanide	Fenthion	Permethrin-cis	Toluene-d8
	Colour		Atrazine + Metabolites	Cyanophos	Fenvalerate	Permethrin-trans	Tolyfluamid
	Copper		Azinphos-ethyl	DDD-o,p'	Fluazifop-p-butyl	pH Holding Time	Total Dissolved Solids
	Cyanobacterial toxins*		Azinphos-methyl	DDD-p,p'	Folpet	Phorate	Total Xylenes (m,p,o)
	Digestion		BDMC	DDE-o,p'	Fonofos	Phosalone	TPP
	Electrical Conductivity		Bendiocarb	DDE-p,p'	Heptachlor	Phosmet	Triadimefon
	Escherichia Coli		Benfluralin	DDT-o,p'	Heptachlor Epoxide	Phosphamidon	Triallate
	Fluoride		Benzene	DDT-p,p'	Heterotrophic Count - Aerobic	Pirimicarb	Trichloroethylene
	Hardness		Benzo(a)Pyrene	Deltamethrin	Hexachlorobenzene	Pirimiphos-ethyl	Trichlorophenol, 2,4,6-
	Heterotrophic Count - Aerobic		BHC (alpha isomer)	Demeton	Hexazinone	Pirimiphos-methyl	Trifluralin
	Iron		BHC (beta isomer)	Diallate	Hydrogen Sulfide	Procymidone	Xylenes (Total)
	Lead		BHC (delta isomer)	Diazinon	Hydroxide	Profluralin	Vernolate
	Magnesium		Bicarbonate	Dibromofluoromethane	Imidacloprid	Promecarb	Vinclozolin
	Manganese		Bifenox	Dicamba	Isofenphos	Prometon	
	Mercury		BPMC	Dichlobenil	Lindane	Prometryn	
	Nitrate - N		Bromide	Dichlofenthion	Malaoxon	Propachlor	
	Nitrite - N		Bromophos	Dichlofluanid	Malathion	Propargite	
	pH		Bromophos-ethyl	Dichlorobenzene, 1,4-	Metalaxyl	Propazine	
	Phosphate		Bromoxynil	Dichloroethane, 1,2-	Methiocarb	Propiconazole	
	Potassium		Butylate	Dichloroethylene, 1,1-	Methomyl	Propoxur	
	Selenium		Captan	Dichloromethane	Methoprene	Propyzamide	
	Silicon		Carbaryl	Dichlorophenoxyacetic Acid 2,4 (2,4-D)	Methoxychlor	Pyrazophos	
	Sodium		Carbofuran	Diclofop-methyl	Methyl Parathion	Quinalophos	
	Strontium		Carbon Tetrachloride	Dieldrin	Methyl t-Butyl Ether	Quintozene	
	Sulfate (SO4)		Carbonate	Dimethoate	Metolachlor	Quiazofop-ethyl	
	T-Alkalinity		Carbophenothion	Diphenylamine	Metribuzin	Radionuclides (Gross Alpha and Beta)	
	Total Coliforms		Carboxin	Diquat	Mevinphos	Simetryn	
	Total Dissolved Solids		Chlorbenseide	Disulfoton	Mirex	Styrene	
	Total Organic Carbon		Chlordane-cis	Endosulfan I	Nickel	Sulfate	
	Total Suspended Solids		Chlordane-trans	Endosulfan II	Nitrate	Sulfide	

Appendix 7

Delta Source Water Test Results

First Quarter Reporting

March 7, 2024

Report Transmission Cover Page

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Well Water Project Location: LSD: P.O.: 24355395 Proj. Acct. code:	Lot ID: 1716689 Control Number: Date Received: Mar 1, 2024 Date Reported: Mar 7, 2024 Report Number: 2979330 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott B Company: City of Delta		

Contact	Company	Address
Accounts Payable	City of Delta	4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-4141 Fax: (604) 946-3962 Email: accountspayable@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	Invoice
Scott Bradshaw	City of Delta	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3406 Fax: (604) 946-4855 Email: sbradshaw@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	COA
Email	PDF	COR
Email	PDF	Invoice
Email - Merge	PDF	COC / Test Report

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential.
If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited.
If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-1
Sample Date	March 01, 2024
Sample Time	08:20
Sample Location	
Sample Description	225 / 3636 88th St. / 2.5 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Inorganic Nonmetallic Parameters						
Hydrogen Sulfide	Calculated	mg/L	<0.002			
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Metals Extractable						
Aluminum	Extractable	mg/L	0.025	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00004	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0010	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0045	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00051	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0022	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.00001	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.036	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00100	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0015	0.00005		
Zinc	Extractable	mg/L	0.0006	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.47	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	23.0			
Electrical Conductivity	at 25 °C	µS/cm	118	1		
Calcium	Extractable	mg/L	15	0.01		
Iron	Extractable	mg/L	0.009	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.2	0.02		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-1
Sample Date	March 01, 2024
Sample Time	08:20
Sample Location	
Sample Description	225 / 3636 88th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued					
Manganese	Extractable	mg/L	0.002	0.001	0.02 AO; 0.12 MAC
Potassium	Extractable	mg/L	0.72	0.04	
Sodium	Extractable	mg/L	3.4	0.1	200
Bicarbonate		mg/L	54	5	
Carbonate		mg/L	<6	6	
Hydroxide		mg/L	<5	5	
P-Alkalinity	as CaCO ₃	mg/L	<5	5	
T-Alkalinity	as CaCO ₃	mg/L	44	5	
Bromide	Dissolved	mg/L	<0.02	0.02	
Chloride	Dissolved	mg/L	5.49	0.05	250
Fluoride	Dissolved	mg/L	0.01	0.01	1.5
Nitrate - N	Dissolved	mg/L	0.32	0.01	10
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1
Sulfate (SO ₄)	Dissolved	mg/L	4.0	0.1	500
Hardness	as CaCO ₃ (extractable)	mg/L	50	1	
Total Dissolved Solids	Extractable	mg/L	59	1	500
Mono-Aromatic Hydrocarbons - Water					
Benzene		µg/L	<0.5	0.5	5
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC
Methyl t-Butyl Ether		µg/L	<0.5	0.5	15
Styrene		µg/L	<0.5	0.5	
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC
Total Xylenes (m,p,o)		µg/L	<0.5	0.5	20 AO; 90 MAC
4-Bromofluorobenzene	Surrogate	%	104	70-130	
Dibromofluoromethane	Surrogate	%	121	70-130	
Toluene-d8	Surrogate	%	98.9	70-130	
Organochlorine Pesticides in Water					
Aldrin		µg/L	<0.5	0.5	0.7
BHC (alpha isomer)		µg/L	<0.5	0.5	
BHC (beta isomer)		µg/L	<0.5	0.5	
BHC (delta isomer)		µg/L	<0.5	0.5	
Captan		µg/L	<3.0	3.0	
Chlorbendide		µg/L	<0.5	0.5	
Chlordane-cis		µg/L	<0.5	0.5	
Chlordane-trans		µg/L	<0.5	0.5	
Chlorfenson		µg/L	<0.5	0.5	
Chlorothalonil		µg/L	<0.5	0.5	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-1
Sample Date	March 01, 2024
Sample Time	08:20
Sample Location	
Sample Description	225 / 3636 88th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine Pesticides in Water - Continued					
Chlorthal-dimethyl	µg/L	<0.5	0.5		
DDD-o,p'	µg/L	<0.5	0.5		
DDD-p,p'	µg/L	<0.5	0.5		
DDE-o,p'	µg/L	<0.5	0.5		
DDE-p,p'	µg/L	<0.5	0.5		
DDT-o,p'	µg/L	<0.5	0.5		
DDT-p,p'	µg/L	<0.5	0.5		
Dichlofluanid	µg/L	<0.5	0.5		
Dieldrin	µg/L	<0.5	0.5		
Endosulfan I	µg/L	<0.5	0.5		
Endosulfan II	µg/L	<0.5	0.5		
Endosulfan sulfate	µg/L	<0.5	0.5		
Endrin	µg/L	<0.5	0.5		
Folpet	µg/L	<3.0	3.0		
Heptachlor	µg/L	<0.5	0.5		
Heptachlor Epoxide	µg/L	<0.5	0.5		
Hexachlorobenzene	µg/L	<0.5	0.5		
Lindane	µg/L	<0.5	0.5		
Methoxychlor	µg/L	<0.5	0.5		
Mirex	µg/L	<0.5	0.5		
Permethrin-cis	µg/L	<0.5	0.5		
Permethrin-trans	µg/L	<0.5	0.5		
Procymidone	µg/L	<0.5	0.5		
Propachlor	µg/L	<0.5	0.5		
Quintozone	µg/L	<0.5	0.5		
Tecnazene	µg/L	<0.5	0.5		
Tetradifon	µg/L	<0.5	0.5		
Tolyfluanid	µg/L	<0.5	0.5		
Triadimefon	µg/L	<0.5	0.5		
Vinclozolin	µg/L	<0.5	0.5		
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	104	50-140	
Organophosphate Pesticides in Water					
Aspon	µg/L	<0.5	0.5		
Azinphos-ethyl	µg/L	<0.5	0.5		
Azinphos-methyl	µg/L	<0.5	0.5	20	Below MAC
Bromophos	µg/L	<0.5	0.5		
Bromophos-ethyl	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-1
Sample Date	March 01, 2024
Sample Time	08:20
Sample Location	
Sample Description	225 / 3636 88th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organophosphate Pesticides in Water - Continued					
Carbophenothion	µg/L	<0.5	0.5		
Chlorfenvinphos	µg/L	<0.5	0.5		
Chlormephos	µg/L	<0.5	0.5		
Chlorpyrifos	µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-methyl	µg/L	<0.5	0.5		
Chlorthiophos	µg/L	<0.5	0.5		
Cyanophos	µg/L	<0.5	0.5		
Demeton	µg/L	<0.5	0.5		
Diazinon	µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion	µg/L	<0.5	0.5		
Dimethoate	µg/L	<0.5	0.5	20	Below MAC
Disulfoton	µg/L	<0.5	0.5		
Ethion	µg/L	<0.5	0.5		
Fenchlorphos	µg/L	<0.5	0.5		
Fenitrothion	µg/L	<0.5	0.5		
Fenthion	µg/L	<0.5	0.5		
Fonofos	µg/L	<0.5	0.5		
Isofenphos	µg/L	<0.5	0.5		
Malaoxon	µg/L	<0.5	0.5		
Malathion	µg/L	<0.1	0.1	190	Below MAC
Methyl Parathion	µg/L	<0.5	0.5		
Mevinphos	µg/L	<0.5	0.5		
Parathion	µg/L	<0.5	0.5		
Phorate	µg/L	<0.5	0.5	2	Below MAC
Phosalone	µg/L	<0.5	0.5		
Phosmet	µg/L	<0.5	0.5		
Phosphamidon	µg/L	<0.5	0.5		
Pirimiphos-ethyl	µg/L	<0.5	0.5		
Pirimiphos-methyl	µg/L	<0.5	0.5		
Pyrazophos	µg/L	<0.5	0.5		
Quinalophos	µg/L	<0.5	0.5		
Sulfotep	µg/L	<0.5	0.5		
Terbufos	µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinphos	µg/L	<0.5	0.5		
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	104	50-140	
Neutral Herbicides in Water					
Alachlor	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-1
Sample Date	March 01, 2024
Sample Time	08:20
Sample Location	
Sample Description	225 / 3636 88th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Neutral Herbicides in Water - Continued					
Benfluralin	µg/L	<0.5	0.5		
Butylate	µg/L	<0.5	0.5		
Chlorpropham	µg/L	<0.5	0.5		
Diallate	µg/L	<0.5	0.5		
Dichlobenil	µg/L	<0.5	0.5		
Diclofop-methyl	µg/L	<0.1	0.1	9	Below MAC
Diphenylamine	µg/L	<0.5	0.5		
Eptam (EPTC)	µg/L	<0.5	0.5		
Ethalfuralin	µg/L	<0.5	0.5		
Fenoxaprop-ethyl	µg/L	<0.5	0.5		
Fluazifop-p-butyl	µg/L	<0.5	0.5		
Hexazinone	µg/L	<0.5	0.5		
Metalaxyl	µg/L	<0.5	0.5		
Metolachlor	µg/L	<0.5	0.5	50	Below MAC
Metribuzin	µg/L	<0.5	0.5	80	Below MAC
Pirimicarb	µg/L	<0.5	0.5		
Profluralin	µg/L	<0.5	0.5		
Prometryn	µg/L	<0.5	0.5		
Propazine	µg/L	<0.5	0.5		
Propyzamide	µg/L	<0.5	0.5		
Quizalofop-ethyl	µg/L	<0.5	0.5		
Simetryn	µg/L	<0.5	0.5		
Terbuthylazine	µg/L	<0.5	0.5		
Terbutryn	µg/L	<0.5	0.5		
Triallate	µg/L	<0.10	0.10		
Trifluralin	µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	104	50-140	
Multiresidue Pesticides in Water					
Bifenox	µg/L	<0.5	0.5		
Carboxin	µg/L	<0.5	0.5		
Deltamethrin	µg/L	<0.5	0.5		
Fenamiphos	µg/L	<0.5	0.5		
Fenvalerate	µg/L	<0.5	0.5		
Methoprene	µg/L	<0.5	0.5		
Norflurazon	µg/L	<0.5	0.5		
Pebulate	µg/L	<0.5	0.5		
Prometon	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-1
Sample Date	March 01, 2024
Sample Time	08:20
Sample Location	
Sample Description	225 / 3636 88th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Multiresidue Pesticides in Water - Continued					
Propargite	µg/L	<0.5	0.5		
Propiconazole	µg/L	<0.5	0.5		
Terbacil	µg/L	<0.5	0.5		
Vernolate	µg/L	<0.5	0.5		
Carbamates in Water					
3-Hydroxycarbofuran	µg/L	<0.1	0.1		
Aldicarb	µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	µg/L	<0.1	0.1		
Aldicarb sulfoxide	µg/L	<0.1	0.1		
Bendiocarb	µg/L	<0.1	0.1		
BPMC	µg/L	<0.1	0.1		
Carbaryl	µg/L	<0.1	0.1	90	Below MAC
Carbofuran	µg/L	<0.1	0.1	90	Below MAC
Imidacloprid	µg/L	<0.1	0.1		
Methiocarb	µg/L	<0.1	0.1		
Methomyl	µg/L	<0.1	0.1		
Oxamyl	µg/L	<0.1	0.1		
Promecarb	µg/L	<0.1	0.1		
Propoxur	µg/L	<0.1	0.1		
Carbamates in Water - Surrogate Recovery					
BDMC	Surrogate	%	76.0	50-140	
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP	Surrogate	%	104	50-140	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-2
Sample Date	March 01, 2024
Sample Time	09:00
Sample Location	
Sample Description	308 / 9341 Burns Dr. / 2.5 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Inorganic Nonmetallic Parameters						
Hydrogen Sulfide	Calculated	mg/L	<0.002			
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Metals Extractable						
Aluminum	Extractable	mg/L	0.026	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00005	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0010	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0047	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0022	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	0.00002	0.00002		
Copper	Extractable	mg/L	0.0043	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00011	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	0.0002	0.0002		
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.037	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0010	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0016	0.00005		
Zinc	Extractable	mg/L	0.0031	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.11	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.44	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	23.0			
Electrical Conductivity	at 25 °C	µS/cm	117	1		
Calcium	Extractable	mg/L	15	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.2	0.02		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-2
Sample Date	March 01, 2024
Sample Time	09:00
Sample Location	
Sample Description	308 / 9341 Burns Dr. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued					
Manganese	Extractable	mg/L	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.74		
Sodium	Extractable	mg/L	3.4	200	Below AO
Bicarbonate		mg/L	54	5	
Carbonate		mg/L	<6	6	
Hydroxide		mg/L	<5	5	
P-Alkalinity	as CaCO ₃	mg/L	<5	5	
T-Alkalinity	as CaCO ₃	mg/L	44	5	
Bromide	Dissolved	mg/L	<0.02	0.02	
Chloride	Dissolved	mg/L	5.52	0.05	250
Fluoride	Dissolved	mg/L	0.01	0.01	1.5
Nitrate - N	Dissolved	mg/L	0.32	0.01	10
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1
Sulfate (SO ₄)	Dissolved	mg/L	4.0	0.1	500
Hardness	as CaCO ₃ (extractable)	mg/L	50	1	
Total Dissolved Solids	Extractable	mg/L	60	1	500
Mono-Aromatic Hydrocarbons - Water					
Benzene		µg/L	<0.5	0.5	5
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC
Methyl t-Butyl Ether		µg/L	<0.5	0.5	15
Styrene		µg/L	<0.5	0.5	
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC
Total Xylenes (m,p,o)		µg/L	<0.5	0.5	20 AO; 90 MAC
4-Bromofluorobenzene	Surrogate	%	101	70-130	
Dibromofluoromethane	Surrogate	%	127	70-130	
Toluene-d8	Surrogate	%	94.6	70-130	
Organochlorine Pesticides in Water					
Aldrin		µg/L	<0.5	0.5	0.7
BHC (alpha isomer)		µg/L	<0.5	0.5	
BHC (beta isomer)		µg/L	<0.5	0.5	
BHC (delta isomer)		µg/L	<0.5	0.5	
Captan		µg/L	<3.0	3.0	
Chlorbendide		µg/L	<0.5	0.5	
Chlordane-cis		µg/L	<0.5	0.5	
Chlordane-trans		µg/L	<0.5	0.5	
Chlorfenson		µg/L	<0.5	0.5	
Chlorothalonil		µg/L	<0.5	0.5	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-2
Sample Date	March 01, 2024
Sample Time	09:00
Sample Location	
Sample Description	308 / 9341 Burns Dr. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine Pesticides in Water - Continued					
Chlorthal-dimethyl	µg/L	<0.5	0.5		
DDD-o,p'	µg/L	<0.5	0.5		
DDD-p,p'	µg/L	<0.5	0.5		
DDE-o,p'	µg/L	<0.5	0.5		
DDE-p,p'	µg/L	<0.5	0.5		
DDT-o,p'	µg/L	<0.5	0.5		
DDT-p,p'	µg/L	<0.5	0.5		
Dichlofluanid	µg/L	<0.5	0.5		
Dieldrin	µg/L	<0.5	0.5		
Endosulfan I	µg/L	<0.5	0.5		
Endosulfan II	µg/L	<0.5	0.5		
Endosulfan sulfate	µg/L	<0.5	0.5		
Endrin	µg/L	<0.5	0.5		
Folpet	µg/L	<3.0	3.0		
Heptachlor	µg/L	<0.5	0.5		
Heptachlor Epoxide	µg/L	<0.5	0.5		
Hexachlorobenzene	µg/L	<0.5	0.5		
Lindane	µg/L	<0.5	0.5		
Methoxychlor	µg/L	<0.5	0.5		
Mirex	µg/L	<0.5	0.5		
Permethrin-cis	µg/L	<0.5	0.5		
Permethrin-trans	µg/L	<0.5	0.5		
Procymidone	µg/L	<0.5	0.5		
Propachlor	µg/L	<0.5	0.5		
Quintozone	µg/L	<0.5	0.5		
Tecnazene	µg/L	<0.5	0.5		
Tetradifon	µg/L	<0.5	0.5		
Tolyfluanid	µg/L	<0.5	0.5		
Triadimefon	µg/L	<0.5	0.5		
Vinclozolin	µg/L	<0.5	0.5		
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	96	50-140	
Organophosphate Pesticides in Water					
Aspon	µg/L	<0.5	0.5		
Azinphos-ethyl	µg/L	<0.5	0.5		
Azinphos-methyl	µg/L	<0.5	0.5	20	Below MAC
Bromophos	µg/L	<0.5	0.5		
Bromophos-ethyl	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-2
Sample Date	March 01, 2024
Sample Time	09:00
Sample Location	
Sample Description	308 / 9341 Burns Dr. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organophosphate Pesticides in Water - Continued					
Carbophenothion	µg/L	<0.5	0.5		
Chlorfenvinphos	µg/L	<0.5	0.5		
Chlormephos	µg/L	<0.5	0.5		
Chlorpyrifos	µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-methyl	µg/L	<0.5	0.5		
Chlorthiophos	µg/L	<0.5	0.5		
Cyanophos	µg/L	<0.5	0.5		
Demeton	µg/L	<0.5	0.5		
Diazinon	µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion	µg/L	<0.5	0.5		
Dimethoate	µg/L	<0.5	0.5	20	Below MAC
Disulfoton	µg/L	<0.5	0.5		
Ethion	µg/L	<0.5	0.5		
Fenchlorphos	µg/L	<0.5	0.5		
Fenitrothion	µg/L	<0.5	0.5		
Fenthion	µg/L	<0.5	0.5		
Fonofos	µg/L	<0.5	0.5		
Isofenphos	µg/L	<0.5	0.5		
Malaoxon	µg/L	<0.5	0.5		
Malathion	µg/L	<0.1	0.1	190	Below MAC
Methyl Parathion	µg/L	<0.5	0.5		
Mevinphos	µg/L	<0.5	0.5		
Parathion	µg/L	<0.5	0.5		
Phorate	µg/L	<0.5	0.5	2	Below MAC
Phosalone	µg/L	<0.5	0.5		
Phosmet	µg/L	<0.5	0.5		
Phosphamidon	µg/L	<0.5	0.5		
Pirimiphos-ethyl	µg/L	<0.5	0.5		
Pirimiphos-methyl	µg/L	<0.5	0.5		
Pyrazophos	µg/L	<0.5	0.5		
Quinalophos	µg/L	<0.5	0.5		
Sulfotep	µg/L	<0.5	0.5		
Terbufos	µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinphos	µg/L	<0.5	0.5		
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	96	50-140	
Neutral Herbicides in Water					
Alachlor	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-2
Sample Date	March 01, 2024
Sample Time	09:00
Sample Location	
Sample Description	308 / 9341 Burns Dr. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Neutral Herbicides in Water - Continued					
Benfluralin	µg/L	<0.5	0.5		
Butylate	µg/L	<0.5	0.5		
Chlorpropham	µg/L	<0.5	0.5		
Diallate	µg/L	<0.5	0.5		
Dichlobenil	µg/L	<0.5	0.5		
Diclofop-methyl	µg/L	<0.1	0.1	9	Below MAC
Diphenylamine	µg/L	<0.5	0.5		
Eptam (EPTC)	µg/L	<0.5	0.5		
Ethalfuralin	µg/L	<0.5	0.5		
Fenoxaprop-ethyl	µg/L	<0.5	0.5		
Fluazifop-p-butyl	µg/L	<0.5	0.5		
Hexazinone	µg/L	<0.5	0.5		
Metalaxyl	µg/L	<0.5	0.5		
Metolachlor	µg/L	<0.5	0.5	50	Below MAC
Metribuzin	µg/L	<0.5	0.5	80	Below MAC
Pirimicarb	µg/L	<0.5	0.5		
Profluralin	µg/L	<0.5	0.5		
Prometryn	µg/L	<0.5	0.5		
Propazine	µg/L	<0.5	0.5		
Propyzamide	µg/L	<0.5	0.5		
Quizalofop-ethyl	µg/L	<0.5	0.5		
Simetryn	µg/L	<0.5	0.5		
Terbuthylazine	µg/L	<0.5	0.5		
Terbutryn	µg/L	<0.5	0.5		
Triallate	µg/L	<0.10	0.10		
Trifluralin	µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	96	50-140	
Multiresidue Pesticides in Water					
Bifenox	µg/L	<0.5	0.5		
Carboxin	µg/L	<0.5	0.5		
Deltamethrin	µg/L	<0.5	0.5		
Fenamiphos	µg/L	<0.5	0.5		
Fenvalerate	µg/L	<0.5	0.5		
Methoprene	µg/L	<0.5	0.5		
Norflurazon	µg/L	<0.5	0.5		
Pebulate	µg/L	<0.5	0.5		
Prometon	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-2
Sample Date	March 01, 2024
Sample Time	09:00
Sample Location	
Sample Description	308 / 9341 Burns Dr. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Multiresidue Pesticides in Water - Continued					
Propargite	µg/L	<0.5	0.5		
Propiconazole	µg/L	<0.5	0.5		
Terbacil	µg/L	<0.5	0.5		
Vernolate	µg/L	<0.5	0.5		
Carbamates in Water					
3-Hydroxycarbofuran	µg/L	<0.1	0.1		
Aldicarb	µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	µg/L	<0.1	0.1		
Aldicarb sulfoxide	µg/L	<0.1	0.1		
Bendiocarb	µg/L	<0.1	0.1		
BPMC	µg/L	<0.1	0.1		
Carbaryl	µg/L	<0.1	0.1	90	Below MAC
Carbofuran	µg/L	<0.1	0.1	90	Below MAC
Imidacloprid	µg/L	<0.1	0.1		
Methiocarb	µg/L	<0.1	0.1		
Methomyl	µg/L	<0.1	0.1		
Oxamyl	µg/L	<0.1	0.1		
Promecarb	µg/L	<0.1	0.1		
Propoxur	µg/L	<0.1	0.1		
Carbamates in Water - Surrogate Recovery					
BDMC	Surrogate	%	72.0	50-140	
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP	Surrogate	%	96	50-140	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-3
Sample Date	March 01, 2024
Sample Time	09:45
Sample Location	
Sample Description	220 / 5860 112th St. / 2.5 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Inorganic Nonmetallic Parameters						
Hydrogen Sulfide	Calculated	mg/L	<0.002			
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Metals Extractable						
Aluminum	Extractable	mg/L	0.023	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00006	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0014	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0056	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00075	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0012	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00002	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.048	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0014	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0023	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.11	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.51	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.9			
Electrical Conductivity	at 25 °C	µS/cm	146	1		
Calcium	Extractable	mg/L	17	0.01		
Iron	Extractable	mg/L	0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.7	0.02		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-3
Sample Date	March 01, 2024
Sample Time	09:45
Sample Location	
Sample Description	220 / 5860 112th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued					
Manganese	Extractable	mg/L	0.005	0.001	0.02 AO; 0.12 MAC
Potassium	Extractable	mg/L	0.97	0.04	
Sodium	Extractable	mg/L	4.2	0.1	200
Bicarbonate		mg/L	67	5	
Carbonate		mg/L	<6	6	
Hydroxide		mg/L	<5	5	
P-Alkalinity	as CaCO ₃	mg/L	<5	5	
T-Alkalinity	as CaCO ₃	mg/L	55	5	
Bromide	Dissolved	mg/L	<0.02	0.02	
Chloride	Dissolved	mg/L	6.87	0.05	250
Fluoride	Dissolved	mg/L	0.01	0.01	1.5
Nitrate - N	Dissolved	mg/L	0.44	0.01	10
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1
Sulfate (SO ₄)	Dissolved	mg/L	5.4	0.1	500
Hardness	as CaCO ₃ (extractable)	mg/L	62	1	
Total Dissolved Solids	Extractable	mg/L	74	1	500
Mono-Aromatic Hydrocarbons - Water					
Benzene		µg/L	<0.5	0.5	5
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC
Methyl t-Butyl Ether		µg/L	<0.5	0.5	15
Styrene		µg/L	<0.5	0.5	
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC
Total Xylenes (m,p,o)		µg/L	<0.5	0.5	20 AO; 90 MAC
4-Bromofluorobenzene	Surrogate	%	100	70-130	
Dibromofluoromethane	Surrogate	%	124	70-130	
Toluene-d8	Surrogate	%	96.2	70-130	
Organochlorine Pesticides in Water					
Aldrin		µg/L	<0.5	0.5	0.7
BHC (alpha isomer)		µg/L	<0.5	0.5	
BHC (beta isomer)		µg/L	<0.5	0.5	
BHC (delta isomer)		µg/L	<0.5	0.5	
Captan		µg/L	<3.0	3.0	
Chlorbendide		µg/L	<0.5	0.5	
Chlordane-cis		µg/L	<0.5	0.5	
Chlordane-trans		µg/L	<0.5	0.5	
Chlorfenson		µg/L	<0.5	0.5	
Chlorothalonil		µg/L	<0.5	0.5	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-3
Sample Date	March 01, 2024
Sample Time	09:45
Sample Location	
Sample Description	220 / 5860 112th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine Pesticides in Water - Continued					
Chlorthal-dimethyl	µg/L	<0.5	0.5		
DDD-o,p'	µg/L	<0.5	0.5		
DDD-p,p'	µg/L	<0.5	0.5		
DDE-o,p'	µg/L	<0.5	0.5		
DDE-p,p'	µg/L	<0.5	0.5		
DDT-o,p'	µg/L	<0.5	0.5		
DDT-p,p'	µg/L	<0.5	0.5		
Dichlofluanid	µg/L	<0.5	0.5		
Dieldrin	µg/L	<0.5	0.5		
Endosulfan I	µg/L	<0.5	0.5		
Endosulfan II	µg/L	<0.5	0.5		
Endosulfan sulfate	µg/L	<0.5	0.5		
Endrin	µg/L	<0.5	0.5		
Folpet	µg/L	<3.0	3.0		
Heptachlor	µg/L	<0.5	0.5		
Heptachlor Epoxide	µg/L	<0.5	0.5		
Hexachlorobenzene	µg/L	<0.5	0.5		
Lindane	µg/L	<0.5	0.5		
Methoxychlor	µg/L	<0.5	0.5		
Mirex	µg/L	<0.5	0.5		
Permethrin-cis	µg/L	<0.5	0.5		
Permethrin-trans	µg/L	<0.5	0.5		
Procymidone	µg/L	<0.5	0.5		
Propachlor	µg/L	<0.5	0.5		
Quintozone	µg/L	<0.5	0.5		
Tecnazene	µg/L	<0.5	0.5		
Tetradifon	µg/L	<0.5	0.5		
Tolyfluanid	µg/L	<0.5	0.5		
Triadimefon	µg/L	<0.5	0.5		
Vinclozolin	µg/L	<0.5	0.5		
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	99	50-140	
Organophosphate Pesticides in Water					
Aspon	µg/L	<0.5	0.5		
Azinphos-ethyl	µg/L	<0.5	0.5		
Azinphos-methyl	µg/L	<0.5	0.5	20	Below MAC
Bromophos	µg/L	<0.5	0.5		
Bromophos-ethyl	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-3
Sample Date	March 01, 2024
Sample Time	09:45
Sample Location	
Sample Description	220 / 5860 112th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organophosphate Pesticides in Water - Continued					
Carbophenothion	µg/L	<0.5	0.5		
Chlorfenvinphos	µg/L	<0.5	0.5		
Chlormephos	µg/L	<0.5	0.5		
Chlorpyrifos	µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-methyl	µg/L	<0.5	0.5		
Chlorthiophos	µg/L	<0.5	0.5		
Cyanophos	µg/L	<0.5	0.5		
Demeton	µg/L	<0.5	0.5		
Diazinon	µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion	µg/L	<0.5	0.5		
Dimethoate	µg/L	<0.5	0.5	20	Below MAC
Disulfoton	µg/L	<0.5	0.5		
Ethion	µg/L	<0.5	0.5		
Fenchlorphos	µg/L	<0.5	0.5		
Fenitrothion	µg/L	<0.5	0.5		
Fenthion	µg/L	<0.5	0.5		
Fonofos	µg/L	<0.5	0.5		
Isofenphos	µg/L	<0.5	0.5		
Malaoxon	µg/L	<0.5	0.5		
Malathion	µg/L	<0.1	0.1	190	Below MAC
Methyl Parathion	µg/L	<0.5	0.5		
Mevinphos	µg/L	<0.5	0.5		
Parathion	µg/L	<0.5	0.5		
Phorate	µg/L	<0.5	0.5	2	Below MAC
Phosalone	µg/L	<0.5	0.5		
Phosmet	µg/L	<0.5	0.5		
Phosphamidon	µg/L	<0.5	0.5		
Pirimiphos-ethyl	µg/L	<0.5	0.5		
Pirimiphos-methyl	µg/L	<0.5	0.5		
Pyrazophos	µg/L	<0.5	0.5		
Quinalophos	µg/L	<0.5	0.5		
Sulfotep	µg/L	<0.5	0.5		
Terbufos	µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinphos	µg/L	<0.5	0.5		
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	99	50-140	
Neutral Herbicides in Water					
Alachlor	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-3
Sample Date	March 01, 2024
Sample Time	09:45
Sample Location	
Sample Description	220 / 5860 112th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Neutral Herbicides in Water - Continued					
Benfluralin	µg/L	<0.5	0.5		
Butylate	µg/L	<0.5	0.5		
Chlorpropham	µg/L	<0.5	0.5		
Diallate	µg/L	<0.5	0.5		
Dichlobenil	µg/L	<0.5	0.5		
Diclofop-methyl	µg/L	<0.1	0.1	9	Below MAC
Diphenylamine	µg/L	<0.5	0.5		
Eptam (EPTC)	µg/L	<0.5	0.5		
Ethalfuralin	µg/L	<0.5	0.5		
Fenoxaprop-ethyl	µg/L	<0.5	0.5		
Fluazifop-p-butyl	µg/L	<0.5	0.5		
Hexazinone	µg/L	<0.5	0.5		
Metalaxyl	µg/L	<0.5	0.5		
Metolachlor	µg/L	<0.5	0.5	50	Below MAC
Metribuzin	µg/L	<0.5	0.5	80	Below MAC
Pirimicarb	µg/L	<0.5	0.5		
Profluralin	µg/L	<0.5	0.5		
Prometryn	µg/L	<0.5	0.5		
Propazine	µg/L	<0.5	0.5		
Propyzamide	µg/L	<0.5	0.5		
Quizalofop-ethyl	µg/L	<0.5	0.5		
Simetryn	µg/L	<0.5	0.5		
Terbuthylazine	µg/L	<0.5	0.5		
Terbutryn	µg/L	<0.5	0.5		
Triallate	µg/L	<0.10	0.10		
Trifluralin	µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	99	50-140	
Multiresidue Pesticides in Water					
Bifenox	µg/L	<0.5	0.5		
Carboxin	µg/L	<0.5	0.5		
Deltamethrin	µg/L	<0.5	0.5		
Fenamiphos	µg/L	<0.5	0.5		
Fenvalerate	µg/L	<0.5	0.5		
Methoprene	µg/L	<0.5	0.5		
Norflurazon	µg/L	<0.5	0.5		
Pebulate	µg/L	<0.5	0.5		
Prometon	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-3
Sample Date	March 01, 2024
Sample Time	09:45
Sample Location	
Sample Description	220 / 5860 112th St. / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Multiresidue Pesticides in Water - Continued					
Propargite	µg/L	<0.5	0.5		
Propiconazole	µg/L	<0.5	0.5		
Terbacil	µg/L	<0.5	0.5		
Vernolate	µg/L	<0.5	0.5		
Carbamates in Water					
3-Hydroxycarbofuran	µg/L	<0.1	0.1		
Aldicarb	µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	µg/L	<0.1	0.1		
Aldicarb sulfoxide	µg/L	<0.1	0.1		
Bendiocarb	µg/L	<0.1	0.1		
BPMC	µg/L	<0.1	0.1		
Carbaryl	µg/L	<0.1	0.1	90	Below MAC
Carbofuran	µg/L	<0.1	0.1	90	Below MAC
Imidacloprid	µg/L	<0.1	0.1		
Methiocarb	µg/L	<0.1	0.1		
Methomyl	µg/L	<0.1	0.1		
Oxamyl	µg/L	<0.1	0.1		
Promecarb	µg/L	<0.1	0.1		
Propoxur	µg/L	<0.1	0.1		
Carbamates in Water - Surrogate Recovery					
BDMC	Surrogate	%	73.5	50-140	
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP	Surrogate	%	99	50-140	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-4
Sample Date	March 01, 2024
Sample Time	10:22
Sample Location	
Sample Description	305 / Well # 1 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Inorganic Nonmetallic Parameters						
Hydrogen Sulfide	Calculated	mg/L	<0.002			
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Metals Extractable						
Aluminum	Extractable	mg/L	0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00013	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0042	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0051	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.009	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0021	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0013	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.00001	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0005	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.098	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0032	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0073	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.70	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.9			
Electrical Conductivity	at 25 °C	µS/cm	263	1		
Calcium	Extractable	mg/L	30	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	11	0.02		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-4
Sample Date	March 01, 2024
Sample Time	10:22
Sample Location	
Sample Description	305 / Well # 1 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued					
Manganese	Extractable	mg/L	0.007	0.001	0.02 AO; 0.12 MAC
Potassium	Extractable	mg/L	2.1	0.04	
Sodium	Extractable	mg/L	8.6	0.1	200
Bicarbonate		mg/L	123	5	
Carbonate		mg/L	<6	6	
Hydroxide		mg/L	<5	5	
P-Alkalinity	as CaCO ₃	mg/L	<5	5	
T-Alkalinity	as CaCO ₃	mg/L	101	5	
Bromide	Dissolved	mg/L	0.10	0.02	
Chloride	Dissolved	mg/L	13.6	0.05	250
Fluoride	Dissolved	mg/L	0.02	0.01	1.5
Nitrate - N	Dissolved	mg/L	1.15	0.01	10
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1
Sulfate (SO ₄)	Dissolved	mg/L	11.4	0.1	500
Hardness	as CaCO ₃ (extractable)	mg/L	117	1	
Total Dissolved Solids	Extractable	mg/L	142	1	500
Mono-Aromatic Hydrocarbons - Water					
Benzene		µg/L	<0.5	0.5	5
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC
Methyl t-Butyl Ether		µg/L	<0.5	0.5	15
Styrene		µg/L	<0.5	0.5	
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC
Total Xylenes (m,p,o)		µg/L	<0.5	0.5	20 AO; 90 MAC
4-Bromofluorobenzene	Surrogate	%	104	70-130	
Dibromofluoromethane	Surrogate	%	126	70-130	
Toluene-d8	Surrogate	%	94.8	70-130	
Organochlorine Pesticides in Water					
Aldrin		µg/L	<0.5	0.5	0.7
BHC (alpha isomer)		µg/L	<0.5	0.5	
BHC (beta isomer)		µg/L	<0.5	0.5	
BHC (delta isomer)		µg/L	<0.5	0.5	
Captan		µg/L	<3.0	3.0	
Chlorbendide		µg/L	<0.5	0.5	
Chlordane-cis		µg/L	<0.5	0.5	
Chlordane-trans		µg/L	<0.5	0.5	
Chlorfenson		µg/L	<0.5	0.5	
Chlorothalonil		µg/L	<0.5	0.5	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-4
Sample Date	March 01, 2024
Sample Time	10:22
Sample Location	
Sample Description	305 / Well # 1 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine Pesticides in Water - Continued					
Chlorthal-dimethyl	µg/L	<0.5	0.5		
DDD-o,p'	µg/L	<0.5	0.5		
DDD-p,p'	µg/L	<0.5	0.5		
DDE-o,p'	µg/L	<0.5	0.5		
DDE-p,p'	µg/L	<0.5	0.5		
DDT-o,p'	µg/L	<0.5	0.5		
DDT-p,p'	µg/L	<0.5	0.5		
Dichlofluanid	µg/L	<0.5	0.5		
Dieldrin	µg/L	<0.5	0.5		
Endosulfan I	µg/L	<0.5	0.5		
Endosulfan II	µg/L	<0.5	0.5		
Endosulfan sulfate	µg/L	<0.5	0.5		
Endrin	µg/L	<0.5	0.5		
Folpet	µg/L	<3.0	3.0		
Heptachlor	µg/L	<0.5	0.5		
Heptachlor Epoxide	µg/L	<0.5	0.5		
Hexachlorobenzene	µg/L	<0.5	0.5		
Lindane	µg/L	<0.5	0.5		
Methoxychlor	µg/L	<0.5	0.5		
Mirex	µg/L	<0.5	0.5		
Permethrin-cis	µg/L	<0.5	0.5		
Permethrin-trans	µg/L	<0.5	0.5		
Procymidone	µg/L	<0.5	0.5		
Propachlor	µg/L	<0.5	0.5		
Quintozene	µg/L	<0.5	0.5		
Tecnazene	µg/L	<0.5	0.5		
Tetradifon	µg/L	<0.5	0.5		
Tolyfluanid	µg/L	<0.5	0.5		
Triadimefon	µg/L	<0.5	0.5		
Vinclozolin	µg/L	<0.5	0.5		
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	104	50-140	
Organophosphate Pesticides in Water					
Aspon	µg/L	<0.5	0.5		
Azinphos-ethyl	µg/L	<0.5	0.5		
Azinphos-methyl	µg/L	<0.5	0.5	20	Below MAC
Bromophos	µg/L	<0.5	0.5		
Bromophos-ethyl	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-4
Sample Date	March 01, 2024
Sample Time	10:22
Sample Location	
Sample Description	305 / Well # 1 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organophosphate Pesticides in Water - Continued					
Carbophenothion	µg/L	<0.5	0.5		
Chlorfenvinphos	µg/L	<0.5	0.5		
Chlormephos	µg/L	<0.5	0.5		
Chlorpyrifos	µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-methyl	µg/L	<0.5	0.5		
Chlorthiophos	µg/L	<0.5	0.5		
Cyanophos	µg/L	<0.5	0.5		
Demeton	µg/L	<0.5	0.5		
Diazinon	µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion	µg/L	<0.5	0.5		
Dimethoate	µg/L	<0.5	0.5	20	Below MAC
Disulfoton	µg/L	<0.5	0.5		
Ethion	µg/L	<0.5	0.5		
Fenchlorphos	µg/L	<0.5	0.5		
Fenitrothion	µg/L	<0.5	0.5		
Fenthion	µg/L	<0.5	0.5		
Fonofos	µg/L	<0.5	0.5		
Isofenphos	µg/L	<0.5	0.5		
Malaoxon	µg/L	<0.5	0.5		
Malathion	µg/L	<0.1	0.1	190	Below MAC
Methyl Parathion	µg/L	<0.5	0.5		
Mevinphos	µg/L	<0.5	0.5		
Parathion	µg/L	<0.5	0.5		
Phorate	µg/L	<0.5	0.5	2	Below MAC
Phosalone	µg/L	<0.5	0.5		
Phosmet	µg/L	<0.5	0.5		
Phosphamidon	µg/L	<0.5	0.5		
Pirimiphos-ethyl	µg/L	<0.5	0.5		
Pirimiphos-methyl	µg/L	<0.5	0.5		
Pyrazophos	µg/L	<0.5	0.5		
Quinalophos	µg/L	<0.5	0.5		
Sulfotep	µg/L	<0.5	0.5		
Terbufos	µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinphos	µg/L	<0.5	0.5		
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	104	50-140	
Neutral Herbicides in Water					
Alachlor	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-4
Sample Date	March 01, 2024
Sample Time	10:22
Sample Location	
Sample Description	305 / Well # 1 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Neutral Herbicides in Water - Continued					
Benfluralin	µg/L	<0.5	0.5		
Butylate	µg/L	<0.5	0.5		
Chlorpropham	µg/L	<0.5	0.5		
Diallate	µg/L	<0.5	0.5		
Dichlobenil	µg/L	<0.5	0.5		
Diclofop-methyl	µg/L	<0.1	0.1	9	Below MAC
Diphenylamine	µg/L	<0.5	0.5		
Eptam (EPTC)	µg/L	<0.5	0.5		
Ethalfuralin	µg/L	<0.5	0.5		
Fenoxaprop-ethyl	µg/L	<0.5	0.5		
Fluazifop-p-butyl	µg/L	<0.5	0.5		
Hexazinone	µg/L	<0.5	0.5		
Metalaxyl	µg/L	<0.5	0.5		
Metolachlor	µg/L	<0.5	0.5	50	Below MAC
Metribuzin	µg/L	<0.5	0.5	80	Below MAC
Pirimicarb	µg/L	<0.5	0.5		
Profluralin	µg/L	<0.5	0.5		
Prometryn	µg/L	<0.5	0.5		
Propazine	µg/L	<0.5	0.5		
Propyzamide	µg/L	<0.5	0.5		
Quizalofop-ethyl	µg/L	<0.5	0.5		
Simetryn	µg/L	<0.5	0.5		
Terbuthylazine	µg/L	<0.5	0.5		
Terbutryn	µg/L	<0.5	0.5		
Triallate	µg/L	<0.10	0.10		
Trifluralin	µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	104	50-140	
Multiresidue Pesticides in Water					
Bifenox	µg/L	<0.5	0.5		
Carboxin	µg/L	<0.5	0.5		
Deltamethrin	µg/L	<0.5	0.5		
Fenamiphos	µg/L	<0.5	0.5		
Fenvalerate	µg/L	<0.5	0.5		
Methoprene	µg/L	<0.5	0.5		
Norflurazon	µg/L	<0.5	0.5		
Pebulate	µg/L	<0.5	0.5		
Prometon	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-4
Sample Date	March 01, 2024
Sample Time	10:22
Sample Location	
Sample Description	305 / Well # 1 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Multiresidue Pesticides in Water - Continued					
Propargite	µg/L	<0.5	0.5		
Propiconazole	µg/L	<0.5	0.5		
Terbacil	µg/L	<0.5	0.5		
Vernolate	µg/L	<0.5	0.5		
Carbamates in Water					
3-Hydroxycarbofuran	µg/L	<0.1	0.1		
Aldicarb	µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	µg/L	<0.1	0.1		
Aldicarb sulfoxide	µg/L	<0.1	0.1		
Bendiocarb	µg/L	<0.1	0.1		
BPMC	µg/L	<0.1	0.1		
Carbaryl	µg/L	<0.1	0.1	90	Below MAC
Carbofuran	µg/L	<0.1	0.1	90	Below MAC
Imidacloprid	µg/L	<0.1	0.1		
Methiocarb	µg/L	<0.1	0.1		
Methomyl	µg/L	<0.1	0.1		
Oxamyl	µg/L	<0.1	0.1		
Promecarb	µg/L	<0.1	0.1		
Propoxur	µg/L	<0.1	0.1		
Carbamates in Water - Surrogate Recovery					
BDMC	Surrogate	%	94.6	50-140	
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP	Surrogate	%	104	50-140	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-5
Sample Date	March 01, 2024
Sample Time	11:05
Sample Location	
Sample Description	306 / Well # 5 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Inorganic Nonmetallic Parameters						
Hydrogen Sulfide	Calculated	mg/L	<0.002			
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Metals Extractable						
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00014	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0037	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.011	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.008	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0019	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.011	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00055	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	0.0004	0.0002		
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0040	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0061	0.00005		
Zinc	Extractable	mg/L	0.0065	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	8.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.75	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.9			
Electrical Conductivity	at 25 °C	µS/cm	291	1		
Calcium	Extractable	mg/L	32	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	12	0.02		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-5
Sample Date	March 01, 2024
Sample Time	11:05
Sample Location	
Sample Description	306 / Well # 5 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued					
Manganese	Extractable	mg/L	0.013	0.001	0.02 AO; 0.12 MAC
Potassium	Extractable	mg/L	2.4	0.04	
Sodium	Extractable	mg/L	8.8	0.1	200
Bicarbonate		mg/L	139	5	
Carbonate		mg/L	<6	6	
Hydroxide		mg/L	<5	5	
P-Alkalinity	as CaCO ₃	mg/L	<5	5	
T-Alkalinity	as CaCO ₃	mg/L	114	5	
Bromide	Dissolved	mg/L	0.05	0.02	
Chloride	Dissolved	mg/L	14.7	0.05	250
Fluoride	Dissolved	mg/L	0.03	0.01	1.5
Nitrate - N	Dissolved	mg/L	1.10	0.01	10
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1
Sulfate (SO ₄)	Dissolved	mg/L	13.2	0.1	500
Hardness	as CaCO ₃ (extractable)	mg/L	131	1	
Total Dissolved Solids	Extractable	mg/L	157	1	500
Mono-Aromatic Hydrocarbons - Water					
Benzene		µg/L	<0.5	0.5	5
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC
Methyl t-Butyl Ether		µg/L	<0.5	0.5	15
Styrene		µg/L	<0.5	0.5	
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC
Total Xylenes (m,p,o)		µg/L	<0.5	0.5	20 AO; 90 MAC
4-Bromofluorobenzene	Surrogate	%	105	70-130	
Dibromofluoromethane	Surrogate	%	118	70-130	
Toluene-d8	Surrogate	%	95.0	70-130	
Organochlorine Pesticides in Water					
Aldrin		µg/L	<0.5	0.5	0.7
BHC (alpha isomer)		µg/L	<0.5	0.5	
BHC (beta isomer)		µg/L	<0.5	0.5	
BHC (delta isomer)		µg/L	<0.5	0.5	
Captan		µg/L	<3.0	3.0	
Chlorbendide		µg/L	<0.5	0.5	
Chlordane-cis		µg/L	<0.5	0.5	
Chlordane-trans		µg/L	<0.5	0.5	
Chlorfenson		µg/L	<0.5	0.5	
Chlorothalonil		µg/L	<0.5	0.5	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-5
Sample Date	March 01, 2024
Sample Time	11:05
Sample Location	
Sample Description	306 / Well # 5 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine Pesticides in Water - Continued					
Chlorthal-dimethyl	µg/L	<0.5	0.5		
DDD-o,p'	µg/L	<0.5	0.5		
DDD-p,p'	µg/L	<0.5	0.5		
DDE-o,p'	µg/L	<0.5	0.5		
DDE-p,p'	µg/L	<0.5	0.5		
DDT-o,p'	µg/L	<0.5	0.5		
DDT-p,p'	µg/L	<0.5	0.5		
Dichlofluanid	µg/L	<0.5	0.5		
Dieldrin	µg/L	<0.5	0.5		
Endosulfan I	µg/L	<0.5	0.5		
Endosulfan II	µg/L	<0.5	0.5		
Endosulfan sulfate	µg/L	<0.5	0.5		
Endrin	µg/L	<0.5	0.5		
Folpet	µg/L	<3.0	3.0		
Heptachlor	µg/L	<0.5	0.5		
Heptachlor Epoxide	µg/L	<0.5	0.5		
Hexachlorobenzene	µg/L	<0.5	0.5		
Lindane	µg/L	<0.5	0.5		
Methoxychlor	µg/L	<0.5	0.5		
Mirex	µg/L	<0.5	0.5		
Permethrin-cis	µg/L	<0.5	0.5		
Permethrin-trans	µg/L	<0.5	0.5		
Procymidone	µg/L	<0.5	0.5		
Propachlor	µg/L	<0.5	0.5		
Quintozone	µg/L	<0.5	0.5		
Tecnazene	µg/L	<0.5	0.5		
Tetradifon	µg/L	<0.5	0.5		
Tolyfluanid	µg/L	<0.5	0.5		
Triadimefon	µg/L	<0.5	0.5		
Vinclozolin	µg/L	<0.5	0.5		
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	99	50-140	
Organophosphate Pesticides in Water					
Aspon	µg/L	<0.5	0.5		
Azinphos-ethyl	µg/L	<0.5	0.5		
Azinphos-methyl	µg/L	<0.5	0.5	20	Below MAC
Bromophos	µg/L	<0.5	0.5		
Bromophos-ethyl	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-5
Sample Date	March 01, 2024
Sample Time	11:05
Sample Location	
Sample Description	306 / Well # 5 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organophosphate Pesticides in Water - Continued					
Carbophenothion	µg/L	<0.5	0.5		
Chlorfenvinphos	µg/L	<0.5	0.5		
Chlormephos	µg/L	<0.5	0.5		
Chlorpyrifos	µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-methyl	µg/L	<0.5	0.5		
Chlorthiophos	µg/L	<0.5	0.5		
Cyanophos	µg/L	<0.5	0.5		
Demeton	µg/L	<0.5	0.5		
Diazinon	µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion	µg/L	<0.5	0.5		
Dimethoate	µg/L	<0.5	0.5	20	Below MAC
Disulfoton	µg/L	<0.5	0.5		
Ethion	µg/L	<0.5	0.5		
Fenchlorphos	µg/L	<0.5	0.5		
Fenitrothion	µg/L	<0.5	0.5		
Fenthion	µg/L	<0.5	0.5		
Fonofos	µg/L	<0.5	0.5		
Isofenphos	µg/L	<0.5	0.5		
Malaoxon	µg/L	<0.5	0.5		
Malathion	µg/L	<0.1	0.1	190	Below MAC
Methyl Parathion	µg/L	<0.5	0.5		
Mevinphos	µg/L	<0.5	0.5		
Parathion	µg/L	<0.5	0.5		
Phorate	µg/L	<0.5	0.5	2	Below MAC
Phosalone	µg/L	<0.5	0.5		
Phosmet	µg/L	<0.5	0.5		
Phosphamidon	µg/L	<0.5	0.5		
Pirimiphos-ethyl	µg/L	<0.5	0.5		
Pirimiphos-methyl	µg/L	<0.5	0.5		
Pyrazophos	µg/L	<0.5	0.5		
Quinalophos	µg/L	<0.5	0.5		
Sulfotep	µg/L	<0.5	0.5		
Terbufos	µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinphos	µg/L	<0.5	0.5		
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	99	50-140	
Neutral Herbicides in Water					
Alachlor	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-5
Sample Date	March 01, 2024
Sample Time	11:05
Sample Location	
Sample Description	306 / Well # 5 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Neutral Herbicides in Water - Continued					
Benfluralin	µg/L	<0.5	0.5		
Butylate	µg/L	<0.5	0.5		
Chlorpropham	µg/L	<0.5	0.5		
Diallate	µg/L	<0.5	0.5		
Dichlobenil	µg/L	<0.5	0.5		
Diclofop-methyl	µg/L	<0.1	0.1	9	Below MAC
Diphenylamine	µg/L	<0.5	0.5		
Eptam (EPTC)	µg/L	<0.5	0.5		
Ethalfuralin	µg/L	<0.5	0.5		
Fenoxaprop-ethyl	µg/L	<0.5	0.5		
Fluazifop-p-butyl	µg/L	<0.5	0.5		
Hexazinone	µg/L	<0.5	0.5		
Metalaxyl	µg/L	<0.5	0.5		
Metolachlor	µg/L	<0.5	0.5	50	Below MAC
Metribuzin	µg/L	<0.5	0.5	80	Below MAC
Pirimicarb	µg/L	<0.5	0.5		
Profluralin	µg/L	<0.5	0.5		
Prometryn	µg/L	<0.5	0.5		
Propazine	µg/L	<0.5	0.5		
Propyzamide	µg/L	<0.5	0.5		
Quizalofop-ethyl	µg/L	<0.5	0.5		
Simetryn	µg/L	<0.5	0.5		
Terbuthylazine	µg/L	<0.5	0.5		
Terbutryn	µg/L	<0.5	0.5		
Triallate	µg/L	<0.10	0.10		
Trifluralin	µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	99	50-140	
Multiresidue Pesticides in Water					
Bifenox	µg/L	<0.5	0.5		
Carboxin	µg/L	<0.5	0.5		
Deltamethrin	µg/L	<0.5	0.5		
Fenamiphos	µg/L	<0.5	0.5		
Fenvalerate	µg/L	<0.5	0.5		
Methoprene	µg/L	<0.5	0.5		
Norflurazon	µg/L	<0.5	0.5		
Pebulate	µg/L	<0.5	0.5		
Prometon	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-5
Sample Date	March 01, 2024
Sample Time	11:05
Sample Location	
Sample Description	306 / Well # 5 Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Multiresidue Pesticides in Water - Continued					
Propargite	µg/L	<0.5	0.5		
Propiconazole	µg/L	<0.5	0.5		
Terbacil	µg/L	<0.5	0.5		
Vernolate	µg/L	<0.5	0.5		
Carbamates in Water					
3-Hydroxycarbofuran	µg/L	<0.1	0.1		
Aldicarb	µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	µg/L	<0.1	0.1		
Aldicarb sulfoxide	µg/L	<0.1	0.1		
Bendiocarb	µg/L	<0.1	0.1		
BPMC	µg/L	<0.1	0.1		
Carbaryl	µg/L	<0.1	0.1	90	Below MAC
Carbofuran	µg/L	<0.1	0.1	90	Below MAC
Imidacloprid	µg/L	<0.1	0.1		
Methiocarb	µg/L	<0.1	0.1		
Methomyl	µg/L	<0.1	0.1		
Oxamyl	µg/L	<0.1	0.1		
Promecarb	µg/L	<0.1	0.1		
Propoxur	µg/L	<0.1	0.1		
Carbamates in Water - Surrogate Recovery					
BDMC Surrogate	%	89.7	50-140		
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP Surrogate	%	99	50-140		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-6
Sample Date	March 01, 2024
Sample Time	11:42
Sample Location	
Sample Description	329 / Reservoir Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Inorganic Nonmetallic Parameters						
Hydrogen Sulfide	Calculated	mg/L	<0.002			
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Metals Extractable						
Aluminum	Extractable	mg/L	0.022	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00006	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0014	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0052	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.005	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00073	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0021	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00001	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.047	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0014	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0023	0.00005		
Zinc	Extractable	mg/L	0.0007	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.54	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	23.0			
Electrical Conductivity	at 25 °C	µS/cm	146	1		
Calcium	Extractable	mg/L	17	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.6	0.02		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-6
Sample Date	March 01, 2024
Sample Time	11:42
Sample Location	
Sample Description	329 / Reservoir Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued					
Manganese	Extractable	mg/L	0.006	0.001	0.02 AO; 0.12 MAC
Potassium	Extractable	mg/L	0.97	0.04	
Sodium	Extractable	mg/L	4.3	0.1	200
Bicarbonate		mg/L	67	5	
Carbonate		mg/L	<6	6	
Hydroxide		mg/L	<5	5	
P-Alkalinity	as CaCO ₃	mg/L	<5	5	
T-Alkalinity	as CaCO ₃	mg/L	55	5	
Bromide	Dissolved	mg/L	<0.02	0.02	
Chloride	Dissolved	mg/L	6.87	0.05	250
Fluoride	Dissolved	mg/L	0.01	0.01	1.5
Nitrate - N	Dissolved	mg/L	0.44	0.01	10
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1
Sulfate (SO ₄)	Dissolved	mg/L	5.4	0.1	500
Hardness	as CaCO ₃ (extractable)	mg/L	62	1	
Total Dissolved Solids	Extractable	mg/L	74	1	500
Mono-Aromatic Hydrocarbons - Water					
Benzene		µg/L	<0.5	0.5	5
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC
Methyl t-Butyl Ether		µg/L	<0.5	0.5	15
Styrene		µg/L	<0.5	0.5	
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC
Total Xylenes (m,p,o)		µg/L	<0.5	0.5	20 AO; 90 MAC
4-Bromofluorobenzene	Surrogate	%	103	70-130	
Dibromofluoromethane	Surrogate	%	128	70-130	
Toluene-d8	Surrogate	%	97.3	70-130	
Organochlorine Pesticides in Water					
Aldrin		µg/L	<0.5	0.5	0.7
BHC (alpha isomer)		µg/L	<0.5	0.5	
BHC (beta isomer)		µg/L	<0.5	0.5	
BHC (delta isomer)		µg/L	<0.5	0.5	
Captan		µg/L	<3.0	3.0	
Chlorbendide		µg/L	<0.5	0.5	
Chlordane-cis		µg/L	<0.5	0.5	
Chlordane-trans		µg/L	<0.5	0.5	
Chlorfenson		µg/L	<0.5	0.5	
Chlorothalonil		µg/L	<0.5	0.5	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-6
Sample Date	March 01, 2024
Sample Time	11:42
Sample Location	
Sample Description	329 / Reservoir Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine Pesticides in Water - Continued					
Chlorthal-dimethyl	µg/L	<0.5	0.5		
DDD-o,p'	µg/L	<0.5	0.5		
DDD-p,p'	µg/L	<0.5	0.5		
DDE-o,p'	µg/L	<0.5	0.5		
DDE-p,p'	µg/L	<0.5	0.5		
DDT-o,p'	µg/L	<0.5	0.5		
DDT-p,p'	µg/L	<0.5	0.5		
Dichlofluanid	µg/L	<0.5	0.5		
Dieldrin	µg/L	<0.5	0.5		
Endosulfan I	µg/L	<0.5	0.5		
Endosulfan II	µg/L	<0.5	0.5		
Endosulfan sulfate	µg/L	<0.5	0.5		
Endrin	µg/L	<0.5	0.5		
Folpet	µg/L	<3.0	3.0		
Heptachlor	µg/L	<0.5	0.5		
Heptachlor Epoxide	µg/L	<0.5	0.5		
Hexachlorobenzene	µg/L	<0.5	0.5		
Lindane	µg/L	<0.5	0.5		
Methoxychlor	µg/L	<0.5	0.5		
Mirex	µg/L	<0.5	0.5		
Permethrin-cis	µg/L	<0.5	0.5		
Permethrin-trans	µg/L	<0.5	0.5		
Procymidone	µg/L	<0.5	0.5		
Propachlor	µg/L	<0.5	0.5		
Quintozone	µg/L	<0.5	0.5		
Tecnazene	µg/L	<0.5	0.5		
Tetradifon	µg/L	<0.5	0.5		
Tolyfluanid	µg/L	<0.5	0.5		
Triadimefon	µg/L	<0.5	0.5		
Vinclozolin	µg/L	<0.5	0.5		
Organochlorine Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	99	50-140	
Organophosphate Pesticides in Water					
Aspon	µg/L	<0.5	0.5		
Azinphos-ethyl	µg/L	<0.5	0.5		
Azinphos-methyl	µg/L	<0.5	0.5	20	Below MAC
Bromophos	µg/L	<0.5	0.5		
Bromophos-ethyl	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-6
Sample Date	March 01, 2024
Sample Time	11:42
Sample Location	
Sample Description	329 / Reservoir Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organophosphate Pesticides in Water - Continued					
Carbophenothion	µg/L	<0.5	0.5		
Chlorfenvinphos	µg/L	<0.5	0.5		
Chlormephos	µg/L	<0.5	0.5		
Chlorpyrifos	µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-methyl	µg/L	<0.5	0.5		
Chlorthiophos	µg/L	<0.5	0.5		
Cyanophos	µg/L	<0.5	0.5		
Demeton	µg/L	<0.5	0.5		
Diazinon	µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion	µg/L	<0.5	0.5		
Dimethoate	µg/L	<0.5	0.5	20	Below MAC
Disulfoton	µg/L	<0.5	0.5		
Ethion	µg/L	<0.5	0.5		
Fenchlorphos	µg/L	<0.5	0.5		
Fenitrothion	µg/L	<0.5	0.5		
Fenthion	µg/L	<0.5	0.5		
Fonofos	µg/L	<0.5	0.5		
Isofenphos	µg/L	<0.5	0.5		
Malaoxon	µg/L	<0.5	0.5		
Malathion	µg/L	<0.1	0.1	190	Below MAC
Methyl Parathion	µg/L	<0.5	0.5		
Mevinphos	µg/L	<0.5	0.5		
Parathion	µg/L	<0.5	0.5		
Phorate	µg/L	<0.5	0.5	2	Below MAC
Phosalone	µg/L	<0.5	0.5		
Phosmet	µg/L	<0.5	0.5		
Phosphamidon	µg/L	<0.5	0.5		
Pirimiphos-ethyl	µg/L	<0.5	0.5		
Pirimiphos-methyl	µg/L	<0.5	0.5		
Pyrazophos	µg/L	<0.5	0.5		
Quinalophos	µg/L	<0.5	0.5		
Sulfotep	µg/L	<0.5	0.5		
Terbufos	µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinphos	µg/L	<0.5	0.5		
Organophosphate Pesticides -Water- Surrogate Rec.					
TPP	Surrogate	%	99	50-140	
Neutral Herbicides in Water					
Alachlor	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-6
Sample Date	March 01, 2024
Sample Time	11:42
Sample Location	
Sample Description	329 / Reservoir Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Neutral Herbicides in Water - Continued					
Benfluralin	µg/L	<0.5	0.5		
Butylate	µg/L	<0.5	0.5		
Chlorpropham	µg/L	<0.5	0.5		
Diallate	µg/L	<0.5	0.5		
Dichlobenil	µg/L	<0.5	0.5		
Diclofop-methyl	µg/L	<0.1	0.1	9	Below MAC
Diphenylamine	µg/L	<0.5	0.5		
Eptam (EPTC)	µg/L	<0.5	0.5		
Ethalfuralin	µg/L	<0.5	0.5		
Fenoxaprop-ethyl	µg/L	<0.5	0.5		
Fluazifop-p-butyl	µg/L	<0.5	0.5		
Hexazinone	µg/L	<0.5	0.5		
Metalaxyl	µg/L	<0.5	0.5		
Metolachlor	µg/L	<0.5	0.5	50	Below MAC
Metribuzin	µg/L	<0.5	0.5	80	Below MAC
Pirimicarb	µg/L	<0.5	0.5		
Profluralin	µg/L	<0.5	0.5		
Prometryn	µg/L	<0.5	0.5		
Propazine	µg/L	<0.5	0.5		
Propyzamide	µg/L	<0.5	0.5		
Quizalofop-ethyl	µg/L	<0.5	0.5		
Simetryn	µg/L	<0.5	0.5		
Terbuthylazine	µg/L	<0.5	0.5		
Terbutryn	µg/L	<0.5	0.5		
Triallate	µg/L	<0.10	0.10		
Trifluralin	µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicides - Water - Surrogate Recovery					
TPP	Surrogate	%	99	50-140	
Multiresidue Pesticides in Water					
Bifenox	µg/L	<0.5	0.5		
Carboxin	µg/L	<0.5	0.5		
Deltamethrin	µg/L	<0.5	0.5		
Fenamiphos	µg/L	<0.5	0.5		
Fenvalerate	µg/L	<0.5	0.5		
Methoprene	µg/L	<0.5	0.5		
Norflurazon	µg/L	<0.5	0.5		
Pebulate	µg/L	<0.5	0.5		
Prometon	µg/L	<0.5	0.5		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1716689-6
Sample Date	March 01, 2024
Sample Time	11:42
Sample Location	
Sample Description	329 / Reservoir Watershed Park / 2.5 °C
Sample Matrix	Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Multiresidue Pesticides in Water - Continued					
Propargite	µg/L	<0.5	0.5		
Propiconazole	µg/L	<0.5	0.5		
Terbacil	µg/L	<0.5	0.5		
Vernolate	µg/L	<0.5	0.5		
Carbamates in Water					
3-Hydroxycarbofuran	µg/L	<0.1	0.1		
Aldicarb	µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	µg/L	<0.1	0.1		
Aldicarb sulfoxide	µg/L	<0.1	0.1		
Bendiocarb	µg/L	<0.1	0.1		
BPMC	µg/L	<0.1	0.1		
Carbaryl	µg/L	<0.1	0.1	90	Below MAC
Carbofuran	µg/L	<0.1	0.1	90	Below MAC
Imidacloprid	µg/L	<0.1	0.1		
Methiocarb	µg/L	<0.1	0.1		
Methomyl	µg/L	<0.1	0.1		
Oxamyl	µg/L	<0.1	0.1		
Promecarb	µg/L	<0.1	0.1		
Propoxur	µg/L	<0.1	0.1		
Carbamates in Water - Surrogate Recovery					
BDMC	Surrogate	%	63.3	50-140	
Multiresidue Pesticides - Water - Surrogate Rec.					
TPP	Surrogate	%	99	50-140	

Approved by:



Benjamin Morris, B.Sc
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Analytical Report

Bill To:	City of Delta	Project ID:		Lot ID:	1716689
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control Number:	
	Delta, BC, Canada	Project Location:		Date Received:	Mar 1, 2024
	V4K 3E2	LSD:		Date Reported:	Mar 7, 2024
Attn:	Accounts Payable	P.O.:	24355395	Report Number:	2979330
Sampled By:	Scott B	Proj. Acct. code:		Report Type:	Final Report
Company:	City of Delta				

Approved by:

Benjamin Morris, B.Sc
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta	Project ID:	Lot ID: 1716689
4500 Clarence Taylor Crescent	Project Name: Well Water	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 1, 2024
V4K 3E2	LSD:	Date Reported: Mar 7, 2024
Attn: Accounts Payable	P.O.: 24355395	Report Number: 2979330
Sampled By: Scott B	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Mar 2, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Mar 2, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Mar 2, 2024	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	Mar 1, 2024	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Single-Column Ion Chromatography with Electronic Suppression, 4110 C	Mar 1, 2024	Element Vancouver
BTEX-VPH - Water (MS) (VAN)	BCELM	* Volatile Hydrocarbons in Water by GC/FID (2023), VH Water	Mar 1, 2024	Element Vancouver
Carbamates - Water	US EPA	* N-methylcarbamates by High Performance Liquid Chromatography (HPLC), 8318	Mar 2, 2024	Element Calgary
FV2 Pesticides - Water	JAOAC	* Multi-Res Determination of Pesticides in FV by GC-MSD & LC, vol78	Mar 5, 2024	Element Calgary
FV2 Pesticides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	Mar 5, 2024	Element Calgary
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Mar 1, 2024	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Mar 5, 2024	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Mar 4, 2024	Element Vancouver
Neutral Herbicides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	Mar 5, 2024	Element Calgary
Organochlorine Pesticides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	Mar 5, 2024	Element Calgary
Organophosphate Pesticides - Water	US EPA	* OP Compounds by GC: Capillary Column Technique, 8141B	Mar 5, 2024	Element Calgary
Sulfide in water	APHA	* Gas Dialysis, Automated Methylene Blue Method, 4500-S2- E	Mar 6, 2024	Element Edmonton - Roper Road
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Mar 1, 2024	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	Mar 4, 2024	Element Vancouver
True Color in water (VAN)	APHA	* Spectrophotometric - Single Wavelength Method, 2120 C	Mar 2, 2024	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Mar 4, 2024	Element Vancouver

* Reference Method Modified

References

APHA	Standard Methods for the Examination of Water and Wastewater
BCELM	B.C. Environmental Laboratory Manual
EPA	Environmental Protection Agency Test Methods - US
JAOAC	J. Assoc. Off. Anal. Chem.
US EPA	US Environmental Protection Agency Test Methods

Methodology and Notes

Bill To:	City of Delta	Project ID:		Lot ID:	1716689
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control Number:	
	Delta, BC, Canada	Project Location:		Date Received:	Mar 1, 2024
	V4K 3E2	LSD:		Date Reported:	Mar 7, 2024
Attn:	Accounts Payable	P.O.:	24355395	Report Number:	2979330
Sampled By:	Scott B	Proj. Acct. code:		Report Type:	Final Report
Company:	City of Delta				

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Second Quarter Reporting

June 20, 2024

Report Transmission Cover Page

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Contact	Company	Address
Accounts Payable	City of Delta	4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-4141 Fax: (604) 946-3962 Email: accountspayable@delta.ca

Delivery	Format	Deliverables
Email	PDF	Invoice

Scott Bradshaw	City of Delta	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3406 Fax: (604) 946-4855 Email: sbradshaw@delta.ca
----------------	---------------	---

Delivery	Format	Deliverables
Email	PDF	COA
Email	PDF	COR
Email	PDF	Invoice
Email - Merge	PDF	COC / Test Report

Notes To Clients:

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-1
Sample Date	June 14, 2024
Sample Time	08:20
Sample Location	
Sample Description	#225 / 88th St / 2.7 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable					
Aluminum	Extractable	mg/L	0.061	0.001	0.1 OG; 2.9 MAC
Antimony	Extractable	mg/L	0.00003	0.00002	0.006
Arsenic	Extractable	mg/L	0.0003	0.0001	0.010
Barium	Extractable	mg/L	0.0022	0.0001	2.0
Boron	Extractable	mg/L	<0.002	0.002	5
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007
Chromium	Extractable	mg/L	0.00010	0.00005	0.05
Copper	Extractable	mg/L	0.0025	0.0005	1 AO; 2 MAC
Lead	Extractable	mg/L	0.00005	0.00001	0.005
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05
Strontium	Extractable	mg/L	0.0088	0.0001	7.0
Uranium	Extractable	mg/L	0.00013	0.00001	0.02
Vanadium	Extractable	mg/L	0.00045	0.00005	
Zinc	Extractable	mg/L	0.0006	0.0005	5.0
Metals Total					
Digestion	Preparation	Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001
Microbiological Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2	
Physical and Aggregate Properties					
Colour	True	Colour units	<5	5	
Turbidity		NTU	0.32	0.1	0.1/0.3/1.0 OG
Routine Water					
pH			7.35	0.01	7.0-10.5
pH - Holding Time			Exceeded		
Temp. of observed pH		°C	22.6		
Electrical Conductivity	at 25 °C	µS/cm	62	1	
Calcium	Extractable	mg/L	3.8	0.01	
Iron	Extractable	mg/L	0.023	0.004	0.3
Magnesium	Extractable	mg/L	0.46	0.02	
Manganese	Extractable	mg/L	0.005	0.001	0.02 AO; 0.12 MAC
Potassium	Extractable	mg/L	0.15	0.04	
Silicon	Extractable	mg/L	1.5	0.005	

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-1
Sample Date	June 14, 2024
Sample Time	08:20
Sample Location	
Sample Description	#225 / 88th St / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.6	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	24	5		
Chloride	Dissolved	mg/L	3.08	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.10	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	1.0	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	11.3	1		
Total Dissolved Solids	Extractable	mg/L	36	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-2
Sample Date	June 14, 2024
Sample Time	09:02
Sample Location	
Sample Description	#308 / Delview Hospital / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.057	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00003	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0003	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0021	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.002	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00007	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0066	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00022	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.0084	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00013	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.00037	0.00005		
Zinc	Extractable	mg/L	0.0027	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.30	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.36	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.6			
Electrical Conductivity	at 25 °C	µS/cm	62	1		
Calcium	Extractable	mg/L	3.5	0.01		
Iron	Extractable	mg/L	0.019	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	0.44	0.02		
Manganese	Extractable	mg/L	0.002	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.15	0.04		
Silicon	Extractable	mg/L	1.5	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-2
Sample Date	June 14, 2024
Sample Time	09:02
Sample Location	
Sample Description	#308 / Delview Hospital / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.8	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	24	5		
Chloride	Dissolved	mg/L	3.02	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.11	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	1.0	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	10.7	1		
Total Dissolved Solids	Extractable	mg/L	36	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-3
Sample Date	June 14, 2024
Sample Time	09:45
Sample Location	
Sample Description	#220 / 112th St / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.063	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00003	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0003	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0023	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	<0.002	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00010	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0018	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00009	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.010	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00019	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.00047	0.00005		
Zinc	Extractable	mg/L	0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.26	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.37	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.6			
Electrical Conductivity	at 25 °C	µS/cm	65	1		
Calcium	Extractable	mg/L	4.0	0.01		
Iron	Extractable	mg/L	0.024	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	0.63	0.02		
Manganese	Extractable	mg/L	0.005	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.21	0.04		
Silicon	Extractable	mg/L	1.7	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-3
Sample Date	June 14, 2024
Sample Time	09:45
Sample Location	
Sample Description	#220 / 112th St / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.8	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	25	5		
Chloride	Dissolved	mg/L	3.15	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.13	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	1.2	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	13	1		
Total Dissolved Solids	Extractable	mg/L	38	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-4
Sample Date	June 14, 2024
Sample Time	10:10
Sample Location	
Sample Description	#305 / Well #1 / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00014	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0045	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0054	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.006	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0020	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0016	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.00001	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0005	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.10	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0032	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0072	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.75	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.5			
Electrical Conductivity	at 25 °C	µS/cm	281	1		
Calcium	Extractable	mg/L	30	0.01		
Iron	Extractable	mg/L	0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	11	0.02		
Manganese	Extractable	mg/L	0.008	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.2	0.04		
Silicon	Extractable	mg/L	11	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-4
Sample Date	June 14, 2024
Sample Time	10:10
Sample Location	
Sample Description	#305 / Well #1 / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.7	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	100	5		
Chloride	Dissolved	mg/L	14.5	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.03	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.28	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	12.6	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	120	1		
Total Dissolved Solids	Extractable	mg/L	176	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-5
Sample Date	June 14, 2024
Sample Time	10:40
Sample Location	
Sample Description	#329 / Reservoir / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.062	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00003	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0003	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0023	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	<0.002	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00012	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0021	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00005	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.010	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00019	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.00046	0.00005		
Zinc	Extractable	mg/L	0.0007	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.28	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.43	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	22.5			
Electrical Conductivity	at 25 °C	µS/cm	66	1		
Calcium	Extractable	mg/L	4.0	0.01		
Iron	Extractable	mg/L	0.026	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	0.61	0.02		
Manganese	Extractable	mg/L	0.004	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.23	0.04		
Silicon	Extractable	mg/L	1.7	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739179-5
Sample Date	June 14, 2024
Sample Time	10:40
Sample Location	
Sample Description	#329 / Reservoir / 2.7 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.8	0.1	200	Below AO
T-Alkalinity	as CaCO3	mg/L	25	5		
Chloride	Dissolved	mg/L	3.16	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.13	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	1.2	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	13	1		
Total Dissolved Solids	Extractable	mg/L	38	1	500	Below AO

Approved by:



Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta	Project ID:	Lot ID: 1739179
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 20, 2024
Attn: Accounts Payable	P.O.: 24377614	Report Number: 3015721
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Jun 17, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Jun 17, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Jun 17, 2024	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	Jun 14, 2024	Element Vancouver
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Jun 14, 2024	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Jun 17, 2024	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Jun 17, 2024	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Jun 14, 2024	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	Jun 17, 2024	Element Vancouver
True Color in water (VAN)	APHA	* Spectrophotometric - Single Wavelength Method, 2120 C	Jun 17, 2024	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Jun 17, 2024	Element Vancouver

* Reference Method Modified

References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Third Quarter Reporting

October 15, 2024

Report Transmission Cover Page

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Well Water Test Project Location: LSD: P.O.: 2439986 Proj. Acct. code:	Lot ID: 1765964 Control Number: Date Received: Oct 8, 2024 Date Reported: Oct 15, 2024 Report Number: 3056003 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Contact	Company	Address
Accounts Payable	City of Delta	4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-4141 Fax: (604) 946-3962 Email: accountspayable@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	Invoice
K Redman	City of Delta	Environmental Services, 4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-3282 Fax: (604) 946-4693 Email: kredman@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	COA
Email	PDF	COC / Test Report
N Tang	City of Delta	Environmental Services, 4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-3282 Fax: (604) 946-4693 Email: ntang@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email - Merge	PDF	COC / Test Report
Scott Bradshaw	City of Delta	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3406 Fax: (604) 946-4855 Email: sbradshaw@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	COA
Email	PDF	COR
Email	PDF	Invoice
Email - Merge	PDF	COC / Test Report

Notes To Clients:

- The analysis of water sample 1765964-1 is below Maximum Acceptable Concentrations for the chemical and bacteriological health related guidelines specified by the June 2024 Guidelines for Canadian Drinking Water Quality for the parameters tested.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1765964
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Oct 8, 2024
V4K 3E2	LSD:	Date Reported: Oct 15, 2024
Attn: Accounts Payable	P.O.: 2439986	Report Number: 3056003
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1765964-1
Sample Date	October 08, 2024
Sample Time	08:30
Sample Location	
Sample Description	305 / Well #1 / 9.6 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00013	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0042	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0055	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.008	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0018	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0019	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.00001	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0007	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.10	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0034	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0068	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.79	0.01	7.0-10.5	Within Range
pH - Holding Time			Within			
Temp. of observed pH		°C	23.4			
Electrical Conductivity	at 25 °C	µS/cm	298	1		
Calcium	Extractable	mg/L	32	0.01		
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	11	0.02		
Manganese	Extractable	mg/L	0.008	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.2	0.04		
Silicon	Extractable	mg/L	11	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1765964
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Oct 8, 2024
V4K 3E2	LSD:	Date Reported: Oct 15, 2024
Attn: Accounts Payable	P.O.: 2439986	Report Number: 3056003
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1765964-1
Sample Date	October 08, 2024
Sample Time	08:30
Sample Location	
Sample Description	305 / Well #1 / 9.6 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.9	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	105	5		
Chloride	Dissolved	mg/L	19.5	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.11	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	12.2	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	126	1		
Total Dissolved Solids	Extractable	mg/L	184	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1765964
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Oct 8, 2024
V4K 3E2	LSD:	Date Reported: Oct 15, 2024
Attn: Accounts Payable	P.O.: 2439986	Report Number: 3056003
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1765964-2
Sample Date	October 08, 2024
Sample Time	08:46
Sample Location	
Sample Description	329 / Reservoir / 9.6 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.042	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00003	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0004	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0029	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	<0.002	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00011	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0030	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00004	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.012	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00019	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.00050	0.00005		
Zinc	Extractable	mg/L	0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.26	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.24	0.01	7.0-10.5	Within Range
pH - Holding Time			Within			
Temp. of observed pH		°C	23.2			
Electrical Conductivity	at 25 °C	µS/cm	72	1		
Calcium	Extractable	mg/L	5.5	0.01		
Iron	Extractable	mg/L	0.020	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	0.69	0.02		
Manganese	Extractable	mg/L	0.006	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.28	0.04		
Silicon	Extractable	mg/L	1.9	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1765964
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Oct 8, 2024
V4K 3E2	LSD:	Date Reported: Oct 15, 2024
Attn: Accounts Payable	P.O.: 2439986	Report Number: 3056003
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1765964-2
Sample Date	October 08, 2024
Sample Time	08:46
Sample Location	
Sample Description	329 / Reservoir / 9.6 °C
Sample Matrix	Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	7.6	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	26	5		
Chloride	Dissolved	mg/L	4.26	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.11	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	1.3	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	17	1		
Total Dissolved Solids	Extractable	mg/L	41	1	500	Below AO

Approved by:



Rachel Eden, B. Sc.
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta	Project ID:	Lot ID: 1765964
4500 Clarence Taylor Crescent	Project Name: Well Water Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Oct 8, 2024
V4K 3E2	LSD:	Date Reported: Oct 15, 2024
Attn: Accounts Payable	P.O.: 2439986	Report Number: 3056003
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Oct 08, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Oct 08, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Oct 08, 2024	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	Oct 08, 2024	Element Vancouver
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Oct 08, 2024	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Oct 09, 2024	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Oct 09, 2024	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Oct 08, 2024	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	Oct 09, 2024	Element Vancouver
True Color in water (VAN)	APHA	* Spectrophotometric - Single Wavelength Method, 2120 C	Oct 09, 2024	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Oct 08, 2024	Element Vancouver

* Reference Method Modified

References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, August 2024
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

Comments:

- The analysis of water sample 1765964-1 is below Maximum Acceptable Concentrations for the chemical and bacteriological health related guidelines specified by the June 2024 Guidelines for Canadian Drinking Water Quality for the parameters tested.

The comparison of test results to guideline limits is provided for information purposes only.
This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Fourth Quarter Reporting

December 23, 2024

Report Transmission Cover Page

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Well Test Project Location: LSD: P.O.: 24422461 Proj. Acct. code:	Lot ID: 1784621 Control Number: Date Received: Dec 18, 2024 Date Reported: Dec 23, 2024 Report Number: 3091465 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Contact	Company	Address
Accounts Payable	City of Delta	4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-4141 Fax: (604) 946-3962 Email: accountspayable@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	Invoice
R. Taylor	City of Delta	Environmental Services, 4500 Clarence Taylor Crescent Delta, BC V4K 3E2 Phone: (604) 946-3282 Fax: (604) 946-4693 Email: rtaylor@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email - Merge	PDF	COC / Test Report
Scott Bradshaw	City of Delta	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3406 Fax: (604) 946-4855 Email: sbradshaw@delta.ca
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email	PDF	COA
Email	PDF	COR
Email	PDF	Invoice
Email - Merge	PDF	COC / Test Report

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-1
Sample Date	December 18, 2024
Sample Time	07:30
Sample Location	
Sample Description	225 / 88th St. / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.026	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00005	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0010	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0050	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00055	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0013	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00002	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.036	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00094	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0019	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.15	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.57	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	21.7			
Electrical Conductivity	at 25 °C	µS/cm	119	1		
Calcium	Extractable	mg/L	13	0.01		
Iron	Extractable	mg/L	0.006	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.1	0.02		
Manganese	Extractable	mg/L	0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.69	0.04		
Silicon	Extractable	mg/L	4.0	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-1
Sample Date	December 18, 2024
Sample Time	07:30
Sample Location	
Sample Description	225 / 88th St. / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	4.6	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	45	5		
Chloride	Dissolved	mg/L	6.00	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.35	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	4.3	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	46	1		
Total Dissolved Solids	Extractable	mg/L	72	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-2
Sample Date	December 18, 2024
Sample Time	08:05
Sample Location	
Sample Description	308 / Burns De. / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.024	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00006	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0011	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0052	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00058	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0031	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00005	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.037	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00096	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0019	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.12	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.56	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	21.7			
Electrical Conductivity	at 25 °C	µS/cm	122	1		
Calcium	Extractable	mg/L	14	0.01		
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.3	0.02		
Manganese	Extractable	mg/L	<0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.73	0.04		
Silicon	Extractable	mg/L	4.2	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-2
Sample Date	December 18, 2024
Sample Time	08:05
Sample Location	
Sample Description	308 / Burns De. / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	4.0	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	47	5		
Chloride	Dissolved	mg/L	6.17	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.38	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	4.5	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	48	1		
Total Dissolved Solids	Extractable	mg/L	74	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-3
Sample Date	December 18, 2024
Sample Time	08:32
Sample Location	
Sample Description	220 / 112th St. / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.022	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0014	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0056	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00073	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0005	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00003	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.046	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0013	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0024	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.15	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.49	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	21.8			
Electrical Conductivity	at 25 °C	µS/cm	141	1		
Calcium	Extractable	mg/L	16	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.3	0.02		
Manganese	Extractable	mg/L	0.003	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.92	0.04		
Silicon	Extractable	mg/L	5.0	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-3
Sample Date	December 18, 2024
Sample Time	08:32
Sample Location	
Sample Description	220 / 112th St. / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	4.5	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	53	5		
Chloride	Dissolved	mg/L	7.09	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.46	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	5.5	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	57	1		
Total Dissolved Solids	Extractable	mg/L	85	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-4
Sample Date	December 18, 2024
Sample Time	09:04
Sample Location	
Sample Description	305 / Well #1 / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00013	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0042	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0054	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.008	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0022	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0017	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.00001	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.10	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0032	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0073	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	43.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.16	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.81	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	21.7			
Electrical Conductivity	at 25 °C	µS/cm	282	1		
Calcium	Extractable	mg/L	29	0.01		
Iron	Extractable	mg/L	0.006	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	11	0.02		
Manganese	Extractable	mg/L	0.008	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.1	0.04		
Silicon	Extractable	mg/L	11	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-4
Sample Date	December 18, 2024
Sample Time	09:04
Sample Location	
Sample Description	305 / Well #1 / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.4	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	100	5		
Chloride	Dissolved	mg/L	15.8	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.33	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	12.1	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	116	1		
Total Dissolved Solids	Extractable	mg/L	174	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-5
Sample Date	December 18, 2024
Sample Time	09:35
Sample Location	
Sample Description	306 / Well #5 / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00018	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0038	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.011	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.007	0.002	5	Below MAC
Cadmium	Extractable	mg/L	0.00003	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0019	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0052	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00027	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0007	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0037	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0062	0.00005		
Zinc	Extractable	mg/L	0.0028	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	19.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.86	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	21.7			
Electrical Conductivity	at 25 °C	µS/cm	303	1		
Calcium	Extractable	mg/L	31	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	12	0.02		
Manganese	Extractable	mg/L	0.006	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.2	0.04		
Silicon	Extractable	mg/L	11	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-5
Sample Date	December 18, 2024
Sample Time	09:35
Sample Location	
Sample Description	306 / Well #5 / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	8.4	0.1	200	Below AO
T-Alkalinity	as CaCO ₃	mg/L	111	5		
Chloride	Dissolved	mg/L	14.7	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.03	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.19	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO ₄)	Dissolved	mg/L	13.7	0.1	500	Below AO
Hardness	as CaCO ₃ (extractable)	mg/L	125	1		
Total Dissolved Solids	Extractable	mg/L	184	1	500	Below AO

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-6
Sample Date	December 18, 2024
Sample Time	09:59
Sample Location	
Sample Description	329 / Reservoir / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.023	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0014	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0056	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00071	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	<0.0005	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00002	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.046	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0013	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0024	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate Properties						
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.14	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH			7.64	0.01	7.0-10.5	Within Range
pH - Holding Time			Exceeded			
Temp. of observed pH		°C	21.6			
Electrical Conductivity	at 25 °C	µS/cm	142	1		
Calcium	Extractable	mg/L	16	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.3	0.02		
Manganese	Extractable	mg/L	0.003	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.87	0.04		
Silicon	Extractable	mg/L	4.8	0.005		

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1784621-6
Sample Date	December 18, 2024
Sample Time	09:59
Sample Location	
Sample Description	329 / Reservoir / 1.5 °C
Sample Matrix	Drinking Water

Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - Continued						
Sodium	Extractable	mg/L	4.4	0.1	200	Below AO
T-Alkalinity	as CaCO3	mg/L	52	5		
Chloride	Dissolved	mg/L	7.07	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.46	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	5.5	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	57	1		
Total Dissolved Solids	Extractable	mg/L	84	1	500	Below AO

Approved by:



Rachel Eden, B. Sc.
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta	Project ID:	Lot ID: 1784621
4500 Clarence Taylor Crescent	Project Name: Well Test	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Dec 18, 2024
V4K 3E2	LSD:	Date Reported: Dec 23, 2024
Attn: Accounts Payable	P.O.: 24422461	Report Number: 3091465
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Dec 20, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Dec 20, 2024	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Dec 20, 2024	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	Dec 19, 2024	Element Vancouver
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Dec 18, 2024	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Dec 19, 2024	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Dec 19, 2024	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Dec 18, 2024	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	Dec 19, 2024	Element Vancouver
True Color in water (VAN)	APHA	* Spectrophotometric - Single Wavelength Method, 2120 C	Dec 20, 2024	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Dec 18, 2024	Element Vancouver

* Reference Method Modified

References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, August 2024
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Water Foundation Samples

2024

Analytical Report

Bill To: City of Delta	Project ID: Watershed Fountain	Lot ID: 1708899
4500 Clarence Taylor Crescent	Project Name:	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jan 26, 2024
V4K 3E2	LSD:	Date Reported: Jan 29, 2024
Attn: Accounts Payable	P.O.: 24348373	Report Number: 2967015
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1708899-1
Sample Date	January 26, 2024
Sample Time	08:25
Sample Location	
Sample Description	230 / Watershed Fountain / 8.3 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2	

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Watershed Fountain Project Name: Project Location: LSD: P.O.: 24348373 Proj. Acct. code:	Lot ID: 1708899 Control Number: Date Received: Jan 26, 2024 Date Reported: Jan 29, 2024 Report Number: 2967015 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Jan 26, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1715319
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Feb 23, 2024
V4K 3E2	LSD:	Date Reported: Feb 26, 2024
Attn: Accounts Payable	P.O.: 24359161	Report Number: 2977000
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1715319-1
Sample Date	February 23, 2024
Sample Time	09:30
Sample Location	
Sample Description	230 / Watershed Fountain / 7.9 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate MPN/mL	<2.0	2		

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Watershed Fountain Project Location: LSD: P.O.: 24359161 Proj. Acct. code:	Lot ID: 1715319 Control Number: Date Received: Feb 23, 2024 Date Reported: Feb 26, 2024 Report Number: 2977000 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Feb 23, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1720963
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Mar 22, 2024
V4K 3E2	LSD:	Date Reported: Mar 26, 2024
Attn: Accounts Payable	P.O.: 24566032	Report Number: 2986215
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1720963-1
Sample Date	March 22, 2024
Sample Time	10:15
Sample Location	
Sample Description	230 / Watershed Fountain / 7.8 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2	

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Watershed Fountain Project Location: LSD: P.O.: 24566032 Proj. Acct. code:	Lot ID: 1720963 Control Number: Date Received: Mar 22, 2024 Date Reported: Mar 26, 2024 Report Number: 2986215 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Mar 22, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Watershed Fountain Project Name: Project Location: LSD: P.O.: 24373888 Proj. Acct. code:	Lot ID: 1726207 Control Number: Date Received: Apr 19, 2024 Date Reported: Apr 23, 2024 Report Number: 2994731 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Reference Number	1726207-1
Sample Date	Apr 19, 2024
Sample Time	10:55
Sample Location	
Sample Description	230 / Watershed Fountain / 9.6 °C
Matrix	Drinking Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0		2

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Quality Control

Bill To: City of Delta	Project ID: Watershed Fountain	Lot ID: 1726207
4500 Clarence Taylor Crescent	Project Name:	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Apr 19, 2024
V4K 3E2	LSD:	Date Reported: Apr 23, 2024
Attn: Accounts Payable	P.O.: 24373888	Report Number: 2994731
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Methodology and Notes

Bill To: City of Delta	Project ID: Watershed Fountain	Lot ID: 1726207
4500 Clarence Taylor Crescent	Project Name:	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Apr 19, 2024
V4K 3E2	LSD:	Date Reported: Apr 23, 2024
Attn: Accounts Payable	P.O.: 24373888	Report Number: 2994731
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Apr 19, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1734044
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: May 24, 2024
V4K 3E2	LSD:	Date Reported: May 28, 2024
Attn: Accounts Payable	P.O.: 24381592	Report Number: 3007427
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1734044-1
Sample Date	May 24, 2024
Sample Time	10:55
Sample Location	
Sample Description	230 / Watershed Fountain / 9.2 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2	

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Watershed Fountain Project Location: LSD: P.O.: 24381592 Proj. Acct. code:	Lot ID: 1734044 Control Number: Date Received: May 24, 2024 Date Reported: May 28, 2024 Report Number: 3007427 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	May 24, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1739186
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 18, 2024
Attn: Accounts Payable	P.O.: 24390770	Report Number: 3015737
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1739186-1
Sample Date	June 14, 2024
Sample Time	11:00
Sample Location	
Sample Description	230 / Watershed Fountain / 2.7 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	4.0	2	

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta	Project ID:	Lot ID: 1739186
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jun 14, 2024
V4K 3E2	LSD:	Date Reported: Jun 18, 2024
Attn: Accounts Payable	P.O.: 24390770	Report Number: 3015737
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Jun 14, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Watershed Fountain Project Name: Project Location: LSD: P.O.: 24396470 Proj. Acct. code:	Lot ID: 1748654 Control Number: Date Received: Jul 26, 2024 Date Reported: Jul 29, 2024 Report Number: 3029573 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Reference Number	1748654-1
Sample Date	Jul 26, 2024
Sample Time	10:50
Sample Location	
Sample Description	230 / Watershed Fountain / 14.4°C
Matrix	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	2.0		2

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Quality Control

Bill To: City of Delta	Project ID: Watershed Fountain	Lot ID: 1748654
4500 Clarence Taylor Crescent	Project Name:	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Jul 26, 2024
V4K 3E2	LSD:	Date Reported: Jul 29, 2024
Attn: Accounts Payable	P.O.: 24396470	Report Number: 3029573
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

SPK Value = Spike Value

Ref Value = Reference Value

%REC = Percent Recovery

RPD = Relative Percent Difference

Abs = Absolute Difference

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Watershed Fountain Project Name: Project Location: LSD: P.O.: 24396470 Proj. Acct. code:	Lot ID: 1748654 Control Number: Date Received: Jul 26, 2024 Date Reported: Jul 29, 2024 Report Number: 3029573 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Jul 26, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Comments:

- Sample 1748654-1 was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1756485
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Aug 30, 2024
V4K 3E2	LSD:	Date Reported: Sep 3, 2024
Attn: Accounts Payable	P.O.: 24403003	Report Number: 3041016
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1756485-1
Sample Date	August 30, 2024
Sample Time	10:50
Sample Location	
Sample Description	230 / Watershed Fountain / 16.3 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate MPN/mL	2.0	2		

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Watershed Fountain Project Location: LSD: P.O.: 24403003 Proj. Acct. code:	Lot ID: 1756485 Control Number: Date Received: Aug 30, 2024 Date Reported: Sep 3, 2024 Report Number: 3041016 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Aug 30, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

Comments:

- Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To:	City of Delta	Project ID:		Lot ID:	1763464
	4500 Clarence Taylor Crescent	Project Name:	Watershed Fountain	Control Number:	
	Delta, BC, Canada	Project Location:		Date Received:	Sep 27, 2024
	V4K 3E2	LSD:		Date Reported:	Oct 1, 2024
Attn:	Accounts Payable	P.O.:	24412282	Report Number:	3051536
Sampled By:	Scott Bradshaw	Proj. Acct. code:		Report Type:	Final Report
Company:	City of Delta				

Reference Number	1763464-1
Sample Date	September 27, 2024
Sample Time	10:17
Sample Location	
Sample Description	230 / Watershed Fountain / 14.8 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	8.0	2	

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Watershed Fountain Project Location: LSD: P.O.: 24412282 Proj. Acct. code:	Lot ID: 1763464 Control Number: Date Received: Sep 27, 2024 Date Reported: Oct 1, 2024 Report Number: 3051536 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Sep 27, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, August 2024
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

Comments:

- Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID:	Lot ID: 1771329
4500 Clarence Taylor Crescent	Project Name: Watershed Fountain	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Oct 25, 2024
V4K 3E2	LSD:	Date Reported: Oct 28, 2024
Attn: Accounts Payable	P.O.: 24418784	Report Number: 3067036
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1771329-1
Sample Date	October 25, 2024
Sample Time	08:00
Sample Location	
Sample Description	230 / Watershed Fountain / 9.8 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate MPN/mL	<2.0	2		

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Watershed Fountain Project Location: LSD: P.O.: 24418784 Proj. Acct. code:	Lot ID: 1771329 Control Number: Date Received: Oct 25, 2024 Date Reported: Oct 28, 2024 Report Number: 3067036 Report Type: Final Report
Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Oct 25, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, August 2024
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To: City of Delta	Project ID: Watershed Fountain	Lot ID: 1777221
4500 Clarence Taylor Crescent	Project Name:	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Nov 15, 2024
V4K 3E2	LSD:	Date Reported: Nov 18, 2024
Attn: Accounts Payable	P.O.: 24427626	Report Number: 3078733
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Reference Number	1777221-1
Sample Date	Nov 15, 2024
Sample Time	08:48
Sample Location	
Sample Description	236 / Watershed Fountain / 8.9 °C
Matrix	Drinking Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	48.0		2

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Quality Control

Bill To: City of Delta
4500 Clarence Taylor Crescent
Delta, BC, Canada
V4K 3E2
Attn: Accounts Payable
Sampled By: Scott Bradshaw
Company: City of Delta

Project ID: Watershed Fountain
Project Name:
P.O.: 24427626
Proj. Acct. code:

Lot ID: **1777221**
Control Number:
Date Received: Nov 15, 2024
Date Reported: Nov 18, 2024
Report Number: 3078733
Report Type: Final Report

SPK Value = Spike Value
Ref Value = Reference Value

%REC = Percent Recovery
RPD = Relative Percent Difference

Abs = Absolute Difference

Methodology and Notes

Bill To: City of Delta	Project ID: Watershed Fountain	Lot ID: 1777221
4500 Clarence Taylor Crescent	Project Name:	Control Number:
Delta, BC, Canada	Project Location:	Date Received: Nov 15, 2024
V4K 3E2	LSD:	Date Reported: Nov 18, 2024
Attn: Accounts Payable	P.O.: 24427626	Report Number: 3078733
Sampled By: Scott Bradshaw	Proj. Acct. code:	Report Type: Final Report
Company: City of Delta		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Nov 15, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Analytical Report

Bill To:	City of Delta	Project ID:		Lot ID:	1784625
	4500 Clarence Taylor Crescent	Project Name:	Watershed Fountain	Control Number:	
	Delta, BC, Canada	Project Location:		Date Received:	Dec 18, 2024
	V4K 3E2	LSD:		Date Reported:	Dec 20, 2024
Attn:	Accounts Payable	P.O.:	24434175	Report Number:	3091477
Sampled By:		Proj. Acct. code:		Report Type:	Final Report
Company:					

Reference Number	1784625-1
Sample Date	December 18, 2024
Sample Time	10:21
Sample Location	
Sample Description	230 / Watershed Fountain / 6.2 °C
Sample Matrix	Drinking Water

Analyte	Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological Analysis					
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	12.0	2	

Approved by:

Max Hewitt
Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To:	City of Delta	Project ID:		Lot ID:	1784625
	4500 Clarence Taylor Crescent	Project Name:	Watershed Fountain	Control Number:	
	Delta, BC, Canada	Project Location:		Date Received:	Dec 18, 2024
	V4K 3E2	LSD:		Date Reported:	Dec 20, 2024
Attn:	Accounts Payable	P.O.:	24434175	Report Number:	3091477
Sampled By:		Proj. Acct. code:		Report Type:	Final Report
Company:					

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Dec 18, 2024	Element Vancouver

References

APHA	Standard Methods for the Examination of Water and Wastewater
------	--

Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, August 2024
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group.



Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Appendix 8

Delta Water Distribution System Microbiological Test Results



Sample Site DmDel 220
5860 112 Street - Ladner





Sample Site DmDel 221
4802 42A Avenue - Ladner





Sample Site DmDel 222
4734 51 Street - Ladner





Sample Site DmDel 223
#10 Centennial Parkway - Tsawwassen





Sample Site DmDel 224
5575 9 Avenue - Tsawwassen





Sample Site DmDel 225
3706 88 Street - Ladner





Sample Site DmDel 227
6487 Sunshine Drive - North Delta





Sample Site DmDel 228
6603 Cabeldu Crescent - North Delta





Sample Site DmDel 229
726 Chester Road - Annacis Island





Sample Site DmDel 301
11043 86 Avenue - North Delta





Sample Site DmDel 302
610 Derwent Way - Annacis Island





Sample Site DmDel 303
718 Eaton Way - Annacis Island





Sample Site DmDel 304
11920 70 Avenue - North Delta





Sample Site DmDel 305
Well #1 Watershed Park 11600 Kittson Parkway - North Delta





Sample Site DmDel 306
Well #5 Watershed Park 11600 Kittson Parkway - North Delta





Sample Site DmDel 308
9341 Burns Drive - Ladner





Sample Site DmDel 309
7979 Vantage Way - Tilbury Industrial Park





Sample Site DmDel 310
4905 Galbraith Street - Ladner





Sample Site DmDel 312
5289 Commodore Drive - Ladner





Sample Site DmDel 313
5191 Robertson Road - Westham Island





Sample Site DmDel 314
4455 Clarence Taylor Crescent - Ladner





Sample Site DmDel 316
5408 Candlewyck Wynd - Tsawwassen





Sample Site DmDel 317
1720 56 Street - Tsawwassen





Sample Site DmDel 318
4933 Cliff Drive - Tsawwassen





Sample Site DmDel 319
5169 Kilkenny Drive - Tsawwassen





Sample Site DmDel 320
11321 80 Avenue - North Delta





Sample Site DmDel 321
9434 117A Street - North Delta





Sample Site DmDel 322
11970 Clark Drive - North Delta





Sample Site DmDel 323
7348 Priory Place - North Delta





Sample Site DmDel 327
11405 84 Avenue - North Delta





Sample Site DmDel 329
Watershed Park Reservoir 11600 Kittson Parkway - North Delta



Sample Site DmDel 391
Ladner Trunk Road East of 80 Street - Ladner



Sample Site DmDel 392
3044 41B Street - Ladner



Appendix 9


Delta Water Distribution System Free Chlorine Residual Test Results and Map



City of Delta
Free Chlorine Residual Sample Results

Sample Site	Civic Address	Location	Min Free Cl ₂ (mg/L)	Max Free Cl ₂ (mg/L)	Average Free Cl ₂ (mg/L)
DmDel 220	5860 112 Street	Ladner	0.20	0.53	0.35
DmDel 221	4802 42A Avenue	Ladner	0.56	0.78	0.68
DmDel 222	4734 51 Street	Ladner	0.51	0.78	0.70
DmDel 223	10 Centennial Parkway	Tsawwassen	0.32	0.61	0.48
DmDel 224	5575 9 Avenue	Tsawwassen	0.10	0.72	0.59
DmDel 225	3706 88 Avenue	Ladner	0.07	0.51	0.31
DmDel 227	6487 Sunshine Drive	North Delta	0.50	0.74	0.62
DmDel 228	6603 Cabeldu Crescent	North Delta	0.32	0.65	0.52
DmDel 229	726 Chester Road	Annacis Island	0.48	0.96	0.68
DmDel 301	11043 86 Avenue	North Delta	0.54	0.82	0.67
DmDel 302	610 Derwent Way	Annacis Island	0.58	0.82	0.70
DmDel 303	718 Eaton Way	Annacis Island	0.45	0.92	0.63
DmDel 304	11920 70 Avenue	North Delta	0.50	0.75	0.64
DmDel 305	Watershed Park WELL HEAD 1	North Delta	0.00	0.00	0.00
DmDel 306	Watershed Park WELL HEAD 5	North Delta	0.00	0.00	0.00
DmDel 308	9341 Burns Drive	Ladner	0.13	0.50	0.32
DmDel 309	7979 Vantage Way	Tilbury	0.60	0.80	0.67
DmDel 310	4905 Galbraith Street	Ladner	0.46	0.75	0.59
DmDel 312	5289 Commodore Drive	Ladner	0.57	0.78	0.66
DmDel 313	5191 Robertson Road	Westham Island	0.32	0.80	0.51
DmDel 314	4455 Clarence Taylor Crescent	Ladner	0.51	0.77	0.66
DmDel 316	5408 Candlewyck Wynd	Tsawwassen	0.56	0.76	0.65
DmDel 317	1720 56 Street	Tsawwassen	0.59	0.74	0.66
DmDel 318	4933 Cliff Drive	Tsawwassen	0.46	0.78	0.60
DmDel 319	5169 Kilkenny Drive	Tsawwassen	0.48	1.74	0.60
DmDel 320	11321 80 Avenue	North Delta	0.52	0.77	0.62
DmDel 321	9434 117A Street	North Delta	0.46	0.73	0.62
DmDel 322	11970 Clark Drive	North Delta	0.41	0.67	0.52
DmDel 323	7348 Priory Place	North Delta	0.31	0.72	0.55
DmDel 327	11405 84 Avenue	North Delta	0.51	0.78	0.66
DmDel 329	Watershed Reservoir	North Delta	0.28	0.60	0.37
DmDel 391	80 Street and Ladner Trunk	Ladner	0.14	0.57	0.36
DmDel 392	3044 41B Street	Ladner	0.32	0.80	0.63

CITY OF DELTA CHLORINE RESIDUAL MAP - 2024



Appendix 10

Emergency Notification Protocol

NOTIFICATION REQUIREMENTS

Event	Notifying Agency	Agency Notified	Response Parameter
Delta E.coli Positive sample	MV Laboratory	Delta, Environmental Health Officer	Immediate
Delta system pressure loss due to high demand	Delta	MV, Environmental Health Officer	Immediate
Delta turbidity > 5 NTU	MV Laboratory	Delta, Environmental Health Officer	Immediate
Delta watermain break with contamination suspected	Delta	Environmental Health Officer, MV Laboratory	Immediate
Delta watermain break with no contamination	Delta	Environmental Health Officer	As required
MV chemical contamination	MV Laboratory	MV, Delta, Environmental Health Officer	Immediate
MV E.coli. Positive sample	MV Laboratory	MV, Delta, Environmental Health Officer	Immediate
MV chlorination failure	MV Laboratory	MV, Delta, Environmental Health Officer	Immediate
MV source water disinfection failure	MV Laboratory	MV, Delta, Environmental Health Officer	Immediate
MV turbidity > 5 NTU	MV Laboratory	MV, Delta, Environmental Health Officer	Immediate
MV watermain break with contamination suspected	MV	MV Laboratory, Delta, Environmental Health Officer	Immediate
MV watermain break with no contamination	MV	MV, Delta, Environmental Health Officer	As required

City of Delta Engineering Operations

DISINFECTION PROCEDURES - WATERMAIN REPAIRS OR TIE-INS

Watermains are to be disinfected whenever the system has been exposed to atmosphere. The following procedures are based on AWWA Standards C651-92.

5.4.3.1 REPAIRS OR TIE-INS WITH NO GROUNDWATER ENTRY INTO WATERMAIN:

These typically consist of electrolysis holes, cracked or split watermains which are repaired using robar repair clamps. Assuming that the watermain will have a positive outflow of water until the trench is excavated below the invert of the pipe, we can determine that no contaminant has entered the watermain.

- a) Under these circumstances the only disinfection required is to swab the area to be repaired and the repair clamp with 6% chlorine solution. (household bleach)
- b) No bacterial tests are required.
- c) After repairs have been completed, it is recommended to flush the watermain.
- d) If positive pressure cannot be achieved, more disinfection is required.
See 5.4.3.2.

5.4.3.2 REPAIRS OR TIE-INS WITH GROUNDWATER CONTAMINATION OF THE WATERMAIN:

These are cases where large blowouts have occurred, or it has been impossible to maintain continual outflow from the watermain, or impossible to pump down below watermain before shutting it off. We would then assume that ground water has entered the watermain. These cases require disinfection and bacterial testing. Results of bacterial test are required before putting watermain back in service. In these cases, a written notice shall be given to affected residents and bottled water shall be provided.

- a) Valves feeding each side of break should be left cracked open.
- b) Once repairs begin, groundwater must be kept below the main. (Pumps, vacuor etc.)
- c) Ground water and debris in main should be flushed out if possible.
- d) All repair pieces must be swabbed with 6% chlorine solution before installation.
- e) Bacterial samples shall be taken from the repaired area as well as one up and one downstream from the isolated break area. In addition, one test shall be taken from a nearby hose bib to compare as the source.
- f) These bacterial samples are to be taken to a certified bacterial lab for total and fecal coliform analysis.
- g) These tests are taken as a precautionary measure. However, if samples come back positive (coliform present) then further disinfection and testing is required. See 5.4.3.3.

5.4.3.3

E.COLI DETECTED:

If E.coli is detected, that section of main must be shutdown until disinfection and proper re-testing is completed. Any case where a test comes back positive, the waterworks engineer, and the Environmental Health Officer from Fraser Health must be notified.

Chlorination of the watermain may require complete isolation of the main. Disinfection of the watermain requires a minimum concentration of 200 ppm for a retention time of 2 hours. At the end of this time the chlorine residual must be a minimum of 100 ppm. If this is not met re-chlorination must take place. After chlorination, the watermain must be flushed until chlorine residual is less than 1 ppm.

Individual services should also be flushed to remove chlorine that may have entered these connections.

5.4.3.4

WASTEWATER OR OTHER SERIOUS CONTAMINATION:


In any case where a watermain break is accompanied by a broken sanitary sewer, the procedures for 5.4.3.3 should be followed.

The watermain must not be put back into service until 3 consecutive successful samples, 24 hours apart, have been obtained for E.coli.

Appendix 11

Delta Water Quality Organizational Chart



Delta Water Quality Organization Chart





Appendix 12

Disinfection By-Product Results 2017 - 2024



Sample	Date Sampled	THM (ppb)							HAA (ppb)						
		Bromodichloro methane	Bromoform	Chlorodibromo methane	Chloroform	Total Trihalomethanes	Total THM Quarterly Average		Dibromoacetic Acid	Dichloroacetic Acid	Monobromoacetic Acid	Monochloroacetic Acid	Trichloroacetic Acid	Total Haloacetic Acid	Total HAA Quarterly Average
DEL-222	Mar 02 2017	<1	<1	<1	17	19.0	24		<0.5	7	<1	<2	8.6	18.0	26
DEL-222	May 18 2017	<1	<1	<1	18	18.0	23		<0.5	15	<1	<2	13	30.5	27
DEL-222	Aug 22 2017	<1	<1	<1	24	25.0	23		<0.5	8	<1	<2	6.3	15.1	25
DEL-222	Dec 01 2017	<1	<1	<1	27	27.0	22		<0.5	14	<1	<2	14.1	30.7	24
DEL-222	Feb 16 2018	<1	<1	<1	20	22	23		<0.5	11	<1	<2	9.8	22.5	25
DEL-222	May 29 2018	<1	<1	<1	21	22	24		<0.5	14	<1	<2	14.5	31.1	25
DEL-222	Aug 7 2018	<1	<1	<1	25	26	24		<0.5	14	<1	2	12.2	28.7	28
DEL-222	Nov 22 2018	1	<1	<1	27	30	25		<0.5	15	<1	<2	12.4	29.8	28
DEL-222	Feb 22 2019	<1	<1	<1	18	20	25		<0.5	10	<1	<2	9.5	20.9	28
DEL-222	May 16 2019	<1	<1	<1	28	28	26		<0.5	12	<1	<2	10	23.7	26
DEL-222	Aug 21 2019	1	<1	<1	27	29	27		<0.5	12	<1	<2	10.3	23.9	25
DEL-222	Dec 3 2019	<1	<1	<1	26	28	26		<0.5	7	<1	<2	10.4	19	22
DEL-222	Feb 26 2020	<1	<1	<1	19	21	27		<0.5	8	<1	<2	7	15.3	20
DEL-222	May 27 2020	<1	<1	<1	27	29	27		<0.5	12	<1	<2	7.7	20.3	20
DEL-222	Aug 13 2020	1	<1	<1	29	31	27		<0.5	12	<1	<2	7.2	19.6	19
DEL-222	Dec 03 2020	<1	<1	<1	26	27	27		<0.5	13	<1	2	14.2	30	21
DEL-222	Mar 26 2021	<1	<1	<1	24	25	28		<0.5	8	<1	<2	7.4	16.7	22
DEL-222	Jun 03 2021	<1	<1	<1	23	25	27		<0.5	13	<1	<2	8.8	24.5	23
DEL-222	Aug 25 2021	1	<1	<1	28	30	27		<0.5	16	<1	<2	9.7	26	24
DEL-222	Nov 25 2021	<1	<1	<1	30	30	28		<0.5	11	<1	<2	9.1	20	22
DEL-222	Feb 17 2022	<1	<1	<1	20	20	26		<0.5	11	<5.0	<5.0	7.8	19	22
DEL-222	May 11 2022	<1	<1	<1	25	28	27		<0.5	12	<0.5	1	7.5	21	22
DEL-222	Aug 25 2022	<1	<1	<1	26	26	26		<0.5	11	<0.5	0.9	6.7	19	20
DEL-222	Nov 16 2022	2	<1	<1	28	31	26		<0.5	10	<0.5	<5.0	8	20	20
DEL-222	Jan 30 2023	<1	<1	<1	49	50	34		<0.5	11	<0.5	<0.5	7.4	18	20
DEL-222	May 31 2023	<1	<1	<1	23	25	33		<0.5	9.8	<0.5	0.8	7.7	18	19
DEL-222	Aug 28 2023	1	<1	<1	27	29	35		<0.5	12	<0.5	0.6	7.1	19	19
DEL-222	Nov 30 2023	<1	<1	<1	29	30	38		<0.5	14	<0.5	2	10	26	18
DEL-222	Jan 24 2024	<1	<1	<1	22	22	27		<0.5	12	<0.5	<0.5	8.8	21	21
DEL-222	Apr 25 2024	<1	<1	<1	28	29	28		<0.5	12	<0.5	0.9	8.1	21	22
DEL-222	Sep 10 2024	<1	<1	<1	32	33	29		<0.5	14	<0.5	1.7	6.7	22	23
DEL-222	Nov 27 2024	<1	<1	<1	34	34	28		<0.5	14	<0.5	0.7	11	25	21



Sample	Date Sampled	THM (ppb)							HAA (ppb)						Total HAA Quarterly Average
		Bromodichloromethane	Bromoform	Chlorodibromomethane	Chloroform	Total Trihalomethanes	Total THM Quarterly Average		Dibromoacetic Acid	Dichloroacetic Acid	Monobromoacetic Acid	Monochloroacetic Acid	Trichloroacetic Acid	Total Haloacetic Acid	
DEL-318	Mar 02 2017	<1	<1	<1	20	22.0	34		<0.5	9	<1	<2	13.4	24.6	37
DEL-318	May 18 2017	<1	<1	<1	25	25.0	30		<0.5	20	<1	2	20.8	44.0	35
DEL-318	Aug 22 2017	<1	<1	<1	21	22.0	26		<0.5	7	<1	<2	5.5	13.2	30
DEL-318	Dec 01 2017	<1	<1	<1	32	32.0	25		<0.5	16	<1	<2	17.6	35.4	29
DEL-318	Feb 16 2018	<1	<1	<1	22	23	26		<0.5	14	<1	<2	20.2	35.9	32
DEL-318	May 29 2018	<1	<1	<1	19	20	24		<0.5	14	<1	<2	14.9	30.8	29
DEL-318	Aug 7 2018	<1	<1	<1	30	31	27		<0.5	17	<1	<2	17.5	36.8	35
DEL-318	Nov 22 2018	<1	<1	<1	27	29	26		<0.5	12	<1	<2	10.8	25.3	32
DEL-318	Feb 22 2019	<1	<1	<1	23	25	26		<0.5	12	<1	<2	14.4	29	30
DEL-318	May 16 2019	<1	<1	<1	33	33	30		<0.5	18	<1	<2	23.1	42.9	34
DEL-318	Aug 21 2019	1	<1	<1	24	26	28		<0.5	8	<1	<2	7	16	28
DEL-318	Dec 3 2019	<1	<1	<1	30	31	29		<0.5	7	<1	<2	9.7	17	26
DEL-318	Feb 26 2020	<1	<1	<1	26	27	29		<0.5	11	<1	<2	15.2	26.5	26
DEL-318	May 27 2020	<1	<1	<1	28	30	29		<0.5	10	<1	<2	8.8	19.9	20
DEL-318	Aug 13 2020	1	<1	<1	36	38	32		<0.5	10	<1	<2	10.8	20.8	21
DEL-318	Dec 03 2020	<1	<1	<1	29	30	31		<0.5	14	<1	2	19.5	36.7	26
DEL-318	Mar 26 2021	<1	<1	<1	32	33	33		<0.5	10	<1	3	10.7	24.6	26
DEL-318	Jun 03 2021	<1	<1	<1	20	22	31		<0.5	11	<1	<2	12.1	25.4	27
DEL-318	Aug 25 2021	1	<1	<1	30	33	30		<0.5	12	<1	<2	9.3	22	27
DEL-318	Nov 25 2021	<1	<1	<1	33	34	31		<0.5	9	<1	<2	11.7	22	24
DEL-318	Feb 17 2022	<1	<1	<1	25	26	29		<0.5	13	<0.5	<5.0	12	26	24
DEL-318	May 11 2022	<1	<1	<1	30	33	32		<0.5	12	<0.5	0.8	9	22	23
DEL-318	Aug 25 2022	<1	<1	<1	26	26	31		<0.5	8.6	<0.5	<5.0	6.4	16	23
DEL-318	Nov 16 2022	2	<1	<1	30	32	29		<0.5	11	<0.5	0.9	8.3	20	21
DEL-318	Jan 30 2023	<1	<1	<1	51	52	36		<0.5	11	<0.5	<0.5	9.4	20	20
DEL-318	May 31 2023	<1	<1	<1	24	26	34		<0.5	9.6	<0.5	1.3	6.3	17	18
DEL-318	Aug 28 2023	1	<1	<1	32	34	37		<0.5	3.8	<0.5	0.6	10	15	19
DEL-318	Nov 30 2023	<1	<1	<1	30	32	39		<0.5	15	<0.5	2.7	10	28	19
DEL-318	Jan 30 2024	<1	<1	<1	23	24	29		<0.5	13	<0.5	<0.5	9.8	23	21
DEL-318	Apr 25 2024	<1	<1	<1	39	40	33		<0.5	15	<0.5	0.7	14	29	24
DEL-318	Sep 10 2024	1	<1	<1	40	41	34		<0.5	6	<0.5	0.5	11	18	25
DEL-318	Nov 27 2024	<1	<1	<1	35	36	35		<0.5	12	<0.5	0.7	12	25	23



Sample	Date Sampled	THM (ppb)							HAA (ppb)						
		Bromodichloro methane	Bromoform	Chlorodibromo methane	Chloroform	Total Trihalomethanes	Total THM Quarterly Average		Dibromoacetic Acid	Dichloroacetic Acid	Monobromoacetic Acid	Monochloroacetic Acid	Trichloroacetic Acid	Total Haloacetic Acid	Total HAA Quarterly Average
DEL-323	Mar 02 2017	<1	<1	<1	17	19.0	34		<0.5	7	<1	<2	8.3	16.5	43
DEL-323	May 18 2017	<1	<1	<1	18	18.0	29		<0.5	13	<1	<2	10.8	25.5	37
DEL-323	Aug 22 2017	<1	<1	<1	27	27.0	26		<0.5	10	<1	<2	13.2	25.1	30
DEL-323	Dec 01 2017	<1	<1	<1	34	35.0	25		<0.5	13	<1	<2	24.2	38.9	27
DEL-323	Feb 16 2018	<1	<1	<1	21	23	26		<0.5	12	<1	<2	13.2	27.5	29
DEL-323	May 29 2018	<1	<1	<1	36	38	31		0.5	24	<1	2	31.9	58.4	37
DEL-323	Aug 7 2018	<1	<1	<1	33	34	33		<0.5	11	<1	<2	11	23.7	37
DEL-323	Nov 22 2018	<1	<1	<1	37	40	34		<0.5	8	<1	<2	20.6	29.4	35
DEL-323	Feb 22 2019	<1	<1	<1	17	19	33		<0.5	9	<1	<2	7.4	17.8	32
DEL-323	May 16 2019	<1	<1	<1	33	33	32		<0.5	18	<1	2	25	45.9	29
DEL-323	Aug 21 2019	1	<1	<1	28	31	31		<0.5	10	<1	<2	10.9	21.4	29
DEL-323	Dec 03 2019	<1	<1	<1	27	28	28		<0.5	5	<1	<2	6.9	12.8	24
DEL-323	Feb 26 2020	<1	<1	<1	20	22	29		<0.5	8	<1	<2	7.7	16	24
DEL-323	May 27 2020	<1	<1	<1	29	31	28		<0.5	12	<1	<2	12.5	24.7	19
DEL-323	Aug 13 2020	1	<1	<1	51	53	34		<0.5	20	<1	2	28.7	51	26
DEL-323	Dec 03 2020	<1	<1	<1	29	30	34		<0.5	12	<1	2	22.4	37.6	32
DEL-323	Mar 26 2021	<1	<1	<1	24	25	35		<0.5	7	<1	<2	5.2	14	32
DEL-323	Jun 03 2021	<1	<1	<1	33	35	36		<0.5	18	<1	2	28.3	49.1	38
DEL-323	Aug 25 2021	1	<1	<1	31	33	31		<0.5	11	<1	<2	21.6	33	33
DEL-323	Nov 25 2021	<1	<1	<1	32	34	32		<0.5	4	<1	<2	13.5	18	29
DEL-323	Feb 17 2022	<1	<1	<1	24	25	32		<0.5	11	<5.0	<5.0	9.6	22	31
DEL-323	May 11 2022	<1	<1	<1	30	32	31		<0.5	10	<0.5	0.9	6.8	18	23
DEL-323	Aug 25 2022	1	<1	<1	43	44	30		<0.5	7.7	<0.5	0.6	22	30	19
DEL-323	Nov 16 2022	2	<1	<1	27	29	33		<0.5	2.7	<0.5	<0.5	7.1	9.8	20
DEL-323	Jan 30 2023	<1	<1	<1	52	52	39		<0.5	9.9	<0.5	<0.5	6.7	17	19
DEL-323	May 31 2023	<1	<1	<1	29	31	39		<0.5	14	<0.5	<0.5	18	33	22
DEL-323	Aug 28 2023	1	<1	<1	29	30	37		<0.5	4.4	<0.5	<0.5	14	18	20
DEL-323	Nov 30 2023	<1	<1	<1	28	29	42		<0.5	4.3	<0.5	<0.5	8	12	25
DEL-323	Jan 30 2024	<1	<1	<1	22	23	28		<0.5	11	<0.5	<0.5	7.9	19	21
DEL-323	Apr 25 2024	<1	<1	<1	30	31	28		<0.5	15	<0.5	<0.5	16	31	20
DEL-323	Sep 10 2024	<1	<1	<1	39	40	31		<0.5	3.5	<0.5	<0.5	20	24	22
DEL-323	Nov 27 2024	<1	<1	<1	35	35	31		<0.5	6.9	<0.5	0.6	12	20	25



Appendix 13

Metals Test Results

2024 Metals Test Results

[illegible]

Appendix 14

Vinyl Chloride Test Results

2024 Vinyl Chloride Test Results

Sample Site Number	Sample Reported Name	1st Half of 2024	Vinyl Chloride	2nd Half of 2024	Vinyl Chloride
		Sampled Date	(mg/L)	Sampled Date	(mg/L)
DEL-223	#10 Centennial Parkway	11-Jun-24	<0.001	18-Nov-24	<0.001
DEL-310	4905 Galbraith Street	11-Jun-24	<0.001	18-Nov-24	<0.001
DEL-313	5191 Robertson Road	11-Jun-24	<0.001	18-Nov-24	<0.001
DEL-319	5169 Kilkenny Drive	11-Jun-24	<0.001	18-Nov-24	<0.001
DEL-321	9434 117A Street	11-Jun-24	<0.001	18-Nov-24	<0.001
DEL-323	7348 Priory Place	11-Jun-24	<0.001	18-Nov-24	<0.001

Notes:

Canadian Guideline Limit for Vinyl Chloride is 0.002 mg/L

Appendix 15

Fraser Health Bulletin

Responsibilities of a Water System Owner/Operator



Under the Drinking Water Protection Act and Regulation owners and operators of a drinking water system are responsible by law to ensure that the water is safe for domestic use. Domestic use is defined as water used for human consumption, food preparation or sanitation (i.e., water used for drinking, cooking, cleaning, etc.).

The following table is a summary of the water system owner and operator responsibilities.

1. Supply Safe Drinking Water (Act s.6, Reg s.5)	All water supplied to customers/users must be free from harmful microorganisms (bacteria, viruses or parasites). Health related chemicals found in the drinking water must not exceed certain levels. Drinking water taken from surface sources (lake, creek or spring) or ground water sources (shallow well) at risk of containing harmful microorganisms must be treated (i.e. Chlorine, Ultra Violet light).
2. Construction Permit (Act s.7, Reg s.6)	Construction permits are required to construct a new water system or to alter or extend an existing water system.
3. Operating Permit (Act s.8, Reg s.7)	To operate a water system requires a valid Operating Permit issued by Fraser Health. Terms and Conditions may be applied to the permit where necessary.
4. Operator Training (Act s.9, Reg s.12, 4.2)	A Certified Operator is required for all water systems serving a population of 500 or more persons. A small water system is not required to have a certified operator unless otherwise required by the Drinking Water Officer/Inspector as a condition on your operating permit.

5. Water Sample Collection & Testing (Act s.11, Reg s. 2,8,9)	Owners/operators are required to collect and submit water samples to an approved laboratory. The laboratory tests for the presence of total coliform and E.coli bacteria. Owners/operators are expected to have the drinking water tested for specific chemicals every 3 to 5 years.
6. Emergency Response Plan (Act s.10, Reg s.13)	Owners/operators must have a written plan detailing what they will do in the event of an emergency (e.g. if the drinking water supply becomes contaminated with E.coli bacteria – issue a boil water advisory to all users).
7. Immediate Reporting (Act s.12, Reg s.9)	If an owner/operator receives a report from a laboratory regarding an E.coli positive water test result, he/she must immediately notify Fraser Health (Drinking Water Officer/Inspector).
8. Notify Drinking Water Officer of Threat (Act s.13)	As soon as an owner/operator becomes aware of a possible threat to their water system (e.g. chemical is spilled into their water supply or someone has tampered with their system) he/she must immediately notify Fraser Health (Drinking Water Officer/Inspector).
9. Notify Water Users of Threats to Drinking Water (Act s.14)	If an owner/operator becomes aware of a possible health threat and is unable to immediately notify the Drinking Water Officer/Inspector, he/she must immediately notify the users of the drinking water supply of the threat. For example: <ul style="list-style-type: none"> • Owner/operator receives a report from a laboratory regarding an E.coli positive water test result or • Owner/operator considers that there may be a health threat to the drinking water system.
10. Publication of Information (Act s.15, Reg s.11)	Owners/operators are required to make various types of information public. This includes information regarding their emergency response plans and water quality monitoring test results.
Recommendation: Operation & Maintenance Recordkeeping	Owners/operators should keep a record of routine maintenance and repairs, water test results, operational issues, etc.

Unofficial versions of the act and regulation can be downloaded from: www.hls.gov.bc.ca/protect/dwact.html

For any questions or concerns contact your Drinking Water Officer/Inspector at 604-870-7900.

Website: www.healthspace.ca/fha
www.fraserhealth.ca

What can I do if there is arsenic in my drinking water?

Water with arsenic is a problem only if you are using it for drinking, preparing food or watering food plants. Exposure through breathing and skin contact is not harmful. For example, there are no known health effects from hand washing, bathing, or washing clothing in water with arsenic.

If an initial test detects arsenic, even at levels below the guideline, it is important to have a second test done to confirm the results. If arsenic is present, then you can either use another source for drinking water or treat the current source.

Chlorination and mechanical filters do not remove arsenic from water. **Boiling water may increase the concentration of arsenic and make the problem worse.** There are several treatment options for removing arsenic including reverse osmosis filters and distillation.

There is no regulatory control over treatment devices for private homes, so you have to be careful to buy one that works for removing arsenic. Look for a treatment device that has been certified by an organization accredited by the Standards Council of Canada (SCC) and meets one of the following standards:

- NSF/ANSI Standard 62 on drinking water distillation systems; or
- Standard 58 on reverse osmosis drinking water treatment systems; or
- Standards 53 on drinking water treatment units – with specific designation for arsenic.

Be sure to operate and maintain your treatment device as per the manufacturer's instructions and test your raw and treated water regularly for arsenic to make sure that the device is indeed working properly.

For more information pertaining to drinking water and other services, visit the Fraser Health website below or contact the Drinking Water Program staff at 1-604-870-7900.

www.fraserhealth.ca/your_environment

Health Protection is responsible for regulating and monitoring many public facilities and those aspects of the environment that have a direct impact on public health. Our mission is "ensuring healthy people and healthy environments".



fraserhealth

Better health.
Best in health care.

Revised: December 2013



fraserhealth

Arsenic in Well Water

Information for Private Well Owners




Health Protection

Ensuring Healthy People and Healthy Environments

Drinking water that contains arsenic can have serious short-term and long-term health effects. As you can see on the map, some groundwater in the Fraser Valley is known to contain arsenic concentrations exceeding Health Canada's Maximum Acceptable Concentration (MAC) of 0.010mg/L (10 ug/L or 10 parts per billion). This pamphlet provides information about arsenic, including how to test your well water for arsenic and what to do if arsenic is found in your well water.

Pre-Treatment Arsenic Levels



For a detailed and larger area view of the above Arsenic Map visit the Fraser Health website at: www.fraserhealth.ca/your_environment/drinking_water/resources/private-well-owners/.

How does arsenic get into drinking water?

Arsenic can get into drinking water from natural deposits or runoff from agriculture, mining or industrial processes. In British Columbia, natural minerals are the most common sources of arsenic in drinking water. The amount of arsenic found in groundwater wells is usually higher than that found in surface water supplies such as lakes, streams and rivers.

What are the health effects of arsenic exposure?

Arsenic in water is a concern only if the water is being used for drinking or preparing food. Exposure through breathing and skin contact is not harmful. For example, there are no known health effects from hand washing, bathing or washing clothing in water with arsenic.

However, if you use your water for drinking or preparing food, water that contains arsenic can have serious short-term and long-term health effects, depending on how much arsenic is in your water and for how long you drink it.

Short to medium-term (days to weeks) exposure to very high levels of arsenic (over 200 parts per billion) in drinking water can lead to arsenic poisoning. For an added margin of safety, do not drink water containing 100 parts per billion arsenic or greater.

Symptoms of exposure to high levels of arsenic include stomach pain, vomiting, diarrhea, and impaired nerve function, which may result in 'pins and needles' sensation in hands and feet.

As children tend to drink more water per unit of body weight than adults, they may have more exposure to arsenic in drinking water and may be at greater risk of illness when higher levels of arsenic are present.

Long-term (years to decades) exposure to even relatively low amounts of arsenic in drinking water can increase your risk of developing certain cancers,

including skin, lung, kidney, and bladder cancer. The risk of cancer is the reason for developing the Canadian guideline for arsenic in drinking water. Long term arsenic exposure can also cause skin changes, including darkening, and wart or corn-like growths mostly found on the palms of the hands and soles of the feet.

Health Canada set a Maximum Acceptable Concentration (MAC) of 0.010 mg/L (10 ug/L or 10 parts per billion) for arsenic in drinking water. This level was set based on the ability to treat water practicably to this level. This amount is still linked with a health risk higher than the level considered to be a very minor risk. For this reason people should consider taking precautions with their drinking water even if the arsenic levels are slightly below the guideline.

For more information on arsenic in drinking water and the Guidelines for Canadian Drinking Water Quality visit the Health Canada website at www.hc-sc.gc.ca.

How can I find out if there is arsenic in my drinking water?

Any well may contain arsenic or other contaminants. As the well owner, it is your responsibility to test your well water for arsenic and other indicators of water quality.

Arsenic in drinking water has no odour or taste. It is detected by a chemical test that is done only by specialized laboratories. For a list of "Laboratories Analytical" check the yellow pages in the telephone book or contact an Environmental Health Officer in the Drinking Water Program at 1-604-870-7900.

For more information on water testing go to www.healthlinkbc.ca/healthfiles/hfile05b.stm. See file #05b "Should I Get My Well Water Tested?"